



FUTURE MEZZANINE COLUMN REACTIONS:

25'-0"/25'-0" SPACING:
 $R_V = 135.1^K$
 $R_H = 0.0^K$
 $R_{UP} = 0.0^K$
 34'-0"/16'-0" SPACING:
 $R_V = 150.5^K$
 $R_H = 0.0^K$
 $R_{UP} = 0.0^K$

- NOTES:
 1. FINISHED FLOOR ELEVATION: 100'-0"
 2. UNLESS NOTED BASE PLATE ELEVATION = 100'-1"

○ Dia= 5/8"
 ⊗ Dia= 3/4"
 ⊕ Dia=1"

ERECTION REQUIRES MINOR ADJUSTMENTS

ESSEX STRUCTURAL STEEL CO., INC. CORTLAND, NEW YORK 13045			
REVISIONS	PROJECT:	CANAL LANDING 100 WEST COMMERCIAL STREET PORTLAND, MAINE 04101	
REV. A, 7/7/2014, JCK: SPACING & COLUMN ORIENTATION LINE 7-A,L,M	CONTRACTOR:	IRISHSPAN INDUSTRIES	
ADDED MEZZ. COL'S, FUTURE COL'S REACTIONS & ELEVATIONS	PROJECT NO.:	S-1468	
REV. B, 7/14/2014, JCK: SPACING @ LINE 1 C-I, A-7, J-7. ADDED LINE 6.1	TITLE:	ANCHOR BOLT LAYOUT	
	DRAWN BY:	WPK	DATE: 6/23/14
			SCALE: D.N.S.
			SHEET: 1