Reviewed for Code Compliance
Inspections Division
Approved with Conditions
Date: 10/03/14

10 STAIR DETAIL
SCALE: 3/4"=1'-0"

9 STAIR DETAIL
SCALE: 3/4"=1'-0"

8 STAIR DETAIL
SCALE: 3/4"=1'-0"

7 STAIR DETAIL
SCALE: 3/4"=1'-0"

4 STAIR 1 SECTION (STAIR 2 SIMILAR)
SCALE: 1/4"=1'-0"

2A STAIR 1 PLAN-OVERALL (STAIR 2 SIMILAR)
SCALE: 1/4"=1'-0"

2 STAIR 1 PLAN-FIRST FLOOR (STAIR 2 SIMILAR)
SCALE: 1/4"=1'-0"

NOTE:
IF DRYWALL MOUNTED PROVIDE THRU WALL, SOLID, FIRE RETARDANT BLOCKING. IF CMU/ CONC. MOUNTED PROVIDE TOGGLE OR ANCHOR BOLTS.

6 HANDRAIL DETAIL
SCALE: 1 1/2"=1'-0"

5 HANDRAIL DETAIL
SCALE: 1 1/2"=1'-0"

3 STAIR 3 SECTION
SCALE: 1/4 = 1'-0"

1 STAIR 3 PLAN
SCALE: 1/4"=1'-0"

C1 1 HOUR CEILING ASSEMBLY

C1 CEILING ASSEMBLY 1 HOUR RATING

GA FILE NO. FC5406 APPENDED GA 610-02

1. **Gypsum Board --** Base layer 5/8" type X gypsum board applied at right angles to framing with 1-1/4" Type W or S drywall screws 24" O.C. Face layer 5/8" type X gypsum wallboard or gypsum veneer base applied at right angles to framing with 1-7/8" Type W or S drywall screwa 12" O.C. at joints and intermediate joists and 1-1/2" Type G drywall screws 12" O.C. placed 2" back either side of end joists. Edge joints offset 24" from base layer edge joints.
2. **Framing Members --** Metal or wood framing structure

Ceiling provides one hour fire resistance protection for framing, including trusses.

LICENSED ARCHITECT
DAVID LLOYD
NO. 936
STATE OF MAINE

Prepared For:
Canal Landing / New Yard LLC
100 West Commercial St. Portland, ME

Consulting Engineer:

Architect:
ARCHETYPE architects
48 Union Wharf Portland, Maine 04101
(207) 772-6022 Fax (207) 772-4056

Project:
Canal Landing / New Yard
100 West Commercial St. Portland, ME

Revisions:

Scale: AS NOTED
Date: 25 September 2014

STAIR SECTIONS AND DETAILS

A3.12