Reviewed for Code Compliance
Inspections Division
Approved with Conditions

Date: 11/19/13

BOLT TABLE FRAME LINE 9	* ALL A325 BOLTS TO RECIEVE (2) WASHERS		
LOCATION	QUAN	DIA	LENGTH
EC-4 To Rigid Frame	4	3/4"	2"
	2	3/4"	8"
EC-4 To Anchor Clip	2	3/4"	8"
EC-5 To Rigid Frame	4	3/4"	2"
	2	3/4"	10"
EC-5 To Anchor Clip	2	3/4"	10"
EC-6 To Rigid Frame	4	3/4"	2"
	2	3/4"	10"
EC-6 To Anchor Clip	2	3/4"	10"

MEMBER TABLE FRAME LINE 9		
MARK	PART	LENGTH
EC-4	HSS 10x6x1/4" + 6C14*	24'-2 3/4"
EC-5	HSS 12x8x3/8" + HSS 4x2x14ga*	33'-9 3/16"
EC-6	HSS 16x8x3/8"	41'-11"
DH-5	12C12 + HSS 4x4x14ga*	C.T.F.
DJ-5	12C12	C.T.F.
G-1	HSS2.5x2.5x11ga	C.T.F.
VF-1	8C14 + 8C14	C.T.F.
LF-1	6C14	C.T.F.

* WELDED TO MAIN MEMBER

CONNECTION PLATES FRAME LINE 9	
☐ ID	PART
1	b1
2	b2
3	b3
4	b4
5	b5
7	b7
8	b8
10	b10

SEE CLIP DETAILS S5.0

END WALL FRAMING PLAN
FRAME LINE 9

STATE OF MAINE
DWAYNE R. MOENCH
13059
LICENSED
PROFESSIONAL ENGINEER
11-13-13

SCALE: 3/32" = 1'-0"

LEGACY BUILDING SOLUTIONS
www.LegacyBuildingSolutions.com
1-877-722-2534

NEW YARD LLC
120'-0" x 160'-0"
PORTLAND, ME

Legacy Building Solutions
19500 County Rd 142
South Haven, MN 55830
p. 320-259-7126

PATENT PENDING

END WALL FRAMING PLAN

S4.1