Reviewed for Code Compliance
Inspections Division
Approved with Conditions

Date: 11/19/13

ES ONLY)	
	LENGTH
	266"
	254"
	252"
	268"
	266"

NOTE:
ALL TOP FLANGES OF RIGID FRAME MUST BE BRACED WITH FLANGE BRACE OR SUPPORT PURLINS AT ALL NOTED PURLIN LOCATIONS

/ - DENOTES FLANGE BRACE LOCATION

STATE OF MAINE
DWAYNE R. MOENCH
13359
DRM
LICENSED
PROFESSIONAL ENGINEER
11-13-13

MEMBER TABLE		
RIGID FRAME ELEVATIONS		
MARK	PART	LENGTH
P-1	HSS 4x4x14ga	19'-11 1/16"
P-2	HSS 3x3x14ga	19'-11 1/16"
P-3	4" ROUND x 11ga	19'-10"
S-1	HSS 4x4x14ga	19'-2 3/8"
S-2	HSS 4x4x14ga	19'-3 7/8"
S-3	HSS 4x4x14ga	19'-2 1/8"
S-4	HSS 4x4x14ga	19'-1 15/16"
S-5	HSS 4x4x14ga	19'-0 7/8"
FB-1	L1.5x1.5x1/8"	3'-0"
FB-2	L2x2x3/16"	5'-0"
FB-3	L2.5x2.5x3/16"	7'-0"
FB-4	L1.5x1.5x1/8"	3'-0"
ITS-C	HSS 6x2x11ga	19'-8 9 /16"
ITS-E	HSS 6x2x11ga	19'-10"

1 ROOF FRAMING PLAN

SCALE: 1/16" = 1'-0"

LEGACY

www.LegacyBuildingSolutions.com
1-877-229-4928

NEW YARD LLC
120'-0" X 160'-6"
PORTLAND, ME

Legacy Building Solutions
19500 County Rd 142
South Haven, MN 55830
p. 320-259-7126

PATENT PENDING

ROOF FRAMING PLAN

Sheet Number:
S3.0