


FLOATING BOOMS AND TURBIDITY CURTAIN(S) SHALL BE PLACED DURING SHOREFRONT CONSTRUCTION. THEY SHALL BE POSITIONED AND MAINTAINED TO AVOID CONFLICT WITH THE NAVIGATION CHANNEL.

- NOTES:**
- THIS PLAN SHOWS THE MINIMUM EROSION AND SEDIMENT CONTROLS. OTHER/ADDITIONAL MEASURES WILL BE NECESSARY. REFER TO THE EROSION AND SEDIMENT CONTROL DETAILS AND NARRATIVE FOR TIMING, UTILIZATION AND INSTALLATION OF A WIDE RANGE OF EROSION AND SEDIMENT CONTROL PRACTICES.
  - ALL SEDIMENT LADEN/TURBID RUNOFF TO BE INTERCEPTED AND PREVENTED FROM ENTERING THE FORE RIVER.
  - ALL MATERIAL STOCKPILED TO BE PROTECTED PER DETAIL H ON SHEET C-6.2.
  - ADDITIONAL EROSION CONTROL MEASURED WILL BE NEEDED ALONG THE SHOREFRONT AS SHOREFRONT ELEMENTS INCLUDING THE REVETMENT REPAIRS AND BOAT RAMP ARE INSTALLED TO PREVENT SILT & SEDIMENT FROM ENTERING THE FORE RIVER.

LEGEND	
	SEDIMENT BARRIER
	RIPRAP
	EROSION CONTROL MESH
	INLET PROTECTION

PRELIMINARY - NOT FOR CONSTRUCTION



PROJECT <b>CANAL LANDING AMENDED SITE PLAN</b>		ENGINEERS <b>FST</b> <small>Since 1974</small> <b>FAY, SPOFFORD &amp; THORNDIKE, INC.</b> <small>ENGINEERS - PLANNERS - SCIENTISTS</small> 778 MAIN ST., SUITE 6, SOUTH PORTLAND, ME 04106	
SHEET TITLE <b>AMENDED EROSION AND SEDIMENT CONTROL PLAN - PHASE 1B</b>		DRAWN: CMW      DATE: AUGUST 2013 DESIGNED: SRB      SCALE: 1" = 50' CHECKED: SRB      JOB NO. 3091.02 / SP-M040B FILE NAME: 3091.02-EROS SHEET <b>C-6.1</b>	
CLIENT <b>NEW YARD LLC</b> 58 FORE STREET PORTLAND, ME 04101		P.E. STEPHEN BUSHEY LIC. # 7429	
4    09.20.13    REVISED PHASE 1B BUILDING ALIGNMENT & RESUBMITTED TO CITY	3    02.01.13    RELEASED FOR BIDDING	REVISIONS	
2    12.05.12    REVISED AND RESUBMITTED TO CITY	1    10.31.12    FINAL SITE PLAN APPLICATION SUBMISSION		