

FOUNDERS HALL ROOF FRAMING PLAN
1/8"=1'-0"

- NOTES:
1. 1/2" PLY INDICATES SPAN DIRECTION OF 1/2" PLYWOOD SHTG OVER EXIST BOARD SHEATHING.
 2. P1 POST INDICATES 5 1/4x5 1/4 PSL POST.
 3. EXISTING FRAMING BASED ON LIMITED VISUAL ACCESS. MANY AREAS ARE UNKNOWN. G.C. CARRY APPROPRIATE CONTINGENCY. NOTIFY ENGINEER OF FINDINGS/DISCREPANCIES AFTER REMOVAL OF FINISHES.
 4. G.C. SHORE EXISTING FRAMING AS REQUIRED.
 5. ** INDICATES DIM TO BE COORD W/FINAL MECH DUNNAGE & MECH ROOF PENETRATIONS W/APPROVED MECH UNIT.

ROOF FRAMING PLAN
1/8"=1'-0"


- NOTES:
1. ←→ INDICATES SPAN DIRECTION OF 3N18 GALV ROOF DECK (3 SPAN MIN).
 2. TOP OF STEEL EL 166'-0" U.N.O. BY (±X'-XX"). SEE SECTS DWG S3.1 FOR 1/STL EL AT ROOF FRAMES.
 3. ——— INDICATES MOMENT CONNECTION. SEE SECTIONS & DETAIL DWG S3.3.
 4. L4x4x1/4 DIAG BRACE. (SEE TYP ELEVATOR SHAFTWALL BRACING DETAIL).
 5. PROVIDE STL ANGLE FRAME SUPPORT UNDER ALL MECH UNITS ON ROOF. (NOT ALL LOCATIONS SHOWN ON PLAN). SEE PLAN OF TYP OPENING IN ROOF & FLOOR DECK DETAIL DWG S3.0 FOR SIM FRAMING.

MECH DUNNAGE FRAMING PLAN
1/8"=1'-0"

- NOTES:
1. COORD TOP OF STEEL EL W/ARCH/MEP REQMENTS.
 2. L4x4 INDICATES L4x4x5/16 HORIZ BRACING.
 3. ** INDICATES DIM TO BE COORD W/FINAL MECH DUNNAGE & MECH ROOF PENETRATIONS W/APPROVED MECH UNIT.
 4. ALL STEEL & CONNECTIONS SHALL BE HOT DIPPED GALVANIZED.

PROJECT NAME:
**WAYNFLEET
LOWER SCHOOL
ADDITION & RENOVATIONS**

WAYNFLEET SCHOOL
360 SPRING STREET
PORTLAND, MAINE 04102



THIS DRAWING IS THE PROPERTY OF SCOTT SIMONS ARCHITECTS (SSA) AND IS NOT TO BE COPIED OR REPRODUCED IN PART OR WHOLE.
2012 © SCOTT SIMONS ARCHITECTS, LLC

REVISION:

DATE OF ISSUE: 12 JANUARY 2017
PROJECT NUMBER: 3660
STATUS: ISSUED FOR BID

**LOWER SCHOOL
ROOF FRAMING
PLAN**