



75 York Street  
Portland, Maine 04021  
simonsarchitects.com  
207.772.4656

### PLUMBING FIXTURE COUNTS

(UPC 2009, TABLE 4-1)

(FIXTURES PER PERSON)	WATER CLOSETS		URINALS		LAVATORIES		DRINKING FOUNTAINS	
	REQUIRED	PROVIDED	REQUIRED	PROVIDED	REQUIRED	PROVIDED	REQUIRED	PROVIDED
LOWER LEVEL: TOTAL OCCUPANCY LOAD 142								
ELEMENTARY MALE	1:30 71/30= 3	3	1:75 71/75= 1	see note3	1:35 142/35= 4	8	1:150 142 /150= 1	2 (1 BOTTLE FILLER + 1 FOUNTAIN PER UNIT)
FEMALE	1:25 71/25= 3		N/A	N/A				
MAIN LEVEL: TOTAL OCCUPANCY LOAD 261 (ELEMENTARY - 198 NURSERY - 63)								
ELEMENTARY MALE	1:30 99/30= 4	5	1:75 99/75= 2	see note3	1:35 198/35= 6	7	1:150 261/150= 2	2 (1 BOTTLE FILLER + 1 FOUNTAIN PER UNIT)
FEMALE	1:25 99/25= 4		N/A	N/A	2:50 (+1:50 OVER) 63/50= 3	5		
NURSERY MALE	2:50 (+1:50 OVER)							
FEMALE	63/50= 3	4						
UPPER LEVEL: TOTAL OCCUPANCY LOAD 285								
ELEMENTARY MALE	1:30 143/30= 5	6	1:75 143/75= 2	see note3	1:35 285/35= 8	12	1:150 285/150= 2	2 (1 BOTTLE FILLER + 1 FOUNTAIN PER UNIT)
FEMALE	1:25 143/25= 6		N/A	N/A				
TOTAL								
MALE	15	18	5	see note3	21	32	5	6
FEMALE	16							

1. All restrooms are to be unisex without designation of gender.
2. All toilet fixtures are low flow fixtures ranging from 1.1gpf to 1.128gpf
3. Urinal fixtures have not been provided to be in keeping with the preference for unisex facilities.

DRAWING TITLE: **PLUMBING FIXTURE COUNTS [G002R ADDITIONAL INFORMATION]**

PROJECT NAME:

**WAYNFLETE LOWER SCHOOL ADDITION & RENOVATIONS**  
360 SPRING STREET / PORTLAND, MAINE 04102

THIS DRAWING IS THE PROPERTY OF SCOTT SIMONS ARCHITECTS AND IS NOT TO BE COPIED OR REPRODUCED IN PART OR WHOLE. 2017 © SCOTT SIMONS ARCHITECTS, LLC

DATE OF ISSUE: MAY 09, 2017  
DESCRIPTION: ISSUED FOR PERMIT  
SCALE: NTS  
PROJECT NUMBER: 2013-0050

**SKA-10**