

2464 0/A MODULAR CLASSROOM

23'-7" x 60'-0" ACTUAL SIZE

MAINE DESIGN CODES

2009 INTERNATIONAL BUILDING CODE
 2009 INTERNATIONAL MECHANICAL CODE
 2007 ANSI / ASHRAE 62.1
 2009 MAINE STATE INTERNAL PLUMBING CODE
 2011 NATIONAL ELECTRIC CODE

DESIGN LIVE LOADS

FLOOR:..... 40 PSF LIVE LOAD
 10 PSF DEAD LOAD


ROOF:..... 60 PSF GROUND SNOW LOAD
 10 PSF DEAD LOAD

CONSTRUCTION TYPE:..... 5B- UNPROTECTED
 OCCUPANCY/USE GROUP: B
 BUILDING AREA:..... 1,410 SQ FT.
 MINIMUM BUILDING
 SET BACK:..... GREATER THAN 10 FEET TO A
 COMMON OR ASSUMED PROPERTY LINE

SEISMIC ZONE:..... GROUP I, CATEGORY C
 MAXIMUM WIND LOAD:..... 120 MPH ULTIMATE WIND SPEED. CATEGORY II, EXPOSURE C
 OCCUPANT LOAD:..... 42 (BASED ON THE HVAC SYSTEM DESIGN)

DRAWING INDEX

DRAWING NUMBER	DESCRIPTION
#1	SPECIFICATIONS
#2	ELEVATIONS
#3	FLOOR PLAN
#4	ELECTRICAL PLAN
#5	HVAC LAYOUT
#6	CROSS SECTION
#7	PLUMBING SCHEMATICS
#8	FOUNDATION PLAN



SERIAL NUMBERS:
 CPX-95634 A & B
 CPX-95635 A & B
 CPX-95636 A & B

SITE LOCATION:
 WAYNFLETE SCHOOL
 360 SPRING STREET
 PORTLAND, MAINE 04102

JOB NO: 2017-046
 DATE: 4/12/17
 SCALE: nts
 DRAWING NO: CVR
 WILLIAMS SCOTSMAN, INC.
 325 RODMAN ROAD, AUBURN, ME 04210
 DRAWN BY: R.M.
 REV:
 TITLE: COVER SHEET
 MODEL: 2464 0/A CLASSROOM