


TOTAL POSTED OCCUPANCY = 607  
 (INTERIOR OFFICE SPACE + EXTERIOR ROOF DECK)  
 B-BUSINESS USE  
 FOURTH FLOOR - 9,336 SF  
 OCCUPANT LOAD - 9,336/100 = 94

EXIT ACCESS REMOTENESS = 54'-7"  
 REQUIRED REMOTENESS (FULLY SPRINKLED)  
 BUILDING DIA. / 3 (163'-7" / 3 = 54'-6")  
 54'-7" > 54'-6"

FIRE EXTINGUISHER		●
1 HOUR PARTITION/SHAFT		⊥
2 HOUR PARTITION/SHAFT		⊥
SMOKE DETECTOR		SD
MAXIMUM TRAVEL DISTANCE TO AN EXIT		.....
COMMON PATH OF TRAVEL LENGTH		→
EXIT ENTRANCE		⊥
EXIT ENTRANCE		→
EMERGENCY LIGHTING		EL
ALARM AND STROBE		F
PULL STATION		F
STROBE		S

LIFE SAFETY LEGEND  
 1/8" = 1'-0"

1 | 4TH FLOOR - LIFE SAFETY PLAN  
 1/16" = 1'-0"



Prepared For:  
 0 Hancock Street  
 LLC

Consultant:  
**ARCHETYPE**  
 architects  
 48 Union Wharf Portland, Maine 04101  
 (207) 772-6022 ARCHETYPE@ARCHETYPEPA.COM

Project:  
 0 Hancock Street  
 Portland, Maine

Revisions:  
 Issued For Permit - 10/23/2017

Date:  
 August 2017

Scale:  
 As indicated

Life Safety Plan

LS1.2