Reviewed for Code Compliance
Inspections Division
Date: 02/02/17

ESIGN/_ACTIVE-CLIENTS/BMF2-DanforthSt-3unit/BMF2-05-ARCHICAD/BMF2-20161011.pln

AIR SEALING AT PENETRATIONS:
TYPICAL AIR SEALING AT SLAB PENETRATIONS & PIPES

AIR SEALING AT WALLS:
LEAVE VB LONG, TO ALLOW FOR TAPE SEAL TO WALL SHEATHING AFTER FRAMING

TYPICAL VAPOR BARRIER SEALING:
COMPATIBLE FLASHING TAPE, PER VB MANUFACTURER'S RECOMMENDATIONS

AIR SEALING AT ALL SLAB PENETRATIONS, TYP.

1 FOUNDATION PLAN

SCALE: 1/4" = 1'-0"

0 2' 4' 8'

N

KAPLAN THOMPSON ARCHITECTS
102 EXCHANGE STREET
PORTLAND, ME 04101
207-842-2888
KAPLANTHOMPSON.COM

PROJECT:

NEW TWO-FAMILY DWELLING

380 DANFORTH
PORTLAND ME 04101

NOT FOR CONSTRUCTION

PROJECT NO:	BMF2
DATE:	10/11/16
DRAWN BY:	JT/CA
PHASE:	SCHEMATIC DESIGN

FOUNDATION PLAN

A-0.1