


SECOND FLOOR FRAMING PLAN


1/8"=1'-0"

- NOTES:
- FLOOR CONSTRUCTION CONSISTS OF A 3 1/2" NORMAL WEIGHT CONCRETE SLAB ON 1.5VL1 22GA GALVANIZED METAL DECK. (2" CONCRETE FILL OVER 1 1/2" DECK). PROVIDE 6x6-W1.4xW1.4 W.W.P.
 - INDICATES DECK SPAN.
 - TOP OF CONCRETE SLAB EL 154'-0 1/2" ± U.N.O. NOTE: TOP OF SLAB EL BASED ON EXIST TOP OF SLAB EL. G.C. VERIFY IN FIELD AND ADJUST IF REQD.
 - TOP OF STEEL EL 151'-7" U.N.O. BY (+2 1/2), (-5), ETC.
 - INDICATES BRACING. SEE BRACING ELEVATIONS, DWG S1.6
 - T.J. INDICATES THE JOIST.
 - JOIST BRIDGING PER STEEL JOIST INSTITUTE.
 - INDICATES SPAN OF 1.5820 PAINTED METAL ROOF DECK (3 SPAN MIN).
 - ALL STAIR STRUCTURES SHALL BE DESIGNED BY THE STRUCTURAL STEEL FABRICATOR IN ACCORDANCE WITH THE 2003 INTERNATIONAL BUILDING CODE. STAIRS AND LANDINGS SHALL BE DESIGNED FOR A 100 PSF LIVE LOAD. COORDINATE ALL DETAILS WITH ARCHITECTURAL DRAWING AND SUBMIT FABRICATION DRAWINGS FOR REVIEW.



BECKER
structural engineers, inc.

75 York Street Portland, ME 04101-4701
Tel 207-879-1838 Fax 207-879-1822
info@beckerstructural.com www.beckerstructural.com



75 York Street
Portland, Maine 04101
phone 207 772 4656
fax 207 828 4656

THIS DRAWING IS THE PROPERTY OF SCOTT SIMONS ARCHITECTS AND IS NOT TO BE COPIED OR REPRODUCED IN PART OR WHOLE.

PROJECT

WAYNFLETE ARTS CENTER PHASE TWO

ADDITION/ RENOVATION
360 SPRING STREET
PORTLAND, ME

TITLE

SECOND FLOOR FRAMING PLAN

STATUS: ISSUED FOR BIDDING

DATE: 08.07.2007	REVISION /DATE:
NOTED	
PROJECT NO. 2003-094030	
DRAWN BY: APP	2007© Scott Simons Architects
DWG NO.	

S1.3