



**CATWALK FRAMING PLAN**

1/8"=1'-0"

**NOTES:**

1. (XX'-XX") INDICATES T/STEEL EL.
2. CATWALK GRATING TO BE 2" THICKNESS RATED FOR 40 PSF LL & 10 PSF DL (MIN) ATTACHED TO STRUCTURE PER MANUF. RECOMMENDATIONS. GRATING TO BE MANUFACTURED BY McNICHOLS, CO., www.mcnichols.com
3. --- INDICATES BRACING. SEE BRACING ELEVATIONS, DWG S1.6
4. \* INDICATES BEAM DESIGNED WITH ASSUMED RIGGING LOAD NOT TO EXCEED 2000 LBS. (BETWEEN CATWALKS), AND RIGGING/LIGHTING LOADS NOT TO EXCEED 100 LBS/LF (AT CATWALKS). OWNER TO VERIFY LOADING ASSUMPTIONS PRIOR TO CONSTRUCTION.



**BECKER**  
structural engineers, inc.

75 York Street  
Portland, ME 04101-4701  
info@beckerstructural.com

Tel 207-879-1838  
Fax 207-879-1822  
www.beckerstructural.com

**SSA**  
Scott Simons Architects

75 York Street  
Portland, Maine 04101  
phone 207 772 4656  
fax 207 828 4656

THIS DRAWING IS THE PROPERTY OF SCOTT SIMONS ARCHITECTS AND IS NOT TO BE COPIED OR REPRODUCED IN PART OR WHOLE.

PROJECT  
**WAYNFLEETE ARTS CENTER  
PHASE TWO**

■ ADDITION/ RENOVATION  
360 SPRING STREET  
PORTLAND, ME

TITLE  
**CATWALK FRAMING  
PLAN**

STATUS: ISSUED FOR BIDDING

DATE: 08.07.2007	REVISION /DATE:
NOTED	
PROJECT NO. 2003-0340-00	
DRAWN BY: APP	2007© Scott Simons Architects
DWG NO.	

**S1.3A**