



ROOF FRAMING PLAN
 1/8"=1'-0"

NOTES:
 1. ROOF DECK SHALL BE 3/16" PAINTED METAL DECK. (3 SPAN MIN) INDICATES DECK SPAN.
 2. TOP OF STEEL EL 163'-3" U.A.D. BY (+2 1/2), (-5), ETC.
 3. --- INDICATES BRACING. SEE BRACING ELEVATIONS, DWG S1.6.
 4. ALL STAIR STRUCTURES SHALL BE DESIGNED BY THE STRUCTURAL STEEL FABRICATOR IN ACCORDANCE WITH THE 2003 INTERNATIONAL BUILDING CODE. STAIRS AND LANDINGS SHALL BE DESIGNED FOR A 100 PSF LIVE LOAD. COORDINATE ALL DETAILS WITH ARCHITECTURAL DRAWING AND SUBMIT FABRICATION DRAWINGS FOR REVIEW.
 5. SEE DWG S3.3 FOR TRUSS DESIGN CRITERIA.
 6. * INDICATES CATWALK POINT LOAD LOCATIONS.

BECKER
 structural engineers, inc.

75 York Street Portland, ME 04101-4701
 Tel 207-879-1838 Fax 207-879-1822
 info@beckerstructural.com www.beckerstructural.com



75 York Street Portland, Maine 04101
 phone 207 772 4656 fax 207 828 4656

THIS DRAWING IS THE PROPERTY OF SCOTT SIMONS ARCHITECTS AND IS NOT TO BE COPIED OR REPRODUCED IN PART OR WHOLE.

PROJECT
WAYNFLETE ARTS CENTER PHASE TWO
 ADDITION/ RENOVATION
 360 SPRING STREET
 PORTLAND, ME

TITLE
ROOF FRAMING PLAN

STATUS: ISSUED FOR BIDDING

DATE: 08.07.2007	REVISION /DATE:
NOTED	
PROJECT NO. 2003-004030	
DRAWN BY: APP	2007© Scott Simons Architects
DWG NO.	

S1.4