



TRUSS DESIGN LOADS
 THE FOLLOWING DESIGN LOADS SHALL BE USED FOR THE DESIGN OF THE TRUSSES, U.N.O.

TOP CHORD DEAD LOAD.....15 PSF
 TOP CHORD SNOW LOAD.....51 PSF
 TOP CHORD SNOW LOAD (UNBALANCED).....77 PSF
 BOT CHORD DEAD LOAD.....20 PSF
 CATWALK POINT LOAD (P1).....4 KIP (1.5KL, 2.5KD)*

* BASED ON LIGHTING/MISC RIGGING LOAD
 @ CATWALK NOT TO EXCEED 100 PLF.
 OWNER VERIFY PRIOR TO CONSTRUCTION

BECKER
 structural engineers, inc.

75 York Street
 Portland, ME 04101-4701
 info@beckerstructural.com

Tel 207-879-1838
 Fax 207-879-1822
 www.beckerstructural.com

SSA
 Scott Simons Architects

75 York Street
 Portland, Maine 04101
 phone 207 772 4656
 fax 207 828 4656

THIS DRAWING IS THE PROPERTY OF SCOTT SIMONS ARCHITECTS AND IS NOT TO BE COPIED OR REPRODUCED IN PART OR WHOLE.

PROJECT

**WAYNFLETE ARTS CENTER
 PHASE TWO**

ADDITION/ RENOVATION
 360 SPRING STREET
 PORTLAND, ME

TITLE

**FRAMING SECTIONS
 AND DETAILS**

STATUS: ISSUED FOR BIDDING

DATE: 08.07.2007	REVISION /DATE:
NOTED	
PROJECT NO. 2003-0140/00	
DRAWN BY: APP	2007© Scott Simons Architects
DWG NO.	

S3.3