



Approved
1 Bowden Str.



NEW 34x34
ANDERSEN D.H.

NEW
ANDERSEN
CLEAR VU
36" WIDE


REMOVE
D.H.
UNIT



REMOVED D.H.
UNIT.

KEITH RESIDENCE
BOWDIN ST., PORTLAND ME
1/17/12

header
height
cutter
under




NEW 34X34
ANDERSEN D.H.

NEW
ANDERSEN
CLEAR VU
36" WIDE

REMOVE
D.H.
UNIT

REMOVED D.H.
UNIT.

KEITH RESIDENCE
BOWDOIN ST., PORTLAND ME
1/17/12



**RAYMOND T KEITH
CARPENTRY LLC**


One Bowdoin Street
Portland Maine 04101
207.329.2308
rkeith@maine.rr.com

FRENCHWOOD® HINGED PATIO DOORS — INSWING

Table of Frenchwood® Hinged Inswing Patio Door Sizes

Scale 1/8" = 1'-0" (1:96)

Door Dimension	2'-0 1/2"	4'-0"	4'-0"						
Minimum Rough Opening	2'-1"	4'-1"	4'-1"						
Unobstructed Glass (single panel only)	13 1/4"	13 1/4"	13 1/4"						
3 heights									
	<ol style="list-style-type: none"> 1 FWH2168S 2 FWH21611S 3 FWH2180S 	<ol style="list-style-type: none"> 1 FWH4168APLR 2 FWH41611APLR 3 FWH4180APLR 	<ol style="list-style-type: none"> 1 FWH4168PALR 2 FWH41611PALR 3 FWH4180PALR 						
Door Dimension	2'-6 1/8"	2'-6 1/8"	2'-6 1/8"	4'-11 1/4"	4'-11 1/4"	4'-11 1/4"	4'-11 1/4"	4'-11 1/4"	
Minimum Rough Opening	2'-7"	2'-7"	2'-7"	5'-0"	5'-0"	5'-0"	5'-0"	5'-0"	
Unobstructed Glass (single panel only)	18 7/8"	18 7/8"	18 7/8"	18 7/8"	18 7/8"	18 7/8"	18 7/8"	18 7/8"	
3 heights									
	<ol style="list-style-type: none"> 1 FWH2768S 2 FWH27611S 3 FWH2780S 	<ol style="list-style-type: none"> 1 FWH2768AR 2 FWH27611AR 3 FWH2780AR 	<ol style="list-style-type: none"> 1 FWH2768AL 2 FWH27611AL 3 FWH2780AL 	<ol style="list-style-type: none"> 1 FWH5068SS 2 FWH50611SS 3 FWH5080SS 	<ol style="list-style-type: none"> 1 FWH5068ASR 2 FWH50611ASR 3 FWH5080ASR 	<ol style="list-style-type: none"> 1 FWH5068SAL 2 FWH50611SAL 3 FWH5080SAL 	<ol style="list-style-type: none"> 1 FWH5068APLR 2 FWH50611APLR 3 FWH5080APLR 	<ol style="list-style-type: none"> 1 FWH5068PALR 2 FWH50611PALR 3 FWH5080PALR 	
Door Dimension	2'-8 1/8"	2'-8 1/8"	2'-8 1/8"	5'-3 1/4"	5'-3 1/4"	5'-3 1/4"	5'-3 1/4"	5'-3 1/4"	
Minimum Rough Opening	2'-9"	2'-9"	2'-9"	5'-4"	5'-4"	5'-4"	5'-4"	5'-4"	
Unobstructed Glass (single panel only)	20 7/8"	20 7/8"	20 7/8"	20 7/8"	20 7/8"	20 7/8"	20 7/8"	20 7/8"	
3 heights									
	<ol style="list-style-type: none"> 1 FWH2968S 2 FWH29611S 3 FWH2980S 	<ol style="list-style-type: none"> 1 FWH2968AR 2 FWH29611AR 3 FWH2980AR 	<ol style="list-style-type: none"> 1 FWH2968AL 2 FWH29611AL 3 FWH2980AL 	<ol style="list-style-type: none"> 1 FWH5468SS 2 FWH54611SS 3 FWH5480SS 	<ol style="list-style-type: none"> 1 FWH5468ASR 2 FWH54611ASR 3 FWH5480ASR 	<ol style="list-style-type: none"> 1 FWH5468SAL 2 FWH54611SAL 3 FWH5480SAL 	<ol style="list-style-type: none"> 1 FWH5468APLR 2 FWH54611APLR 3 FWH5480APLR 	<ol style="list-style-type: none"> 1 FWH5468PALR 2 FWH54611PALR 3 FWH5480PALR 	
Door Dimension	3'-0 1/8"	3'-0 1/8"	3'-0 1/8"	5'-11 1/4"	5'-11 1/4"	5'-11 1/4"	5'-11 1/4"	5'-11 1/4"	
Minimum Rough Opening	3'-1"	3'-1"	3'-1"	6'-0"	6'-0"	6'-0"	6'-0"	6'-0"	
Unobstructed Glass (single panel only)	24 7/8"	24 7/8"	24 7/8"	24 7/8"	24 7/8"	24 7/8"	24 7/8"	24 7/8"	
3 heights									
	<ol style="list-style-type: none"> 1 FWH3168S 2 FWH31611S 3 FWH3180S 	<ol style="list-style-type: none"> 1 FWH3168AR 2 FWH31611AR 3 FWH3180AR 	<ol style="list-style-type: none"> 1 FWH3168AL 2 FWH31611AL 3 FWH3180AL 	<ol style="list-style-type: none"> 1 FWH6068SS 2 FWH60611SS 3 FWH6080SS 	<ol style="list-style-type: none"> 1 FWH6068ASR 2 FWH60611ASR 3 FWH6080ASR 	<ol style="list-style-type: none"> 1 FWH6068SAL 2 FWH60611SAL 3 FWH6080SAL 	<ol style="list-style-type: none"> 1 FWH6068APLR 2 FWH60611APLR 3 FWH6080APLR 	<ol style="list-style-type: none"> 1 FWH6068PALR 2 FWH60611PALR 3 FWH6080PALR 	




Custom-size doors are available in 1/8" increments between the smallest and largest standard door sizes. Some restrictions apply. Contact your Andersen supplier for availability.

Stationary (S) do be used as an in unit or as a sidel Divided light patt shown on page 1


* "Door Dimension" always refers to outside frame to frame dimension.
 * "Minimum Rough Opening" dimensions may need to be increased to allow for use of building wraps, flashing, sill panning, brackets, fasteners or other items. See installation information on page 33.

Light Patterns





If lights and overall pattern varies with panel patterns are not available in all configurations.

Equal light and custom patterns are also available. For more information on divided light see our website at andersenwindows.com/grilles.



Frenchwood® Hinged Inswing Patio Door Details

1/2" = 1'-0" (1:8)



400 Series Frenchwood® Hinged Inswing Patio Doors

Light-colored areas are parts included with door. Dark-colored areas are additional Andersen® parts required to complete door assembly as shown. Rough openings may need to be increased to allow for use of building wraps, flashing, sill panning, brackets, fasteners or other items. See installation information on page 33. Details are for illustration only and are not intended to represent product installation methods or materials. Refer to product installation guides at andersenwindows.com.

CITY OF PORTLAND, MAINE
HISTORIC PRESERVATION BOARD

John Turk, Chair
Rick Romano, Vice Chair
Otis Baron
Martha Deprez
Michael Hammen
Ted Oldham
Cordelia Pitman

November 24, 2008

Ray Keith
1 Bowdoin Street
Portland, Maine 04102

Re: 1 Bowdoin Street, Window Replacement

Dear Ray:

This office has reviewed and approved your request for a Certificate of Appropriateness for window replacement at 1 Bowdoin Street as specified in your application. Although not specified in your written project description, it is our understanding that the three double-hung windows proposed for the Clifford Street elevation will be mullied. If this is not the case, please contact me for clarification.

All improvements shall be carried out as shown on the plans and specifications submitted as part of your application. Changes to the approved plans and specifications and any additional work which may be undertaken must be reviewed and approved by this office prior to construction, alteration, or demolition. If, during the course of completing the approved work, conditions are encountered which prevent completing the approved work, or which require additional or alternative work, you must apply for and receive a Certificate of Appropriateness or Non-Applicability PRIOR to undertaking additional or alternative work.

This Certificate is granted upon condition that the work authorized herein is commenced within twelve (12) months after the date of issuance. If the work authorized by this Certificate is not commenced within twelve (12) months after the date of issuance or if such work is suspended in significant part for a period of one year after the time the work is commenced, such Certificate shall expire and be of no further effect; provided that, for cause, one or more extensions of time for periods not exceeding ninety (90) days each may be allowed in writing by the Department.

Note: Your project may also require a building permit. Please call Building Inspections (874-8703) to make this determination.

Sincerely,



Deborah Andrews
Historic Preservation Project Manager

cc: Approval File



Date: _____

**HISTORIC PRESERVATION
APPLICATION FOR CERTIFICATE OF APPROPRIATENESS**

Pursuant to review under the City of Portland's Historic Preservation Ordinance (Chapter 14, Article IX of the Portland City Code), application is hereby made for a Certificate of Appropriateness for the following work on the specified historic property:

PROPERTY ADDRESS: 1 Bowdoin St. Port.

APPLICANT:

Name: Raymond T. Keith Telephone: 329-2308

Company, if applicable: Raymond T. Keith Carpentry LLC.

Address: 1 Bowdoin St. Port. 04102

E-mail address: RKeith@maine.vv.com

PROPERTY OWNER (if different):

Name: _____ Telephone: _____

Address: _____

Architect (if any): _____

Contractor of Builder (if any): _____

Applicant's Signature

Owner's Signature (if different)

BILL TO: (Please list contact information for future advertising expenses)

Name: _____ Telephone: _____

Company, if applicable: _____

Address: _____

APPLICATION FEE:

See attached fee schedule. Please submit fee with completed application.

Activities Requiring Approval in Historic Districts

If your property is located within a historic district or is an individually designated historic structure, it is necessary to receive approval before proceeding with any exterior alteration, construction activity or site improvement that will be visible from a public way. Following is a list of activities requiring review.

Please check all those activities that apply to your proposed project.

Alterations and Repair

- Window and door replacement, including storms/screens
- Removal and/or replacement of architectural detailing (for example porch spindles and columns, railings, window moldings, and cornices)
- Porch replacement or construction of new porches
- Installation or replacement of siding
- Masonry work, including repointing, sandblasting, chemical cleaning, painting where the masonry has never been painted, or conversely, removal of paint where the masonry historically has been painted
- Installation or replacement of either roofing or gutters when they are a significant and integral feature of the structure
- Alteration of accessory structures such as garages

Additions and New Construction

- Building additions, including rooftop additions, dormers or decks
- Construction of accessory structures
- Installation of exterior access stairs or fire escapes
- Installation of antennas and satellite receiving dishes
- Installation of solar collectors
- Rooftop mechanicals

Signage and Exterior Utilities

- Installation or alteration of any exterior sign, awning, or related lighting
- Exterior lighting where proposed in conjunction with commercial and institutional signage or awnings
- Exterior utilities, including mechanical, plumbing, and electrical, where placed on or near clearly visible facades

Site Alterations

- Installation or modification of site features other than vegetation, including fencing, retaining walls, driveways, paving, and re-grading

Moving and Demolition

- Moving of structures or objects on the same site or to another site
- Any demolition or relocation of a landmark contributing and/or contributing structure within a district

PROJECT DESCRIPTION

Describe in a separate paragraph each major component of your project. Describe how the proposed work will impact existing architectural features and/or building materials. If more space is needed, continue on a separate page. Attach drawings, photographs and/or specifications as necessary to fully illustrate your project—see following page for suggested attachments.

Replacement of existing windows w/ Anderson Arch Series double hung windows.

- West elevation facing Neal St. there are 2 narrow casements that will be taken out and shingled over.
- South east elevation facing Clifford Street the large picture window w/ 2 flanking double hungs will be replaced w/ 3 double hungs
- North elevation at back of the house one window will not be replaced until we create a new kitchen design.

ATTACHMENTS

To supplement your application, please submit the following items, *as applicable to your project*. Keep in mind that the information you provide the Historic Preservation Board and staff is the only description they will have of your project or design. Therefore, it should precisely illustrate the proposed alteration(s).

- Exterior photographs (required for all applications.) Include general streetscape view, view of entire building & close-ups of affected area.
- Sketches or elevation drawings at a minimum 1/4" scale. Please label relevant dimensions. Plans or drawings should generally not exceed 11" x 17". For major projects, 22" x 34" plans are requested.
- Details or sections, where applicable.
- Floor plans, where applicable.
- Site plan showing relative location of adjoining structures.
- Catalog cuts or product information (e.g. proposed windows, doors, lighting fixtures)
- Materials - list all visible exterior materials. Samples are helpful.
- Other(explain) _____

If you have any questions or need assistance in completing this form, please contact Historic Preservation staff: Deb Andrews (874-8726) or Scott Hanson (756-8023)

Please return this form, application fee (see attached fee schedule), and related materials to:

Historic Preservation Division
Department of Planning and Development
Portland City Hall, 4th Floor
389 Congress Street
Portland, ME 04101

FEE SCHEDULE

Application Fees

Administrative Review	
Sign/Awning Reviews	\$ 35.00
Minor/Routine Alterations	\$ 50.00
Historic Preservation Board Review - Small Projects	\$100.00
Historic Preservation Board Review – Large Projects (New Construction*, Comprehensive Rehabilitation*)	\$500.00

* New Construction - any new construction (including building additions) whose building footprint exceeds 200 sq. ft. This shall not include replacement or reconstruction of existing or documented historic features.

* Comprehensive Rehabilitation - any exterior alterations affecting more than one architectural feature and exceeding an overall project cost of \$25,000.

After the Fact Review	\$750.00
-----------------------	----------

Advertising Expenses

For applications reviewed by the Historic Preservation Board, the applicant is responsible for the cost of meeting notices and legal ad in the newspaper. You will be billed for these expenses following the review.

Legal Advertisements	percent of total bill
Notices (workshop and public hearing)	.75 cents each

(Effective July 1, 2003)

Application Deadlines for Historic Preservation Board Review 2008

The Historic Preservation Board meets on the first and third Wednesday of each month. Meetings begin at 5:00 and are held in Room 209 of City Hall. Please confirm meeting time and location before your meeting, as unforeseen changes may occur.

In order for your proposal to be scheduled for a Historic Preservation Board meeting, **15 copies of your complete application, plus the application fee**, must be received by the Planning Department **no later than Monday morning at 10:00 am of the week prior to the scheduled meeting.** (See application deadlines below.) Applications received after the deadline will be considered for a subsequent meeting.

Application Deadline	2008 Meeting Dates
January 7	January 16
January 28	February 6
February 11	February 20
February 25	March 5
March 10	March 19
March 24	April 2
April 7	April 16
April 28	May 7
May 26	June 4
June 9	June 18
June 23	July 2
July 7	July 16
July 28	August 6
August 25	September 3
September 8	September 17
September 22	October 1
October 6	October 15
October 27	November 5
November 10	November 19
November 24	December 3

Note: Submission of an application by the deadline does not guarantee that you will be on the next meeting agenda. If the Planning office receives more applications than can be reasonably reviewed in one meeting, staff reserves the option of postponing some items to the following meeting.

Standards for Review of Alterations to Historic Buildings

In considering an application for a Certificate of Appropriateness involving alterations, the Historic Preservation Board and Staff the following review standards, as provided in the City's historic preservation ordinance:

- (1) Every reasonable effort shall be made to provide a compatible use for the property which requires minimal alteration to the character-defining features of the structure, object or site and its environment or to use a property for its originally intended purpose.
- (2) The distinguishing original qualities or character of a structure, object or site and its environment shall not be destroyed. The removal or alteration of any historic material or distinctive architectural features should be avoided when possible.
- (3) All sites, structures and objects shall be recognized as products of their own time, place and use. Alterations that have no historical basis or create a false sense of historical development such as adding conjectural features or elements from other properties shall be discouraged.
- (4) Changes which may have taken place in the course of time are evidence of the history and development of a structure, object or site and its environment. Changes that have acquired significance in their own right, shall not be destroyed.
- (5) Distinctive features, finishes, and construction techniques or examples of skilled craftsmanship which characterize a structure, object or site shall be treated with sensitivity.
- (6) Deteriorated historic features shall be repaired rather than replaced wherever feasible. Where the severity of deterioration requires replacement of a distinctive feature, the new feature should match the feature being replaced in composition, design, texture and other visual qualities and, where possible, materials. Repair or replacement of missing historic features should be based on accurate duplications of features, substantiated by documentary, physical or pictorial evidence rather than on conjectural designs or the availability of different architectural elements from other structures or objects.
- (7) The surface cleaning of structures and objects, if appropriate, shall be undertaken with the gentlest means possible. Chemical or physical treatments, such as sandblasting, that cause damage to historic materials shall not be undertaken.
- (8) Every reasonable effort shall be made to protect and preserve significant archeological resources affected by or adjacent to any project. If resources must be disturbed, mitigation measures shall be undertaken.
- (9) Contemporary design for alterations and additions to existing properties shall not be discouraged when such alterations and additions do not destroy significant cultural, historical, architectural or archeological materials that characterize the property. The new work shall be differentiated from the old and shall be compatible with the size, scale, color, material and character of the property, neighborhood or environment.
- (10) Wherever possible, new additions or alterations to structures and objects shall be undertaken in such a manner that, if such additions or alterations were to be removed in the future, the essential form and integrity of the historic property would be unimpaired.







Andersen Windows - Abbreviated Quote Report
Project Name: Ray Home



Dealer: Lavalley Lumber
39 Enterprise Dr
Windham Me 04062
207-892-2883
Sales Rep: Sam Cook

Customer:
Billing Address:
Phone:
Contact:

Fax:

Item	Qty	Item Size (Operation)	Location	Unit Price	Ext. Price
	0001	1 ADH 2' 0" x 3' 1" (AA) RO Size = 2' 0 3/4" W x 3' 1 3/4" H Unit Size = 2' 0" W x 3' 1" H Unit, White/Pine, Unfinished, High Performance Low-E4 (Each Sash), (Top Sash) Divided Light with Spacer, Specified Equal Lite, 3W1H, 3/4", Ext Grille - White, Int Species - Pine, Int Grille - Unfinished, Traditional, White, 1 Sash Locks Equal Sash, Insect Screen, White		\$ [REDACTED]	[REDACTED]
	0002	3 ADH 2' 8" x 3' 9" (AA) RO Size = 2' 8 3/4" W x 3' 9 3/4" H Unit Size = 2' 8" W x 3' 9" H Unit, White/Pine, Unfinished, High Performance Low-E4 (Each Sash), (Top Sash) Divided Light with Spacer, Specified Equal Lite, 3W2H, 3/4", Ext Grille - White, Int Species - Pine, Int Grille - Unfinished, Traditional, White, 1 Sash Locks Equal Sash, Insect Screen, White		\$ [REDACTED]	[REDACTED]
	0003	1 ADH 3' 0" x 4' 5"-ADH 3' 0" x 4' 5"-ADH 3' 0" x 4' 5" (AA-AA-AA) RO Size = 9' 2 1/4" W x 4' 5 3/4" H Unit Size = 9' 1 1/2" W x 4' 5" H Composite Unit, White/Pine, Unfinished, High Performance Low-E4 Top/Bottom*High Performance Low-E4 Top/Bottom Glass, Divided Light with Spacer Top*No Grille(s) Bottom*Divided Light with Spacer Top*No Grille(s) Bottom*Divided Light with Spacer Top*No Grille(s) Bottom, Mulling Location: Factory (Direct), Mull Type: Non-Reinforced Mull, Mull Priority: Vertical Equal Sash, Insect Screen, White		\$ [REDACTED]	[REDACTED]
	0004	1 ADH 2' 4" x 2' 3 1/4" (AA) RO Size = 2' 4 3/4" W x 2' 4" H Unit Size = 2' 4" W x 2' 3 1/4" H Unit, White/Pine, Unfinished, High Performance Low-E4 (Each Sash), (Top Sash) Divided Light with Spacer, Specified Equal Lite, 3W1H, 3/4", Ext Grille - White, Int Species - Pine, Int Grille - Unfinished, Traditional, White, 1 Sash Locks Equal Sash, Insect Screen, White		\$ [REDACTED]	[REDACTED]

*Clifford St.
replacements*



Andersen Windows - Abbreviated Quote Report
Project Name: Ray Home








Dealer: Lavalley Lumber
39 Enterprise Dr
Windham Me 04062
207-892-2883
Sales Rep: Sam Cook

Customer:
Billing Address:
Phone:
Contact:

Fax:

Item	Qty	Item Size (Operation)	Location	Unit Price	Ext. Price
0006	1	ADH 2' 3 1/2" x 3' 9" (AA)		\$	
		RO Size = 2' 4 1/4" W x 3' 9 3/4" H Unit Size = 2' 3 1/2" W x 3' 9" H			
		Unit, White/Pine, Unfinished, High Performance Low-E4 (Each Sash), (Top Sash) Divided Light with Spacer, Specified Equal Lite, 3W2H, 3/4", Ext Grille - White, Int Species - Pine, Int Grille - Unfinished, Traditional, White, 1 Sash Locks Equal Sash, Insect Screen, White			
0007	1	ADH 2' 7 1/2" x 3' 1" (AA)		\$	
		RO Size = 2' 8 1/4" W x 3' 1 3/4" H Unit Size = 2' 7 1/2" W x 3' 1" H			
		Unit, White/Pine, Unfinished, High Performance Low-E4 (Each Sash), (Top Sash) Divided Light with Spacer, Specified Equal Lite, 3W1H, 3/4", Ext Grille - White, Int Species - Pine, Int Grille - Unfinished, Traditional, White, 1 Sash Locks Equal Sash, Insect Screen, White			
0008	1	ADH 2' 7 1/2" x 3' 9" (AA)		\$	
		RO Size = 2' 8 1/4" W x 3' 9 3/4" H Unit Size = 2' 7 1/2" W x 3' 9" H			
		Unit, White/Pine, Unfinished, High Performance Low-E4 (Each Sash), (Top Sash) Divided Light with Spacer, Specified Equal Lite, 3W2H, 3/4", Ext Grille - White, Int Species - Pine, Int Grille - Unfinished, Traditional, White, 1 Sash Locks Equal Sash, Insect Screen, White			
0009	1	ADH 2' 11 1/2" x 3' 1" (AA)		\$	
		RO Size = 3' 0 1/4" W x 3' 1 3/4" H Unit Size = 2' 11 1/2" W x 3' 1" H			
		Unit, White/Pine, Unfinished, High Performance Low-E4 (Each Sash), (Top Sash) Divided Light with Spacer, Specified Equal Lite, 3W1H, 3/4", Ext Grille - White, Int Species - Pine, Int Grille - Unfinished, Traditional, White, 1 Sash Locks Equal Sash, Insect Screen, White			
0010	2	ADH 3' 0" x 3' 1" (AA)		\$	
		RO Size = 3' 0 3/4" W x 3' 1 3/4" H Unit Size = 3' 0" W x 3' 1" H			
		Unit, White/Pine, Unfinished, High Performance Low-E4 (Each Sash), (Top Sash) Divided Light with Spacer, Specified Equal Lite, 3W1H, 3/4", Ext Grille - White, Int Species - Pine, Int Grille - Unfinished, Traditional, White, 1 Sash Locks Equal Sash, Insect Screen, White			





Andersen Windows - Abbreviated Quote Report
Project Name: Ray Home



Quote #: 000221 Print Date: 08/28/2008 Quote Date: 08/28/2008 iQ Version: 8.1 Page 3 Of 4

Dealer: Lavalley Lumber
39 Enterprise Dr
Windham Me 04062
207-892-2883
Sales Rep: Sam Cook

Customer:
Billing Address:
Phone:
Contact:
Fax:

Item	Qty	Item Size (Operation)	Location	Unit Price	Ext. Price
0011	1	ADH 2' 8" x 3' 9" (AA) RO Size = 2' 8 3/4" W x 3' 9 3/4" H Unit Size = 2' 8" W x 3' 9" H Unit, White/Pine, Unfinished, High Performance Low-E4 (Each Sash), (Top Sash) Divided Light with Spacer, Specified Equal Lite, 3W2H, 3/4", Ext Grille - White, Int Species - Pine, Int Grille - Unfinished, Traditional, White, 1 Sash Locks Equal Sash, Insect Screen, White		\$	
0012	1	ADH 2' 8" x 3' 9" (AA) RO Size = 2' 8 3/4" W x 3' 9 3/4" H Unit Size = 2' 8" W x 3' 9" H Unit, White/Pine, Unfinished, High Performance Low-E4 (Each Sash), (Top Sash) Divided Light with Spacer, Specified Equal Lite, 3W2H, 3/4", Ext Grille - White, Int Species - Pine, Int Grille - Unfinished, Traditional, White, 1 Sash Locks Equal Sash, Insect Screen, White		\$	
0013	1	ADH 2' 8" x 3' 1" (AA) RO Size = 2' 8 3/4" W x 3' 1 3/4" H Unit Size = 2' 8" W x 3' 1" H Unit, White/Pine, Unfinished, High Performance Low-E4 (Each Sash), (Top Sash) Divided Light with Spacer, Specified Equal Lite, 3W1H, 3/4", Ext Grille - White, Int Species - Pine, Int Grille - Unfinished, Traditional, White, 1 Sash Locks Equal Sash, Insect Screen, White		\$	

Subtotal \$
Tax (0.000%) \$ 0.00
Grand Total \$

Total Load Factor
2.092

Customer Signature

Dealer Signature

** All graphics viewed from the exterior

