

CITY OF PORTLAND
 FIRE PREVENTION BUREAU
 380 Congress Street, Portland, Maine 04101
 fireprevention@portlandmaine.gov
 (207) 874-8400

NOTICE OF VIOLATION AND ORDER TO CORRECT

October 12, 2016

Responsible Party 1: Palmer Development Group LLC 83 SOUTH FREEPORT RD FREEPORT, ME 04032		
Location 23 BRAMHALL ST	CBL 063 A003001	Inspection Date 9/14/2016
Inspector Angela Calvo	Inspection Type FP Routine Inspection	Status Failed

The City of Portland Fire Department inspected this property, and found the fire and life safety code violations listed below, which you are hereby ordered to correct. You must complete the proposed date of completion column by proposing a reasonable timeframe to remedy each violation. This form must be received by the Fire Prevention Bureau no later than 10/30/2016. The Bureau reserves the right to reject or modify any proposed plan of action, and may require evidence of sufficient financial and technical capacity to complete the proposed plan. Please contact the Bureau with any questions.

YOUR FAILURE TO SUBMIT A PLAN OF ACTION BY THE DATE PROVIDED, OR TO CORRECT ANY VIOLATION WITHIN THE APPLICABLE TIME FRAME, MAY RESULT IN LEGAL ACTION AGAINST YOU, THE IMPOSITION OF CIVIL PENALTIES, AND THE PURSUIT OF OTHER LEGAL REMEDIES.

Violation	Proposed Date of Completion
1-14-3.2 EMERGENCY LIGHTING AND EXIT SIGNS SHALL BE TESTED; EMERGENCY LIGHTING FACILITIES AND EXIT SIGNS SHALL BE TESTED MONTHLY FOR 30 SECONDS AND ANNUALLY FOR 90 MINUTES, AND WRITTEN RECORDS SHALL BE MAINTAINED. E-lights in common hallways inoperable or broken	
NFPA 101- 7.2.8.5.1 HANDRAILS REQUIRED ON STAIRS; All fire escape stairs shall have walls or guards and handrails on both sides in accordance with 7.2.8.4.1 (b). Hand rail on D side back porch needs replacement	<u>11 / 15 / 16</u>
NFPA 13- 8.1.2 SPRINKLER SYSTEM REQUIRES SERVICE; System valves and gauges shall be accessible for operation, inspection, tests, and maintenance. Temporary Air compressor been in place since July of 2016	<u>11 / 30 / 16</u>
NFPA 1 EXCESSIVE/DISORDERLY STORAGE; Reference NFPA 1 for excessive fuel-load. Storage in hallways and stairwells needs to be cleared (Bikes, Stoves, Mattress), check all locations	<u>10 / 31 / 16</u>
NFPA 70- 590.6 EXTENSION CORDS; Ground-fault protection for personnel for all temporary wiring installations shall be provided to comply with 590.6(A) and (B). This section shall apply only to temporary wiring installations used to supply temporary power to equipment used by personnel during construction, remodeling, maintenance, repair, or demolition of buildings, structures, equipment, or similar activities. Extension cord in basement for sprinkler air compressor should not be used as permanent wiring.	<u>11 / 30 / 16</u>

Violation	Proposed Date of Completion
NFPA 70 MISSING BOX COVERS; Refer to NFPA 70, National Electrical Code, on standards for missing box covers. Missing junction box covers in basement and loose junction boxes	<u>10 / 31 / 16</u>
NFPA 1, CHAPTER 10 - 10.11.6 HIBACHI OR GRILL ON BALCONY; NO HIBACHI, GAS-FIRED GRILL, CHARCOAL GRILL, OR OTHER SIMILAR DEVICES USED FOR COOKING, HEATING, OR OTHER PURPOSE, SHALL BE USED OR KINDLED ON ANY BALCONY OR UNDER ANY OVERHANG PORTION OR WITHIN 10 FT OF ANY STRUCTURE Gas grill on front porch needs to be removed	<u>10 / 31 / 16</u>


VIOLATOR CERTIFICATION

I agree to remedy the violations listed within the timeframes provided. If I require additional time to comply, I understand that I must contact the Fire Prevention Bureau prior to the deadline to request an extension, which is entirely within the Bureau's discretion to grant or deny.

I further understand that it is my responsibility to schedule a reinspection of my property once the violations have been remedied to do so. My failure to schedule a reinspection shall be deemed an admission that the violations have not been remedied.

If I fail to comply with this agreement, I understand that I am liable for penalties pursuant to the City of Portland Code of Ordinances §§ 1-15 and 10-25, and 30-A M.R.S. § 4452 and may be subject to further legal action.

10/17/16
 Date



 Responsible Party

 Date

 Responsible Party

SEEN AND AGREED

10/19/2016
 Date


 Fire Prevention Bureau