City of Portland, Maine – Building or Use Permit Application 389 Congress Street, 04101, Tel: (207) 874-8703, FAX: 874-8716

Location of Construction:	Owner: West Co.	Phone:		Permit No:
Owner Address: 288 State St. #1 Portland ME	Lessee/Buyer's Name: Spring St. Nest	Phone: Busines	ssName:	PERMIT ISSUED
Contractor Name:	Address: 73 Pearl Street Portlan	Phone:		Permit Issued: JAN 2 4 2000
Past Use:	Proposed Use:	COST OF WORK: \$ 1,050.00	PERMIT FEE: \$ 36.00	
multi family 4-04,	FARE NET	FIRE DEPT. Approved Denied	Use Group: A- Type: 5"3 BOCB 95	Zone: CBL:
Proposed Project Description: Approved Front stairs in existing foot print Denied Bernard Signature: Signature: Tofficer PEDESTRIAN ACTIVITIES DISTRICT (PA.D.) Action: Approved Approved with Conditions: Denied			Zoning Approval: Special Zone or Reviews: Shoreland Wetland Flood Zone	
		Signature:	Date:	☐ Subdivision ☐ Site Plan maj □minor □mm □
 Permit Taken By: This permit application does not preclude the Building permits do not include plumbing, s Building permits are void if work is not started tion may invalidate a building permit and st 	e Applicant(s) from meeting applicable St septic or electrical work. ed within six (6) months of the date of issu	uance. False informa-	entressued in requirements	Zoning Appeal Zoning Appeal Variance Miscellaneous Conditional Use Interpretation Approved Denied Historic Preservation Not in District or Landmark Does Not Require Review Requires Review Action:
I hereby certify that I am the owner of record of th authorized by the owner to make this application if a permit for work described in the application i areas covered by such permit at any reasonable h	as his authorized agent and I agree to co s issued, I certify that the code official's a	ork is authorized by the owner of nform to all applicable laws of th authorized representative shall ha (s) applicable to such permit	record and that I have been nis jurisdiction. In addition,	Denied
SIGNATURE OF APPLICANT	ADDRESS:	DATE:	PHONE:	- MITISSUED NTS
RESPONSIBLE PERSON IN CHARGE OF WOI	RK, TITLE		PHONE:	
	ermit Desk Green–Assessor's Cana	ary–D.P.W. Pink–Public File		Million III

COMMENTS
¥
05/24/00 - need smake defectors in 2007 4 apartment bedrooms - (2 have there) and need fine doors in variaes locations - LT MAC Dougal will do his inspectron later No other issues for change of use from 2 units to 4 units

Inspection Record	- 10 M
Туре	Date
Foundation:	
Framing:	
Plumbing:	
Final:	
Other:	

EXHIBIT A-3

60 Carleton Street

115

A certain lot or parcel of land, with the buildings thereon, situated on the west side of Carleton Street in the City of Portland, County of Cumberland and State of Maine, bounded and described as follows: Beginning on the west side of Carleton Stree at an angle in the same about 130 feet southerly from Brackett Street and running thence southerly by the line of said street 27. feet; thence westerly on a line at right angles to Carleton Street 114 1/2 feet to land now or formerly belonging to H. G. Barker; the westerly extremity of this line being at a point of 10 feet westerl of a point halfway between said Carleton Street and Neal Street; thence northerly at a right angle to the last course by said Barker

land 47 feet to a corner thereof; thence easterly at a right angle to the last course and by said Barker land 10 feet; thence northerly and at right angles to the last course and by said Barker land 20.63 feet to a corner thereof; thence easterly following the southerly line of said Barker land to the southwesterly corner of land formerly owned by M. L. Haskell; thence easterly along the southerly line of said Haskell land to the southwesterly corner of land formerly of J. A. and E. Tolman; thence easterly along the southerly line of said Tolman land to Carleton Street; thence southerly by said Carleton Street 10 feet to the point of beginning.

Both of the above referenced premises being a portion of the same premises conveyed to Albert J. Vacarro and Edward R. Jenkins by warranty deed of Autumn L. Addington and Carol E. Strecker dated January 12, 1988 and recorded in the Cumberland County Registry of Deeds in Book 8147, Page 161.

Also being a portion of the same premises conveyed to said West Company by Albert J. Vacarro and Edward R. Jenkins by warranty deed of even date to be recorded herewith.

THIS IS NOT A PERMIT/CONSTRUCTION CANNOT COMMENCE UNTIL THE PERMIT IS ISSUED **Building or Use Permit Pre-Application**

Attached Single Family Dwellings/Two-Family Dwelling

Multi-Family or Commercial Structures and Additions Thereto

In the interest of processing your application in the quickest possible manner, please complete the Information below for a Building or Use Permit.

NOTE**If you or the property owner owes real estate or personal property taxes or user charges on ANY PROPERTY within the City, payment arrangements must be made before permits of any kind are accepted.

Location/Addressof Construction (include Portion of Building) :	60 Carlton Front porc	h+steps		
Total Square Footage of Proposed Structure 60.5	Square Footage of Lot	2531.25		
Tax Assessor's Chart, Block & Lot Number Chart 663 Block# D Lot 63	Owner: WEST CO. SPRING STWIE	Telephone#: 761.0832		
Owner's Address: 288 STATE ST #1 PORTLAND ME 04102	Lessee/Buyer's Name (If Applicable)	Cost Of Work: \$ 1050.00\$ H.O		
Proposed Project Description: (Please be as specific as possible) NEW Front Porch + 5 steps to get outo it with a vailing and ballisters and balls on the posts' because the dd one was completely rotted				
Contractor's Name, Address & Telephone Aparta	ent Masters, 73 Pearls	St. So.PO. 04106		
Current Use: Front Entry to build	Proposed Use: Frent E	intry to building		

Separate permits are required for Internal & External Plumbing, HVAC and Electrical installation.

•All construction must be conducted in compliance with the 1996 B.O.C.A. Building Code as amended by Section 6-Art II. •All plumbing must be conducted in compliance with the State of Maine Plumbing Code.

*All Electrical Installation must comply with the 1996 National Electrical Code as amended by Section 6-Art III. +HVAC(Heating, Ventililation and Air Conditioning) installation must comply with the 1993 BOCA Mechanical Code.

\$100.00 fee PU Leyli Johnson You must Include the following with you application:

1) ACopy of Your Deed or Purchase and Sale Agreement

2) A Copy of your Construction Contract, if available

3) A Plot Plan/Site Plan

Minor or Major site plan review will be required for the above proposed projects. The attached checklist outlines the minimum standards for a site plan.

4) Building Plans

2000

Unless exempted by State Law, construction documents must be designed by a registered design professional A complete set of construction drawings showing all of the following elements of construction:

- Cross Sections w/Framing details (including porches, decks w/ railings, and accessory structures)
- Floor Plans & Elevations
- Window and door schedules
- Foundation plans with required drainage and dampproofing
- Electrical and plumbing layout. Mechanical drawings for any specialized equipment such as furnaces, chimneys, gas equipment, HVAC equipment (air handling) or other types of work that may require special review must be included. Certification

I hereby certify that I am the Owner of record of the named property, or that the proposed work is authorized by the owner of record and that I have been authorized by the owner to make this application as his her authorized agent. I agree to conform to all applicable laws of this jurisdiction. In addition, if a permit for work described in this application is issued, I certify that the Code Official's authorized representative shall have the authority to enter all areas covered by this permit at any reasonable hour to enforce the provisions of the codes applicable to this permit.

Date: Signature of applicant: SINC an Building Permit Fee/\$30.00 for the 1st \$1000.cost plus \$6.00 per \$1,000.00 construction cost thereafter.


Additional Site review and related fees are attached on a separate addendum


2 AQ SEWA e A V Zemin 3 * Dorts B POOR 51 177 A STATISTICS . any any price ŕ Carrier Carrow 4 North Links A statement of the statemen という あいかい a and a second sec


TRANSMISSION VERIFICATION REPORT



TIME : 01/10/2000 11:51 NAME : FAX : TEL :







CARLETON STREET APARTMENTS.



NEAL STREET APARTMENTS.



	BUILDING PERMIT REPORT
	ATE: 14 January 2000 ADDRESS: 60 Car/Ton ST- CBL: 063-D-013
R	EASON FOR PERMIT: Replace Front stairs in existing Foot print.
В	UILDING OWNER: West Co.
	ERMIT APPLICANT: /CONTRACTOR AparTment Masters
U	SE GROUP: $R-2$ CONSTRUCTION TYPE: 5 3 CONSTRUCTION COST: $\frac{1}{1050,00}$ permit fees: $\frac{36.00}{36.00}$
	he City's Adopted Building Code (The BOCA National Building code/1996 with City Amendments) he City's Adopted Mechanical Code (The BOCA National Mechanical Code/1993)
	CONDITION(S) OF APPROVAL
T	his permit is being issued with the understanding that the following conditions are met: $\frac{x_1}{x_1}$
4. 5. 6. 7. 8.	This permit does not excuse the applicant from meeting applicable State and Federal rules and laws. Before concrete for foundation is placed, approvals from the Development Review Coordinator and Inspection Services must be obtained. (A 24 hour notice is required prior to inspection) " <u>ALL</u> LOT LINES SHALL BE CLEARLY MARKED BEFORE CALLING." Foundation drain shall be placed around the perimeter of a foundation that consists of gravel or crushed stone containing not more than 10 percent material that passes through a No. 4 sieve. The drain shall extend a minimum of 12 inches beyond the outside edge of the footing. The thickness shall be such that the bottom of the drain is not higher than the bottom of the base under the floor, and that the top of the drain is not less than 6 inches above the top of the footing. The top of the drain shall be covered with an approved filter membrane material. The pipe or tile shall not be higher than the floor elevation. The top of joints or top of perforations shall be protected with an approved filter membrane material. Section 1813.5.2 Foundations anchors shall be a minimum of ½" in diameter, 7" into the foundation wall, minimum of 12" from corners of foundation and a maximum 6' OC, between bolts. Section 2305.17 Waterproofing and dampproofing shall be done in accordance with Section 1813.0 of the building code. Precaution must be taken to protect concrete from freezing. Section 1908.0 It is strongly recommended that a registered land surveyor check all foundation forms before concrete is placed. This is done to verify that the proper setbacks are maintained. Private garages located beneath habitable rooms in occupancies in Use Group R-1, R-2, R-3 or I-1 shall be separated from adjacent interior spaces by fire partitions and floor/ceiling assembly which are constructed with not less than 1-hour fire resisting rating. <u>Private garages attached</u> side-by-side to rooms in the above occupancies shall be completely separated from the interior spaces and the attic area by means of ½ i
10. X11.	Code/1993). Chapter 12 & NFPA 211 Sound transmission control in residential building shall be done in accordance with Chapter 12, Section 1214.0 of the City's Building Code. Guardrails & Handrails: A guardrail system is a system of building components located near the oOpen sides of elevated walking surfaces for the purpose of minimizing the possibility of an accidental fall from the walking surface to the lower level. Minimum height all Use Groups 42", except Use Group R which is 36". In occupancies in Use Group A,B.H-4, I-1, I-2, M and R and public garages and open parking structures, open guards shall have balusters or be of solid material such that a sphere with a diameter of 4" cannot pass through any opening. Guards shall not have an ornamental pattern that would provide a ladder effect. (Handrails shall be a minimum of 34" but not more than 38". Use Group R-3 shall not be less than 30", but not more than 38"). Handrail grip size shall have a circular cross section with an outside diameter of at least 1 ¼" and not greater than 2". (Sections 1021 & 1022.0). Handrails shall be on both sides of stairway. (Section 1014.7) Headroom in habitable space is a minimum of 7'6". (Section 1204.0)
×13.	Stair construction in <u>Use Group R-3 & R-4 is a minimum of 10" tread and 7 ½" maximum rise</u> . All other Use Group minimum 11" tread, 7" maximum rise. (Section 1014.0)
14. 15.	The minimum headroom in all parts of a stairway shall not be less than 80 inches. (6'8") $1014.4 \le 10^{-3}$ $(1100000000000000000000000000000000000$
16.	Each apartment shall have access to two (2) separate, remote and approved means of egress. A single exit is acceptable when it exits directly
17.	from the apartment to the building exterior with no communications to other apartment units. (Section 1010.1) All vertical openings shall be enclosed with construction having a fire rating of at least one (1) hour, including fire doors with self closer's.
18.	(Over 3 stories in height requirements for fire rating is two (2) hours. (Section 710.0) The boiler shall be protected by enclosing with (1) hour fire rated construction including fire doors and ceiling, or by providing automatic extinguishment. (Table 302.1.1)

٩,

-

.

13/01

19. All single and multiple station smoke detectors shall be of an approved type and shall be installed in accordance with the provisions of the City's Building Code Chapter 9, Section 920.3.2 (BOCA National Building Code/1996), and NFPA 101 Chapter 18 & 19. (Smoke detectors shall be installed and maintained at the following locations):

4

- In the immediate vicinity of bedrooms
- In all bedrooms
- In each story within a dwelling unit, including basements
- 20. A portable fire extinguisher shall be located as per NFPA #10. They shall bear the label of an approved agency and be of an approved type. (Section 921.0)
- 21. The Fire Alarm System shall maintained to NFPA #72 Standard.
- 22. The Sprinkler System shall maintained to NFPA #13 Standard.
- 23. All exit signs, lights and means of egress lighting shall be done in accordance with Chapter 10 Section & Subsections 1023.0 & 1024.0 of the City's Building Code. (The BOCA National Building Code/1996)
- 24. Section 25 135 of the Municipal Code for the City of Portland states, "No person or utility shall be granted a permit to excavate or open any street or sidewalk from the time of November 15 of each year to April 15 of the following year".
- 25. The builder of a facility to which Section 4594-C of the Maine State Human Rights Act Title 5 MRSA refers, shall obtain a certification from a design professional that the plans commencing construction of the facility, the builder shall submit the certification the Division of Inspection Services.
- 26. Ventilation shall meet the requirements of Chapter 12 Sections 1210.0 of the City's Building Code. (Crawl spaces & attics).
- 27. All electrical, plumbing and HVAC permits must be obtained by a Master Licensed holders of their trade. No closing in of walls until all electrical (min. 72 hours notice) and plumbing inspections have been done.
- 28. All requirements must be met before a final Certificate of Occupancy is issued.
- 29. All building elements shall meet the fastening schedule as per Table 2305.2 of the City's Building Code (The BOCA National Building Code/1996).
- 30. Ventilation of spaces within a building shall be done in accordance with the City's Mechanical code (The BOCA National Mechanical
- 31. Please read and implement the attached Land Use Zoning report requirements. See A HAChed Zoning Repo
- 32. Boring, cutting and notching shall be done in accordance with Sections 2305.3, 2305.3.1, 2305.4.4 and 2305.5.1 of the City's Building Code.
- 33. Bridging shall comply with Section 2305.16.
- 34. Glass and glazing shall meet the requirements of Chapter 24 of the building code. (Safety Glazing Section 2405.0)
- 35. All signage, shall be done in accordance with Section 3102.0 signs of the City's Building Code, (The BOCA National Building Code/1996).

P. Santof Hoffses, Building Inspector Cc: // It. McDougall, PFD Marge Schmuckal, Zoning Administrator

PSH 11/25/99

**On the basis of plans submitted and conditions placed on these plans any deviations shall require a separate approval.

***THIS PERMIT HAS BEEN ISSUED WITH THE UNDERSTANDING THAT ALL THE CONDITIONS OF THE APPROVAL SHALL BE COMPLETED. THEREFORE, BEFORE THE WORK IS COMPLETED A REVISED PLAN OR STATEMENT FROM THE PERMIT HOLDER SHALL BE SUBMITTED TO THIS OFFICE SHOWING OR EXPLAINING THAT THE CONDITIONS HAVE BEEN MET. IF THIS REQUIREMENT IS NOT RECEIVED YOUR CERTIFICATE OF OCCUPANCY SHALL BE WITHHELD.

****CERTIFICATE OF OCCUPANCY FEE \$50.00