## City of Portland, Maine - Building or Use Permit Application 389 Congress Street, 04101, Tel: (207) 874-8703, FAX: 874-8716

Location of Construction:	Owner:		Phone:	1083	Permit No:	
Owner Address: 129 Negal St. 04102	Lessee/Buyer's Name:	Phone:	Busines		00131	
Contractor Name:	Address: 90 Gray St. Portland	04101	Phone:	Pager 780-7463=	Permit Issued:	
Past Use: Single Family	Proposed Use:	COST OF \$ 3,000		PERMIT FEE: \$ 42.00	DEC 6 1999	
Proposed Project Description:		Signature:	T. ☐ Approved ☐ Denied	Use Group: Type:  Signature:	Zone: CBL:  Zoning Approval:	
Action: Approved Experience Denied Denied					☐ Shoreland ☐ Wetland ☐ Flood Zone	
Permit Taken By:	Date Applied For:	Signature:		Date:	□ Subdivision □ Site Plan maj □minor □mm □	
<ol> <li>This permit application does not preclude the</li> <li>Building permits do not include plumbing, s</li> <li>Building permits are void if work is not started tion may invalidate a building permit and steed</li> </ol>	eptic or electrical work.  Ed within six (6) months of the date of the pall work		orma-		Zoning Appeal  Variance  Miscellaneous  Conditional Use Interpretation  Approved Denied  Historic Preservation  Not in District or Landmark Does Not Require Review Requires Review  Action:	
I hereby certify that I am the owner of record of the authorized by the owner to make this application if a permit for work described in the application is areas covered by such permit at any reasonable has been described.	as his authorized agent and I agree s issued, I certify that the code offic	sed work is authorized to conform to all appial's authorized repre	licable laws of the sentative shall have such permit	is jurisdiction. In additior	☐ Appoved ☐ Approved with Conditions ☐ Denied	
SIGNATURE OF APPLICANT	ADDRESS:	DATE:		PHONE:	PERMIT ISSUED	
RESPONSIBLE PERSON IN CHARGE OF WOR	K, TITLE	-		PHONE:	CEO DISTRICT 3	

11/16/00 - Construction completed - no handrail on stairs per reguments of per call owner a fell them of regument-	unit.
Call owner a tell them of requirement-	
Close penut	
The feeting	
A D st.	
CBL # 63-D-20	3
S Permt # 991337	
Jenny 791337	
Inspection Record	
Type	Date
Foundation:	
Framing:	
Plumbing:	
Final:	

## THIS IS NOT A PERMIT/CONSTRUCTION CANNOT COMMENCE UNTIL THE PERMIT IS ISSUED

## Building or Use Permit Pre-Application Additions/Alterations/Accessory Structures

To Detached Single Family Dwelling

In the interest of processing your application in the quickest possible manner, please complete the Information below for a Building or Use Permit.

NOTE\*\*If you or the property owner owes real estate or personal property taxes or user charges on any property within the City, payment arrangements must be made before permits of any kind are accepted.

Locatio	on/Address of Construction: 129 NG/	IL ST. 04102	and are decepted.
Tax A:	ssessor's Chart, Block & Lot Number  Block# D Lot# 26	Owner:  DEL+NAN JEBAN	Telephone#: 773-1083
Owner	's Address:	Lessee Buyer's Name (If Applicable)	Cost Of Work: Fee \$42
	129 NEAL ST	10 14	3 3000 376
Propos	sed Project Description:(Please be as specific as possib	MART DE REAL GAIRW	M (GXTERIOR)
Contra	Actor's Name, Address & Telephone  AN KOLBAK, 90 GW	* PGR-780-740 TY ST PRIZAND 879-70	Rec'd By:
	Separate permits are required for	Internal & External Plumbing, HVA	C and Electrical installation.
•All	l construction must be conducted in com		
		ducted in compliance with the State of M	
-1	•All Electrical Installation must compl HVAC(Heating, Ventilation and Air Col	with the 1996 National Electrical Code	
	must Include the following with you		111 C
1 Ou		our Deed or Purchase and Sale A	greement (Cll for 1
		your Construction Contract, if a	
		A Plot Plan (Sample Attached)	valiable telet 780-
If the	ere is expansion to the structure, a c		include: MA
i tuc	The shape and dimension of the lot, all	existing buildings (if any), the proposed str	recture and the distance from the actual
	property lines. Structures include deck	s porches, a bow windows cantilever section	as and roof overhangs, as well as, sheds,
	pools, garages and any other accessory		DEPT OF BUILDING INSPECTION
•	Scale and required zoning district setba	acks	CITY OF PORTLAND, ME
	43.77		
		Building Plans (Sample Attached)	
A co	emplete set of construction drawings	s snowing all of the following eleme	ents of construction:
•	Floor Plans & Elevations	uding porches, decks w/ railings, and acces	Sory structures)
	Window and door schedules		THE REPORT
	Foundation plans with required drainage	ge and dampproofing	
•	Electrical and plumbing layout. Mecha	mical drawings for any specialized equipme dling) or other types of work that may requi Certification	ent such as furnaces, chimneys, gas ire special review must be included.
I here	eby certify that I am the Owner of record of	the named property, or that the proposed w	ork is authorized by the owner of record an


Signature of applicant:

Date: 12 2 99


that I have been authorized by the owner to make this application as his/her authorized agent. I agree to conform to all applicable laws of this jurisdiction. In addition, if a permit for work described in this application is issued. I certify that the Code Official's authorized representative shall have the authority to enter all areas covered by this permit at any reasonable hour to enforce the provisions of the

BULLDING PLANS URBAN RESIDENCE 129 NEAL ST. 63-8-20

ELEVATION DAN KOLBURY 4x4 CEDAR PATTERS BLDG. TRAND 879-7019 ZXISTING OF HANDRAIL 5/2" O.C. see eq. 40th to TOP 5:140 Sy CEDAR HOUSE 1,0000 (USAL SPACE) 2×6 PT 16" O.C. 77 EXISTING LANDING T4 x4 PT NEW 4x6PT ON NEW CONCRETE PIECE 84 TUBE-4' DEED FOOTERS



SITE PLAN - BACK YARD ULBAN ROSIDENCE - 1 129 NEAL ST. 1 63-0-20



## BUILDING PERMIT REPORT

DATE: 3/DEC/99 ADDRESS: 129 Nea/ST. 0 CBL: \$63-D-\$28
REASON FOR PERMIT: Replace Rear Stairway (ExTerior)
BUILDING OWNER: Lee & NAN Urban -
PERMIT APPLICANT: /CONTRACTOR Dan Kolber
USE GROUP: R-3 CONSTRUCTION TYPE: CONSTRUCTION COST: 43,000.00 PERMIT FEES: 42.00
The City's Adopted Building Code (The BOCA National Building code/1996 with City Amendments) The City's Adopted Mechanical Code (The BOCA National Mechanical Code/1993)
CONDITION(S) OF APPROVAL
This permit is being issued with the understanding that the following conditions are met: $\frac{1}{2}$

√ 1. This permit does not excuse the applicant from meeting applicable State and Federal rules and laws.

2. Before concrete for foundation is placed, approvals from the Development Review Coordinator and Inspection Services must be obtained. (A 24 hour notice is required prior to inspection) §ALL LOT LINES SHALL BE CLEARLY MARKED BEFORE CALLING."

- 3. Foundation drain shall be placed around the perimeter of a foundation that consists of gravel or crushed stone containing not more than 10 percent material that passes through a No. 4 sieve. The drain shall extend a minimum of 12 inches beyond the outside edge of the footing. The thickness shall be such that the bottom of the drain is not less than 6 inches above the top of the footing. The top of the drain shall be covered with an approved filter membrane material. Where a drain tile or perforated pipe is used, the invert of the pipe or tile shall not be higher than the floor elevation. The top of joints or top of perforations shall be protected with an approved filter membrane material. The pipe or tile shall be placed on not less than 2" of gravel or crushed stone, and shall be covered with not less than 6" of the same material. Section 1813.5.2
- 4. Foundations anchors shall be a minimum of ½" in diameter, T' into the foundation wall, minimum of 12" from corners of foundation and a maximum 6' O.C. between bolts. Section 2305.17
- 5. Waterproofing and dampproofing shall be done in accordance with Section 1813.0 of the building code.
- 6. Precaution must be taken to protect concrete from freezing. Section 1908.0
- 7. It is strongly recommended that a registered land surveyor check all foundation forms before concrete is placed. This is done to verify that the proper setbacks are maintained.
- 8. Private garages located beneath habitable rooms in occupancies in Use Group R-1, R-2, R-3 or I-1 shall be separated from adjacent interior spaces by fire partitions and floor/ceiling assembly which are constructed with not less than 1-hour fire resisting rating. Private garages attached side-by-side to rooms in the above occupancies shall be completely separated from the interior spaces and the attic area by means of ½ inch gypsum board or the equivalent applied to the garage means of 1.2 inch gypsum board or the equivalent applied to the garage side. (Chapter 4, Section 407.0 of the BOCA/1996)
- All chimneys and vents shall be installed and maintained as per Chapter 12 of the City's Mechanical Code. (The BOCA National Mechanical Code/1993). Chapter 12 & NFPA 211
- 10. Sound transmission control in residential building shall be done in accordance with Chapter 12, Section 1214.0 of the City's Building Code.
- 11. Guardrails & Handrails: A guardrail system is a system of building components located near the oopen sides of elevated walking surfaces for the purpose of minimizing the possibility of an accidental fall from the walking surface to the lower level. Minimum height all Use Groups 42", except Use Group R which is 36". In occupancies in Use Group A,B.H-4, I-1, I-2, M and R and public garages and open parking structures, open guards shall have balusters or be of solid material such that a sphere with a diameter of 4" cannot pass through any opening. Guards shall not have an ornamental pattern that would provide a ladder effect. (Handrails shall be a minimum of 34" but not more than 38". Use Group R-3 shall not be less than 30", but not more than 38"). Handrail grip size shall have a circular cross section with an outside diameter of at least 1 ¼" and not greater than 2". (Sections 1021 & 1022.0). Handrails shall be on both sides of stairway. (Section 1014.7)
  - 12. Headroom in habitable space is a minimum of 7'6". (Section 1204.0)
- 13. Stair construction in <u>Use Group R-3 & R-4 is a minimum of 10" tread and 7 ½" maximum rise.</u> All other Use Group minimum 11" tread, 7" maximum rise. (Section 1014.0)
  - 14. The minimum headroom in all parts of a stairway shall not be less than 80 inches. (6'8") 1014.4
  - 15. Every sleeping room below the fourth story in buildings of Use Groups R and I-1 shall have at least one operable window or exterior door approved for emergency egress or rescue. The units must be operable from the inside without the use of special knowledge or separate tools. Where windows are provided as means of egress or rescue they shall have a sill height not more than 44 inches (1118mm) above the floor. All egress or rescue windows from sleeping rooms shall have a minimum net clear opening height dimension of 24 inches (610mm). The minimum net clear opening width dimension shall be 20 inches (508)mm, and a minimum net clear opening of 5.7 sq. ft. (Section 1010.4)
  - 16. Each apartment shall have access to two (2) separate, remote and approved means of egress. A single exit is acceptable when it exits directly from the apartment to the building exterior with no communications to other apartment units. (Section 1010.1)
  - 17. All vertical openings shall be enclosed with construction having a fire rating of at least one (1) hour, including fire doors with self closer's. (Over 3 stories in height requirements for fire rating is two (2) hours. (Section 710.0)
  - 18. The boiler shall be protected by enclosing with (1) hour fire rated construction including fire doors and ceiling, or by providing automatic extinguishment. (Table 302.1.1)

19. All single and multiple station smoke detectors shall be of an approved type and shall be installed in accordance with the provisions of the City's Building Code Chapter 9, Section 920.3.2 (BOCA National Building Code/1996), and NFPA 101 Chapter 18 & 19. (Smoke detectors shall be installed and maintained at the following locations): In the immediate vicinity of bedrooms In all bedrooms In each story within a dwelling unit, including basements 20. A portable fire extinguisher shall be located as per NFPA #10. They shall bear the label of an approved agency and be of an approved type. (Section 921.0) The Fire Alarm System shall maintained to NFPA #72 Standard. 22. The Sprinkler System shall maintained to NFPA #13 Standard. 23. All exit signs, lights and means of egress lighting shall be done in accordance with Chapter 10 Section & Subsections 1023.0 & 1024.0 of the City's Building Code. (The BOCA National Building Code/1996) 24. Section 25 – 135 of the Municipal Code for the City of Portland states, "No person or utility shall be granted a permit to excavate or open any street or sidewalk from the time of November 15 of each year to April 15 of the following year". 25. The builder of a facility to which Section 4594-C of the Maine State Human Rights Act Title 5 MRSA refers, shall obtain a certification from a design professional that the plans commencing construction of the facility, the builder shall submit the certification the Division of Inspection Services. 26. Ventilation shall meet the requirements of Chapter 12 Sections 1210.0 of the City's Building Code. (Crawl spaces & attics). 27. All electrical, plumbing and HVAC permits must be obtained by a Master Licensed holders of their trade. No closing in of walls until all electrical (min. 72 hours notice) and plumbing inspections have been done. 28. All requirements must be met before a final Certificate of Occupancy is issued. 29. All building elements shall meet the fastening schedule as per Table 2305.2 of the City's Building Code (The BOCA National Building Code/1996). 30. Ventilation of spaces within a building shall be done in accordance with the City's Mechanical code (The BOCA National Mechanical Code/1993). (Chapter M-16) Not to exceed thisting tootpo 31.) Please read and implement the attached Land Use Zoning report requirements. 32. Boring, cutting and notching shall be done in accordance with Sections 2305.3, 2305.3.1, 2305.4.4 and 2305.5.1 of the City's Building Code. 33. Bridging shall comply with Section 2305.16. 34. Glass and glazing shall meet the requirements of Chapter 24 of the building code. (Safety Glazing Section 2405.0) 35. All signage, shall be done in accordance with Section 3102.0 signs of the City's Building Code, (The BOCA National Building Code/1996). belween SODO

Building Inspector MoDougall, PFD

large Schmuckal, Zoning Administrator

PSH 11/25/99

\*\*On the basis of plans submitted and conditions placed on these plans any deviations shall require a separate approval.

\*\*\*THIS PERMIT HAS BEEN ISSUED WITH THE UNDERSTANDING THAT ALL THE CONDITIONS OF THE APPROVAL SHALL BE COMPLETED. THEREFORE, BEFORE THE WORK IS COMPLETED A REVISED PLAN OR STATEMENT FROM THE PERMIT HOLDER SHALL BE SUBMITTED TO THIS OFFICE SHOWING OR EXPLAINING THAT THE CONDITIONS HAVE BEEN MET. IF THIS REQUIREMENT IS NOT RECEIVED YOUR CERTIFICATE OF OCCUPANCY SHALL BE WITHHELD.