



FILL IN AND SIGN WITH INK

APPLICATION FOR PERMIT FOR HEATING, COOKING OR POWER EQUIPMENT

OCT 19 1251

CITY of DOOR! NAME

Portland	Maire, Gotober 19, 1961	mar or restriction
To the INSPECTOR OF BUILDINGS, PORTLAND,		
The undersigned hereby applies for a permit t ance with the Laws of Maine, the Building Code of th	a install the following backing as the	bower equipment in accord- ifications:
Location · 166 Yaughan Street Use of Mame and address of owner of appliance hargars	Building LETAGE ERG SPC. No. Stor	ries 2 NewBuilding Existing "
Installer's name and address Scribner & Ivers	ion of linton st	lephone 2-4675
General	Description of Work	
To install gravity hot water boiler and of		Coal-fired
hot water heat		
	R, OR POWER BOILER	The second secon
Location of appliance basement Any burn		no
If so, how protected?	Kind of fuel?	11
Minimum distance to burnable material from top of a From front of	ppliance or casing top of furnace 3	L
From top of smoke pipe 12" From front of	applianceL! From sides or back	of appliance 31
Size of chimney flue929 Other connection	ns to same flue	The state of the s
If gas fired, how vented?		per hour
Will sufficient fresh air be supplied to the appliance to i	nsure proper and safe combustion?	
	OIL BURNER	
Name and type of burner Weil-Wolain		* Ishamianiana Yes
Will operator be always in attendance?	oes oil supply line feed from top or bottom	of tanks bottom
Type of floor beneath burnerconcrete	Size of vent pipe 12th	of fatter, workstown
Location of oil storage basement	Number and canacity of tanks	L-275 gal.
Low water shut off Make		Na
Will all tanks be more than five feet from any flame? .		And here are are presidently making
Total capacity of any existing storage tanks for furnac	e burners none	
•	OKING APPLIANCE	
Location of appliance		eneath?
If so, how protected?	Height of Legs, if any	
Skirting at botton of appliance? Distar	ice to combustible material from top of appli	ance?
From front of appliance From sides	and back From top of sr	nokepine
Size of chimney tlue Other connection	ns to same flue	
Is hood to be provided?	how vented? Forced or s	eravity?
If gas fired, how vented?	Rated maximum demand	per hour
	PMENT OR SPECIAL INFORMATION	
Replacement ?	A A S.	UN
and the second s	fulling the second of the seco	** ** *** ******* ***** *** ## ** **** ****
Shield. 7 Ivars	ion to the	ld and
5 100 11	a Leva	
5 m a K.	in the state of the state of	15-1-1-
		4
Amount of fee enclosed? .2.00(\$2.00 for one houlding same time.)	eater, etc., 50 cents additional for each add	itional heater, etc., in same
OVED:		
O.K. 10-19-61 DP	Will there be in charge of the above w	ork a person competent to
	see that the State and City requireme	•
	observed? .yes	
	Scribner & Iverson	n
Sig.ature of Install	Ior By: Puer R. Nuca	son
INSPECTION COPY	•	
		~ /
		~ 1 3 /.

NOTES

24 BESTIEL 'S LORE



APPLICATION FOR PERMIT

Class of Building or Type of Structure Paired Class & Glass

PERMIT ISSUED OCT 11 1861

	Portland, Ma	ing Cotobe	r 3, 1961	CITY of POSITIA
To the INSPECTOR OF	BUILDINGS, PORTLANZ	D. MAINE		
. The undersigned her	elm applies for a parmit to		molish install the fall	lowing building structure equipmen
in accordance with the Law	s of the State of Maine, th	e Building Code an	d Zoning Ordinance	lowing building structure equipments of the City of Portland, plans and
specifications, if any, submit Location 16 Vana	dan St.	want aberatentions:		
		200 1 20 1 2	Within Fire Limits	s? Dist. No
Lessee's name and address		zon, _ce line		s? Dist. No Telephone
Contractor's name and add	·			
Architect /	aress		orr orrector	Telephone 3-3585 Telephone 3-3585
Proposed use of building	Conn	Specifications	Fians _	no No. of sheets
Last use	II .	T C L ANGLE	nd Teenhouse	No. families
Material No.	Stories U	-		No. of sheets No. families No. families
Other buildings on same lo	t	Style of	roof	No famil'sRoofing
Estimated cost \$ 25.00				2 00
)		Fee \$ 2.00
	General D	escription of N	lew Work	
, to demotic	h existing frace as	od glass mot)	house" (attache	d to garage)
uand to me	zain vacant.			
mailer of 10	"tri' Ascatio"			
				* 9k v
α				
Some of	ent lett	To to to	4 - 4/ 4	
It is understood that this per	mit does not include insta	ez recen	10-4-61	
		Wallon of bealing a	hharatur eubich in en	
the name of the heating contro	ictor. PERMIT TO B	E ISSUED TO	pparalus which is to contractor	be taken out separately by and in
- >	Det	aila at NT. 187	•	
Is any plumbing involved in	Deta	ails of New Wo	ork	
Is any plumbing involved in Is connection to be made to	Detain this work?	ails of New Wo	ork ctrical work involve	ed in this work?
Is any plumbing involved in Is connection to be made to Has septic tank notice beer	Detanthis work?	Is any elec	ork strical work involve at is proposed for	ed in this work?sewage?
Is any plumbing involved in Is connection to be made to Has septic tank notice been Height average grade to to	Detain this work?	ails of New Wo	ork trical work involve at as proposed for since sent?	ed in this work?sewage?
Is any plumbing involved in Is connection to be made to Has septic tank notice been Height average grade to to Size, front	Detain this work? o public sewer? n sent? p of plate	ails of New Wo	ork trical work involve at as proposed for since sent? ge grade to highest	ed in this work?sewage?
Is any plumbing involved in Is connection to be made to Has septic tank notice beer Height average grade to to Size, front depti Material of foundation	Detain this work? o public sewer? n sent? p of plate No. stories	Is any electric lickness top	ctrical work involve at as proposed for ice sent?	point of roofearth or rock?
Is any plumbing involved in Is connection to be made to Has septic tank notice beer Height average grade to top Size, front depti Material of foundation Kind of roof	Detain this work? o public sewer? n sent? p of plate No. stories Th	Is any electric like when Is any electric like when Is not when Is not height average solid or fill ickness, top	ork ctrical work involve at as proposed for ice sent? ge grade to highest ed land? bottom	point of roof earth or rock?
Is any plumbing involved in Is connection to be made to Has septic tank notice been Height average grade to top Size, front depti Material of foundation Kind of roof No. of chimneys	Detain this work? o public sewer? o sent? o pof plate No. stories Th Rise per foot Material of chimneus	ls any electric list any electric ls any elect	ork trical work involve at as proposed for sice seat? ge grade to highest sed land? bottom	point of roofearth or rock?
Is any plumbing involved in Is connection to be made to Has septic tank notice been Height average grade to top Size, front depti Material of foundation Kind of roof No. of chimneys Framing Lumber—Kind	p of plate No. stories Rise per foot Material of chimneys	ails of New Wo	ctrical work involve at as proposed for ice sent? ge grade to highest ed land? bottom ring Kind	point of roofearth or rock? cellarof heatfuel
Is any plumbing involved in Is connection to be made to Has septic tank notice been Height average grade to top Size, front dept! Material of foundation Kind of roof No. of chimneys Framing Lumber-Kind Size Girder Size Girder Connection to be made in volume to be made to the made in volume to be made to top the made in volume to be made to top the made in volume to be made to top the made to the made to top the made t	Deta n this work? p public sewer? p of plate No. stories Th Rise per foot Material of chimneys Dressed or full Columns under girders	ails of New Wo	crk ctrical work involve at as proposed for cice sent? ce grade to highest ced land? bottom cring Kind Corner posts	point of roof earth or rock? cellar of heat Sills
Is any plumbing involved in Is connection to be made to Has septic tank notice been Height average grade to to Size, front depti Material of foundation Kind of roof No. of chimneys Framing Lumber—Kind Size Girder Studs (outside walls and ca	n this work? p public sewer? n sent? p of plate No. stories Th Rise per foot Material of chimneys Dressed or full Columns under girders rrying partitions) 2x4-16	Is any electric list any elect	ctrical work involve at as proposed for ice seat? ge grade to highest ed land? bottom ring Kind Corner posts	point of roof earth or rock? cellar of heat Sills Max. on centers
Is any plumbing involved in Is connection to be made to Has septic tank notice been Height average grade to top Size, front depti Material of foundation Kind of roof No. of chimneys Framing Lumber—Kind Size Girder Studs (outside walls and ca Joists and rafters:	n this work? p public sewer? n sent? p of plate No. stories Th Rise per foot Material of chimneys Dressed or full Columns under girders rrying partitions) 2x4-16	Is any electric list any elect	ctrical work involve at as proposed for ice seat? ge grade to highest ed land? bottom ring Kind Corner posts	point of roof earth or rock? cellar of heat Sills Max. on centers
Is any plumbing involved in Is connection to be made to Has septic tank notice been Height average grade to to Size, front dept! Material of foundation Kind of roof No. of chimneys Framing Lumber—Kind Size Girder Studs (outside walls and ca Joists and rafters: On centers:	n this work? p public sewer? p of plate h No. stories Th Rise per foot Material of chimneys Dressed or full Columns under girders rrying partitions) 2x4-16 1st floor 1st floor	ails of New Wo	crk ctrical work involve at as proposed for ice sent? ge grade to highest ded land? bottom ring Kind Corner posts size n every floor and fl 3rd	point of roof earth or rock?cellar of heatfuel Sills Max. on centers lat roof span over 8 feetroof
Is any plumbing involved in Is connection to be made to Has septic tank notice been Height average grade to top Size, front dept! Material of foundation Kind of roof No. of chimneys Framing Lumber — Kind Size Girder Studs (outside walls and ca Joists and rafters: On centers: Maximum span:	n this work? p public sewer? p of plate h No. stories Th Rise per foot Material of chimneys Dressed or full Columns under girders rrying partitions) 2x4-16 Ist floor 1st floor	ails of New Wo	crk ctrical work involve at as proposed for sice sent? ge grade to highest sed land? bottom ring Kind Corner posts size n every floor and fl , 3rd	point of roof earth or rock?cellar of heatfuel Sills Max. on centers lat roof span over 8 feet, roof, roof
Is any plumbing involved in Is connection to be made to Has septic tank notice been Height average grade to top Size, front dept! Material of foundation Kind of roof No. of chimneys Framing Lumber — Kind Size Girder Studs (outside walls and ca Joists and rafters: On centers: Maximum span:	n this work? p public sewer? p of plate h No. stories Th Rise per foot Material of chimneys Dressed or full Columns under girders rrying partitions) 2x4-16 Ist floor 1st floor	ails of New Wo	crk ctrical work involve at as proposed for sice sent? ge grade to highest sed land? bottom ring Kind Corner posts size n every floor and fl , 3rd	point of roof earth or rock?cellar of heatfuel Sills Max. on centers lat roof span over 8 feet, roof, roof
Is any plumbing involved in Is connection to be made to Has septic tank notice been Height average grade to top Size, front dept! Material of foundation Kind of roof No. of chimneys Framing Lumber — Kind Size Girder Studs (outside walls and ca Joists and rafters: On centers: Maximum span:	n this work? p public sewer? p of plate h No. stories Th Rise per foot Material of chimneys Dressed or full Columns under girders rrying partitions) 2x4-16 Ist floor 1st floor	ails of New Wo	crk ctrical work involve at as proposed for sice sent? ge grade to highest sed land? bottom ring Kind Corner posts size n every floor and fl , 3rd	point of roof earth or rock?cellar of heatfuel Sills Max. on centers lat roof span over 8 feetroof
Is any plumbing involved in Is connection to be made to Has septic tank notice been Height average grade to to Size, front dept! Material of foundation Kind of roof No. of chimneys Framing Lumber—Kind Size Girder Studs (outside walls and ca Joists and rafters: On centers: Maximum span: If one story building with m	n this work? p public sewer? p of plate h No. stories Th Rise per foot Material of chimneys Dressed or full Columns under girders rrying partitions) 2x4-16 Ist floor 1st floor 1st floor masonry walls, thickness of	Is any electric list any elect	crk ctrical work involve at as proposed for ice sent? ge grade to highest ed land? bottom ring Kind Corner posts size n every floor and fl , 3rd , 3rd , 3rd	point of roof earth or rock?cellar of heatfuel Sills Max. on centers lat roof span over 8 feet, roof, roof, roof, roof, roof, height?
Is any plumbing involved in Is connection to be made to Has septic tank notice been Height average grade to top Size, front dept! Material of foundation Kind of roof No. of chimneys Framing Lumber—Kind Size Girder Studs (outside walls and ca Joists and rafters: On centers: Maximum span: If one story building with money in the story building with money accommodated to the second secon	n this work? p public sewer? p of plate h No. stories Th Rise per foot Material of chimneys Dressed or ful Columns under girders rrying partitions) 2x4-16 Ist floor 1st floor 1st floor nasonry walls, thickness of	ails of New Wo	crk ctrical work involve at as proposed for ice sent? ge grade to highest ded land? bottom ring Kind Corner posts ite at every floor and fl , 3rd , 3rd	point of roof earth or rock?cellar of heatfuel Sills Max. on centers lat roof span over 8 feet, roof, roof, roof, roof, roof, height?
Is any plumbing involved in Is connection to be made to Has septic tank notice beer Height average grade to to Size, front dept! Material of foundation Kind of roof No. of chimneys Framing Lumber _ Kind _ Size Girder Studs (outside walls and ca Joists and rafters: On centers: Maximum span: If one story building with more will automobile repairing between the second of	n this work? p public sewer? p of plate h No. stories Th Rise per foot Material of chimneys Dressed or ful Columns under girders rrying partitions) 2x4-16 Ist floor 1st floor 1st floor nasonry walls, thickness of	ails of New Wo	crk ctrical work involve at as proposed for ice sent? ge grade to highest ded land? bottom ring Kind Corner posts ite at every floor and fl , 3rd , 3rd	point of roof earth or rock?cellar of heatfuel Sills Max. on centers lat roof span over 8 feet, roof, roof, roof, roof, roof, height?
Is any plumbing involved in Is connection to be made to Has septic tank notice been Height average grade to top Size, front dept! Material of foundation Kind of roof No. of chimneys Framing Lumber—Kind Size Girder Studs (outside walls and ca Joists and rafters: On centers: Maximum span: If one story building with money in the story building with money accommodated to the second secon	n this work? p public sewer? p of plate h No. stories Th Rise per foot Material of chimneys Dressed or ful Columns under girders rrying partitions) 2x4-16 Ist floor 1st floor 1st floor nasonry walls, thickness of	ails of New Wo	crk ctrical work involve at as proposed for ice sent? ge grade to highest ded land? bottom ring Kind Corner posts ite at every floor and fl , 3rd , 3rd	point of roof earth or rock? cellar of heat Sills Max. on centers lat roof span over 8 feet. roof roof height? al cars to be accommodated e proposed building?
Is any plumbing involved in Is connection to be made to Has septic tank notice beer Height average grade to to Size, front dept! Material of foundation Kind of roof No. of chimneys Framing Lumber _ Kind _ Size Girder Studs (outside walls and ca Joists and rafters: On centers: Maximum span: If one story building with more will automobile repairing between the second of	n this work? p public sewer? p of plate h No. stories Th Rise per foot Material of chimneys Dressed or ful Columns under girders rrying partitions) 2x4-16 Ist floor 1st floor 1st floor nasonry walls, thickness of	Is any electric list and elect	crk ctrical work involve at as proposed for ice sent? ge grade to highest ed land? bottom ring Kind Corner posts size n every floor and fl many, 3rd n 3rd number commercial tually stored in the	point of roof earth or rock?cellar of heatfuel Sills Max. on centers lat roof span over 8 feet. , roof, roof , roof, roof height? al cars to be accommodated as proposed building?
Is any plumbing involved in Is connection to be made to Has septic tank notice beer Height average grade to to Size, front dept! Material of foundation Kind of roof No. of chimneys Framing Lumber _ Kind _ Size Girder Studs (outside walls and ca Joists and rafters: On centers: Maximum span: If one story building with more will automobile repairing between the second of	n this work? p public sewer? n sent? p of plate h	Is any electric list and elect	ctrical work involved at as proposed for ite sent?	point of roof earth or rock?cellar of heatfuel Sills Max. on centers lat roof span over 8 feet. , roof, roof, roof, roof, roof, roof, roof, roof, rearth or rock? , fuel, roof, roof
Is any plumbing involved in Is connection to be made to Has septic tank notice beer Height average grade to to Size, front dept! Material of foundation Kind of roof No. of chimneys Framing Lumber _ Kind _ Size Girder Studs (outside walls and ca Joists and rafters: On centers: Maximum span: If one story building with more will automobile repairing between the second of	n this work? p public sewer? n sent? p of plate h	Is any electric list any elect	ctrical work involved at as proposed for since sent?	point of roof earth or rock?cellar of heatfuel Sills Max. on centers lat roof span over 8 feet, roof, roof, roof height? al cars to be accommodated as proposed building? recous tree on a public street? no re work a person competent to
Is any plumbing involved in Is connection to be made to Has septic tank notice beer Height average grade to to Size, front dept! Material of foundation Kind of roof No. of chimneys Framing Lumber _ Kind _ Size Girder Studs (outside walls and ca Joists and rafters: On centers: Maximum span: If one story building with more will automobile repairing between the second of	n this work? p public sewer? n sent? p of plate h	Is any electric list any elect	critical work involved at as proposed for since sent? It is grade to highest sed land? It is bottom. It is corner posts It is every floor and floor. It is a since It is a	point of roof earth or rock?cellar of heatfuel Sills Max. on centers lat roof span over 8 feet, roof, roof , roof, rear to be accommodated exproposed building?, recous tree on a public street?
Is any plumbing involved in Is connection to be made to Has septic tank notice beer Height average grade to top Size, front	n this work? p public sewer? n sent? p of plate h	Is any electric list average solid or fill ickness, top Roof cover of lining lister. Roof cover of lining in 2nd 2nd 2nd 2nd 2nd 2nd 2nd 2nd 2nd 2n	trical work involved at as proposed for since sent? te grade to highest ted land? bottom ring Kind Corner posts ize n every floor and fl 3rd 3rd number commercial tually stored in the Miscellar disturbing of any techarge of the above te and City required. Fayson	point of roof earth or rock? cellar of heat Sills Max. on centers lat roof span over 8 feet. roof height? al cars to be accommodated e proposed building? tree on a public street? we work a person competent to rements pertaining thereto are
Is any plumbing involved in Is connection to be made to Has septic tank notice beer Height average grade to to Size, front dept! Material of foundation Kind of roof No. of chimneys Framing Lumber _ Kind _ Size Girder Studs (outside walls and ca Joists and rafters: On centers: Maximum span: If one story building with more will automobile repairing between the second of	n this work? p public sewer? n sent? p of plate h	Is any electric list average solid or fill ickness, top Roof cover of lining lister. Roof cover of lining in 2nd 2nd 2nd 2nd 2nd 2nd 2nd 2nd 2nd 2n	trical work involved at as proposed for since sent? te grade to highest sed land? bottom ring Kind Corner posts ize n every floor and fl 3rd 3rd number commercial trially stored in the Miscellar disturbing of any to charge of the above te and City requires	point of roof earth or rock? cellar of heat fuel Sills Max. on centers lat roof span over 8 feet. roof, roof, roof height? al cars to be accommodated exproposed building? tree on a public street? we work a person competent to rements pertaining thereto are

NOTES Cert. of Occupancy insued Farm Check Notice Staking Out Notice Date of permit 10 20.61 Completo

1,5

CITY OF PORTLAND, KAINE DEPARTMENT OF BUILDING INSPECTION

irs, tergaret Payson 188 fine St. Fortland Kaine

Cotober 3, 1961

Dear Ladax:

With relation to permit applied for to demolish a building or portion of building at 16. You have St. it is unlawful to commence demolition work until a permit has been issued from this department.

Section 6 of the ordinance for rodent and vermin control provides: "It shall be unlawful to demolish any building or structure unless provision is made for rodent and vermin eradication. No permit for the demolition of a building or structure shall be issued by the Building Inspector until and unless provisions for rodent and vermin eradication have been carried out under supervision of a pest control operator registered with the Health Department.

The building permit for demolition cannot be issued until the provisions of this section have been satisfied. It is the obligation of owner or demolition contractor or both to take up with the Health Department the matter of complying with this section, being prepared to inform that department what registered pest control operator is to be employed.

Very truly yours,

AJS/jg

alberty clear

Albert J. Sears
Inspector of Buildings

Eradication of this building has been completed

10-4-61

RECEIVED

OCT 11 1961

DEPT. OF BLD'G. INSP.
CITY OF PORTLAND



APPLICATION FOR PERMIT

Class of Building or Type of Structure Second Class

PERMIT ISSUED OCT 15 1948

ND

	Portla	d. Maine	October 15, 19	us.	CITY of PORTLA
To the INSPE	ECTOR OF BUILDINGS, POI	PT 127 1411		=	TOMILA
The un in accordance t specifications, t	dersigned hereby applies for a per with the Laws of the State of Ma if any, submitted herewith and th	rmit to erect als ine, the Build e followine sto	er repair demolish ins irig Code and Zoning	Ordinance of the	City of Portland, plans and
Location1	66 Vaughan Street	- 3	*·/		
Owner's name	and address Est. Kg	rraret Pay	within t	ire Limits! <u>ye</u>	Dist. No1
Contractor's n	ame and address <u>Benjamin</u>	Wrecking	Co. 19 Parts	6.	Telephone
Architect	of building	Cra	oiganiana	DI.	_ Telephone
Proposed use of	of building		Culcations	_ Plans _ no _	No. of sheets
Last use	Dwal Dwal	ling			_ No. families
Material Eri	ck No. stories 5 H		S-355		No. families 1
Other building	s on same lot		style of root		Rconng
Estimated cost	\$			***************************************	and the state of t
		ral Descript	ion of New Wo	_1_	Fee \$ 1.00
To denoli:	sh existing 5 story bri			•	
under the	gree to tightly and perilic or private sewers for supervision and to the cortland? Yes	171783 LTL 15 PT	IT IMIN'T AM Atmi.		
	ginvolved in this work? grade to top of plate	На	abt average menda to	. 1. * 1	_
		OTIOS	calid as Ellad I 13		
		Thickness	fan 1		
	Telegraphic Control of the control o	***************************************	KOOL COMPRISE		
	Tridlerial Of Cult	กกคบร	Of lining	771	
9 - 4444	C PALL COMMENT AND AND AND AND ADDRESS OF THE PARTY AND ADDRESS OF THE		Dressed on full alamb		
Triboto mini		IT Or ledger b	nard?		
	minima orec manimanaColumns	unger øirders	Cina	3.0	
	and that carrying partitions) 2)	K4-10" U. C.]	Bridging in every flo	or and flat roof	anan over 9 fuct
January and a	15t 1100F	, 2nd.	– 3rd		man f
On centers:	15t 1100f	, 2nd.	3rd		roof
Maximum s	Pare 15t 1100T	2nd	21		_
if one story buil	ding with masoury walls, thick	ness of walls?.	***************************************		reight?
		If a G	20200		
No. cars now acc	commodated on same lot, to	o be accommo	dated number of	ammaraial agus 4-	
Will automobile	repairing be done other than m	inor repairs to	Cars habitually stor	ed in the proper	be accommodated
APPROVED:		7			a ominingr
		11791		liscellaneous	
	***************************************	. Will Wo	rk require disturbing	of any tree on a	public street? <u>no</u>
44 of the Granus space (100 professional transport of the control	the areases to come armore than the salar reads operations are account to the company of property to account	Vill th	ere be in charge of	the above work	a person competent to
	***************************************	- see tha	t the State and Ci	ty requirements	pertaining thereto are
			Est.	Margaret Pay	rsor .

Benjamin Wrecking Co.

INSPECTION COPY

Signature of owner By: ON P MILES

ja vs NOTES and the gray of a vertices * * 1 arabbil a d The Property of American to proposition of the property 2" , 21" -1W" attempt of the second W. W. W. Sance INSPECTION COFT