City of Portland, Maine - Building or Use Permit Application 389 Congress Street, 04101, Tel: (207) 874-8703, FAX: 874-8716 Location of Construction: Owner: Phone: Permit No: e et e e 000038 Owner Address: Lessee/Buyer's Name: Phone: BusinessName: Permit Issued: Contractor Name: Phone: Address: 1AN 2 0 COST OF WORK: Past Use: Proposed Use: PERMIT FEE: . \$ A to a second FIRE DEPT. Approved INSPECTION: Use Group: M Type: 373 ☐ Denied Zone: CBL: BOC4 96 Signature: Zoning Approval: Proposed Project Description: PEDESTRIAN ACTIVITIES DISTRICT (PAD.) Action: Approved and the first the second control of the property of the proper Special Zone or Reviews: Approved with Conditions: ☐ Shoreland الهايا والمحافظ والمراجع الأراجع Denied П ☐ Wetland restoration to the following the state of the contraction of the state ☐ Flood Zone 500 J. Son 3546 Signature: □ Subdivision / Date: ☐ Site Plan maj ☐minor☐mm ☐ Permit Taken By: Date Applied For: 1 44 Zoning Appeal □ Variance This permit application does not preclude the Applicant(s) from meeting applicable State and Federal rules. ☐ Miscellaneous 2. Building permits do not include plumbing, septic or electrical work. □ Conditional Use □ Interpretation 3. Building permits are void if work is not started within six (6) months of the date of issuance. False informa-☐ Approved tion may invalidate a building permit and stop all work... Strain Control □ Denied C. T. A. L. C. C. C. C. Historic Preservation Company of the Company of the State of the Company ☐ Does Not Require Review ☐ Requires Review Action: CERTIFICATION ☐ Appoved ☐ Approved with Conditions I hereby certify that I am the owner of record of the named property, or that the proposed work is authorized by the owner of record and that I have been □ Denied authorized by the owner to make this application as his authorized agent and I agree to conform to all applicable laws of this jurisdiction. In addition, if a permit for work described in the application is issued, I certify that the code official's authorized representative shall have the authority to enter all Date: areas covered by such permit at any reasonable hour to enforce the provisions of the code(s) applicable to such permit ADDRESS: SIGNATURE OF APPLICANT DATE: PHONE: RESPONSIBLE PERSON IN CHARGE OF WORK, TITLE PHONE: White-Permit Desk Green-Assessor's Canary-D.P.W. Pink-Public File Ivory Card-Inspector

COMMENTS

1/00 Did Re-Construction of Novan 2/00 Stopped in fraing started getty reade, to fire-rate wall a/5/8 startnord, went over Att diglity + efit styps to be appraised.
1/1/00 Stopped in fraing started gotty reade,
To fire rate wall of 5/8 ghostwork, went over
- Att lighting & efect signs to be appealed
- Arus
48/00 Cherliet Met uf Kinnter
went wer efister of New Dining with him
- Mark
Whole thelet shorten thekently walls to my
1/8/00 Cherliet Met uf Himler with him pines with him mines
2-22-00 Suffenti, Kingation of flimber Milling
3/10/00 Chicket addition of finition of which in foreign
- Stations intelled. (16
- shyl (() () mit (supregention) un (lines in left to legter
The thysics, election closed in child y since City
- 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
Lendy for the of the state of the State of the 36
Type Inspection Record Ferminal Type Type
31 Mar 2 \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \
Framing:
Type Foundation: May all Conditions Framing: Plumbing: Final: Other:
Other:

SURCELL SURCEL

CITY OF PORTLAND, MAINE

Department of Building Inspection

Certificate of Occupancy

Inspector of Buildings

LOCATION 283 37 John 36 084-A-003 Date of Issue 113/2002 30000 3 Issued to Jan. Francist rep This is to certify that the building, premises, or part thereof, at the above location, built — altered — changed as to use under Building Permit No. ARRIGIDED, has had final inspection, has been found to conform substantially to requirements of Zoning Ordinance and Building Code of the City, and is hereby approved for occupancy or use, limited or otherwise, as indicated below. PORTION OF BUILDING OR PREMISES APPROVED OCCUPANCY Charles and Australia Street on Store (Save & Let) RIFFE GET **Limiting Conditions:** This certificate supersedes certificate issued Approved:

Notice: This certificate identifies lawful use of building or premises, and ought to be transferred from owner to owner when property changes hands. Copy will be furnished to owner or lessee for one dollar.

THIS IS NOT A PERMIT/CONSTRUCTION CANNOT COMMENCE UNTIL THE PERMIT IS ISSUED

Building or Use Permit Pre-Application Attached Single Family Dwellings/Two-Family Dwelling Multi-Family or Commercial Structures and Additions Thereto

In the interest of processing your application in the quickest possible manner, please complete the Information below for a Building or Use Permit.

NOTE**If you or the property owner owes real estate or personal property taxes or user charges on ANY PROPERTY within the City, payment arrangements must be made before permits of any kind are accepted.

Total Square Footage of Proposed Structure Tax Assessor's Chart, Block & Lot Number Chart# CG+ Block# Lot# 00 Owner's Address: Owner's Address: Owner's Address: Proposed Project Description:(Please be as specific as possible) PENONICO PROPOSED ADDRESS: Dam Ho		Cost Of Work: \$ 200 k \$ 00000000000000000000000000000000	\$ ZZ4
Chart# CG4 Block# A Lot# 00 Owner's Address: 100 Copposed to Office Tr. ENCY CHY, Missouri 43045 314) C92-9322 Proposed Project Description:(Please be as specific as possible) PENOVETION OF EXICTLY MI	Lessee/Buyer's Name (If Applicable)	Cost Of Work: \$ 200 k .300,00	Fee \$ 1,224
PENOVITION OF EXISTING MISSELES	prentile space in	\$200K	\$ 1,224
perovation of takistus M		existry strip	العما
DUVI PIV.	NOVIX.		
Contractor's Name, Address & Telephone THI \W.	1 Pleason St., Co	DIEBROOK NH. 03576	Rec'd By
Current Use: HEPCANTILE	Proposed Use:	pravile	
	Tour Deed or Purchase and Sale Af your Construction Contract, if a 3) A Plot Plan/Site Plan the above proposed projects. The a	Agreement archite available michae	ict: l Coutw 4-9606
Unless exempted by State Law, construc		Thy a recistered design bro	ofessional.
A complete set of construction drawings showing all Cross Sections w/Framing details (including Floor Plans & Elevations Window and door schedules Foundation plans with required drainage at Electrical and plumbing layout. Mechanical equipment, HVAC equipment (air handling)	of the following elements of consumptions of the following elements of consumptions of the following porches, decks w/railings, and a middle and dampproofing all drawings for any specialized equal of the following of the following of the following elements of consumptions of the following elements of the following elemen	ccessory structures) JAN 4 2000	'anway Ni 0380
hereby certify that I am the Owner of record of the named propen owner to make this application as his/her authorized agent. I agree application is issued, I certify that the Code Official's authorized reinforce the provisions of the codes applicable to this permit.	e to conform to all applicable laws of this ju-	risdiction. In addition, if a permit for	work described in this

Building Permit Fee: \$30.00 for the 1st \$1000.cost plus \$6.00 per \$1,000.00 construction cost thereafter.

Additional Site review and related fees are attached on a separate addendum

BUILDING PERMIT REPORT

Deleb	a to I Littliff REI OILI	
DATE: 18 January 2000 ADDRESS: 26 REASON FOR PERMIT: INTERIOR re	8 ST. John STreeT	CBL: <u>Ø64-A-ØØ</u> /
REASON FOR PERMIT: INTERIOR FE	novaTions	
BUILDING OWNER: John Hammon		
PERMIT APPLICANT:	/CONTRACTOR	
USE GROUP: \mathcal{M} CONSTRUCTION TYPE: \mathcal{J}	13 CONSTRUCTION COST: 201	0,000 PERMIT FEES: 1,224
The City's Adopted Building Code (The BOCA National Buil The City's Adopted Mechanical Code (The BOCA National M	•	
CONDIT	TION(S) OF APPROVAL	
This permit is being issued with the understanding that *27 *29 *3 *3 *	the following conditions are met: $\frac{*/}{}$	*11, *20, *21, *22, *23
1. This permit does not excuse the applicant from meeting appl	licable State and Federal rules and laws.	

- Before concrete for foundation is placed, approvals from the Development Review Coordinator and Inspection Services must be obtained. (A 24 hour notice is required prior to inspection) "ALL LOT LINES SHALL BE CLEARLY MARKED BEFORE CALLING."
- Foundation drain shall be placed around the perimeter of a foundation that consists of gravel or crushed stone containing not more than 10 percent material that passes through a No. 4 sieve. The drain shall extend a minimum of 12 inches beyond the outside edge of the footing. The thickness shall be such that the bottom of the drain is not higher than the bottom of the base under the floor, and that the top of the drain is not less than 6 inches above the top of the footing. The top of the drain shall be covered with an approved filter membrane material. Where a drain tile or perforated pipe is used, the invert of the pipe or tile shall not be higher than the floor elevation. The top of joints or top of perforations shall be protected with an approved filter membrane material. The pipe or tile shall be placed on not less than 2" of gravel or crushed stone, and shall be covered with not less than 6" of the same material. Section 1813.5.2
- Foundations anchors shall be a minimum of \(\frac{1}{2} \) in diameter, \(T'' \) into the foundation wall, minimum of 12" from corners of foundation and a maximum 6' O.C. between bolts. Section 2305.17
- Waterproofing and damp proofing shall be done in accordance with Section 1813.0 of the building code.
- Precaution must be taken to protect concrete from freezing. Section 1908.0
- It is strongly recommended that a registered land surveyor check all foundation forms before concrete is placed. This is done to verify that the proper setbacks are maintained.
- Private garages located beneath habitable rooms in occupancies in Use Group R-1, R-2, R-3 or I-1 shall be separated from adjacent interior spaces by fire partitions and floor/ceiling assembly which are constructed with not less than 1-hour fire resisting rating. Private garages attached side-by-side to rooms in the above occupancies shall be completely separated from the interior spaces and the attic area by means of ½ inch gypsum board or the equivalent applied to the garage means of 1.2 inch gypsum board or the equivalent applied to the garage side. (Chapter 4, Section 407.0 of the BOCA/1996)
- All chimneys and vents shall be installed and maintained as per Chapter 12 of the City's Mechanical Code. (The BOCA National Mechanical Code/1993). Chapter 12 & NFPA 211
- 10. Sound transmission control in residential building shall be done in accordance with Chapter 12, Section 1214.0 of the City's Building Code.
- ₹ 11. Guardrails & Handrails: A guardrail system is a system of building components located near the o0pen sides of elevated walking surfaces for the purpose of minimizing the possibility of an accidental fall from the walking surface to the lower level. Minimum height all Use Groups 42", except Use Group R which is 36". In occupancies in Use Group A,B.H-4, I-1, I-2, M and R and public garages and open parking structures, open guards shall have balusters or be of solid material such that a sphere with a diameter of 4" cannot pass through any opening. Guards shall not have an ornamental pattern that would provide a ladder effect. (Handrails shall be a minimum of 34" but not more than 38". Use Group R-3 shall not be less than 30", but not more than 38"). Handrail grip size shall have a circular cross section with an outside diameter of at least 1 1/4" and not greater than 2". (Sections 1021 & 1022.0). Handrails shall be on both sides of stairway. (Section 1014.7)
 - 12. Headroom in habitable space is a minimum of 7'6". (Section 1204.0)
 - 13. Stair construction in Use Group R-3 & R-4 isa minimum of 10" tread and 7 3/4" maximum rise. All other Use Group minimum 11" tread, 7" maximum rise. (Section 1014.0)
 - 14. The minimum headroom in all parts of a stairway shall not be less than 80 inches. (6'8") 1014.4
 - 15. Every sleeping room below the fourth story in buildings of Use Groups R and I-1 shall have at least one operable window or exterior door approved for emergency egress or rescue. The units must be operable from the inside without the use of special knowledge or separate tools. Where windows are provided as means of egress or rescue they shall have a sill height not more than 44 inches (1118mm) above the floor. All egress or rescue windows from sleeping rooms shall have a minimum net clear opening height dimension of 24 inches (610mm). The minimum net clear opening width dimension shall be 20 inches (508)mm, and a minimum net clear opening of 5.7 sq. ft. (Section 1010.4)
 - 16. Each apartment shall have access to two (2) separate, remote and approved means of egress. A single exit is acceptable when it exits directly from the apartment to the building exterior with no communications to other apartment units. (Section 1010.1)
 - 17. All vertical openings shall be enclosed with construction having a fire rating of at least one (1) hour, including fire doors with self closer's. (Over 3 stories in height requirements for fire rating is two (2) hours. (Section 710.0)
 - The boiler shall be protected by enclosing with (1) hour fire rated construction including fire doors and ceiling, or by providing automatic extinguishment. (Table 302.1.1)

19. All single and multiple station smoke detectors shall be of an approved type and shall be installed in accordance with the provisions of the City's Building Code Chapter 9, Section 920.3.2 (BOCA National Building Code/1996), and NFPA 101 Chapter 18 & 19. (Smoke detectors shall be installed and maintained at the following locations): In the immediate vicinity of bedrooms In all bedrooms In each story within a dwelling unit, including basements 🔾 20. A portable fire extinguisher shall be located as per NFPA #10. They shall bear the label of an approved agency and be of an approved type. (Section 921.0) 21. The Fire Alarm System shall maintained to NFPA #72 Standard. **X22.** The Sprinkler System shall maintained to NFPA #13 Standard. ≠ 23. All exit signs, lights and means of egress lighting shall be done in accordance with Chapter 10 Section & Subsections 1023.0 & 1024.0 of the City's Building Code. (The BOCA National Building Code/1996) 24. Section 25 – 135 of the Municipal Code for the City of Portland states, "No person or utility shall be granted a permit to excavate or open any street or sidewalk from the time of November 15 of each year to April 15 of the following year". 25. The builder of a facility to which Section 4594-C of the Maine State Human Rights Act Title 5 MRSA refers, shall obtain a certification from a design professional that the plans commencing construction of the facility, the builder shall submit the certification the Division of Inspection 26. Ventilation shall meet the requirements of Chapter 12 Sections 1210.0 of the City's Building Code. (Crawl spaces & attics). *27. All electrical, plumbing and HVAC permits must be obtained by a Master Licensed holders of their trade. No closing in of walls until all electrical (min. 72 hours notice) and plumbing inspections have been done. 28. All requirements must be met before a final Certificate of Occupancy is issued. X29. All building elements shall meet the fastening schedule as per Table 2305.2 of the City's Building Code (The BOCA National Building Code/1996). 30. Ventilation of spaces within a building shall be done in accordance with the City's Mechanical code (The BOCA National Mechanical Code/1993). (Chapter M-16) 31) Please read and implement the attached Land Use Zoning report requirements. New Sandse reduces A Separate Perm 32. Boring, cutting and notching shall be done in accordance with Sections 2305.3, 2305.3.1, 2305.4.4 and 2305.5.1 of the City's Building Code. 33. Bridging shall comply with Section 2305.16. ★34. Glass and glazing shall meet the requirements of Chapter 24 of the building code. (Safety Glazing Section 2405.0) 35. All signage, shall be done in accordance with Section 3102.0 signs of the City's Building Code, (The BOCA National Building Code/1996). If New Rectical Book 15 to be done-A design professiona in The exectical discipling shall prepair This Schematic, The Seal date of Rease Fine attack your plan with your application did Not bear

(Michael E. Couture

R. Samue / Hottses

hom To Complete and reTurn The MR. Thanks For cooppration

et Houses, Building Inspector Lt. McDougall, PFD

Marge Schmuckal, Zoning Administrator 4 Symily

professional

**On the basis of plans submitted and conditions placed on these plans any deviations shall require a separate approval.