				٢	PER	MIT	ISS	UED		
City of Portland, Main 389 Congress Street, 0410	1 Tel: (207) 874-8703		Application	Permit No: 01-02	Issu 15	ie Date: APR	<b>3</b> ?ſ	OBL: 064	A001001	
Location of Construction:	T. John Owner Name:		- ···	ner Address:		ΔF	<u> </u>	TI AND		
				Brook St	CITY	<u>Ut</u>	PUR	PORTLAND3 -7060		
Business Name: Contractor Name:				Contractor Address:				Phone		
Maine Hardware Dutens Constru		1		125 South Freeport Rd Freeport			ort	2074151437		
Lessee/Buyer's Name Phone:  Maine Hardware n/a				Permit Type: Alterations - Commercial				Zone:		
Past Use: Proposed Use:		Handriana		Permit Fee:   Cost of Work:   222. \( \infty \) \( \square\$ \( \square\$ \) \( \square\$ \quare\$ \quare\$   \quare\$ \quare\$ 33,000.0				#1 K	ί. ζ.	
Vacant Building	Commercial / I	<u> </u>		FIRE DEPT: Approved IN			INSPEC	ISPECTION:  Joe Group: Type:  Type:		
Proposed Project Description:	· · · · · · · · · · · · · · · · · · ·					A	"		MENTS	
Interior Renovations to set u	p for Hardware Retail.			nature:	MAK		Signatu	prature of the contract of the		
			Ac	DESTRIAN A tion: Apgrature:	pproved [		·	Conditions  Date:	Denied	
Permit Taken By:	Date Applied For:		<b>I</b>	Zoning Approval			l			
cih	03/26/2001				8F1					
This permit application     Applicant(s) from meet     Federal Rules.	does not preclude the ing applicable State and		reland	1 _	Zoning Appliance	peal			Preservation District or Landmark	
Building permits do not septic or electrical work	1 0		☐ Wetland ☐ Mis		Miscellaneous			Does Not Require Review		
3. Building permits are void if work is not started within six (6) months of the date of issuance. False information may invalidate a building permit and stop all work		☐ Flood Zone ☐ Conditional Use			Requires Review					
		Subdivision		☐ Inte	☐ Interpretation			Approved		
Mail When Rea	۵۶:	Site	Plan	☐ App	proved			Approve	ed w/Conditions	
Mail When Rea Kevin Campbe 1130 Westbrook	11	Maj [	Minor MM	☐ Det	nied			Denied		
1130 Westbrook	St.	Date:	3/38/0	Date:			D	ate:		
Portland, ME.	74102		·					PERMIT I WITH REQUI		
I hereby certify that I am the I have been authorized by the jurisdiction. In addition, if a shall have the authority to en such permit.	e owner to make this appli permit for work described	med propication as	s his authorized ag application is issue	ent and I ag d, I certify t	ree to con	nform ode off	to all ap ficial's a	pplicable lauthorized	aws of this representative	
SIGNATURE OF APPLICA	ANT		ADDRESS			DAT	——— Е		PHONE	

#### THIS IS NOT A PERMIT/CONSTRUCTION CANNOT COMMENCE UNTIL THE PERMIT IS ISSUED

#### Minor/Minor Site Review for New Detached Single Family Dwelling, **All Purpose Building Permit Application**

In the interest of processing your application in the quickest possible manner, please complete the Information below for a Building or Use Permit.

Tax Assessor's Chart, Block & Lot  Number  Chart# (4 Block# A Lot#   Dwellede  Lessee/Buyer's Name (If Applicable)  Current use: Hadant, Building Propuse: Retail mane Hardware  Project description: Buttons Construction  Project description: Buttons Construction  Contractor's Name, Address & Telephone  A "minor/minor" site plan review is required for Site/Plot plan must be prepared and sealed by a must be submitted:  4 copies of the site/plot plan  1 copy of the building/construction plan on 32" x 48"	on 966 C	onghess	
Lessee/Buyer's Name (If Applicable)  Thaine Hardwer 766 Co  Current use: Italant Rudding Propuse: Retail maine Hardwar  Project description: Dutant Construct  Project description: Dutant Encount  The port Manne Markwar  Contractor's Name, Address & Telephone  A "minor/minor" site plan review is required for the Site/Plot plan must be prepared and sealed by a must be submitted:  Copies of the site/plot plan  I copy of the building/construction plan on 32" x 48"	uare Footage of Lot		
Current use: Hadant Rulding Propuse: Retail main & Hardung Propuse: Retail main & Hardung Propuse: Retail main & Hardung Project description: Ruting Construction Froject description: Ruting Construction Project description: Ruting Construction Plan must be prepared and sealed by a must be submitted:  4 copies of the site/plot plan 1 copy of the building/construction plan on 32" x 48"	best Connor & st. y mai 02181	Telephone#: 1_88%-431~70	°60
A "minor/minor" site plan review is required for Site/Plot plan must be prepared and sealed by a must be submitted:  4 copies of the site/plot plan 1 copy of the building/construction plan on 32" x 48"	ser/Lessee Address:	Cost Of Work: Fee: 22	22.00
A "minor/minor" site plan review is required for Site/Plot plan must be prepared and sealed by a	unc 2d 32		
Site/Plot plan must be prepared and sealed by a must be submitted:  4 copies of the site/plot plan 1 copy of the building/construction plan on 32" x 48"		Rec'd By	3/26 CH
1 copy of the building/construction plan on 32" x 48"		veyor. The follow	
•	sena to Ken	arger than 11" x 17"	1130 We Port
On all commercial/Minor & Major projects mu			

2 copy of the building/construction plan on 32" x 48"

1 copy of the site/plot and construction /building plan on paper no larger than 11" X 17"

Please note that single family additions and alterations may be hand drawn on regular paper and only ONE copy of the below details will still need to be submitted.

### THIS IS NOT A PERMIT/CONSTRUCTION CANNOT COMMENCE UNTIL THE PERMIT IS ISSUED

#### A PLOT PLAN INCLUDES THE FOLLOWING:

- The shape and dimension of the lot, all existing buildings (if any), the proposed structure and the distance from the actual property lines. Structures include decks porches, a bow windows cantilever sections and roof overhangs, as well as, sheds, pools, garages and any other accessory structures.
- Scale and North arrow; Zoning District & Setbacks
- First Floor sill elevation (based on mean sea level datum);
- Location and dimensions of parking areas and driveways;
- Location and size of both existing utilities in the street and the proposed utilities serving the building;
- Location of areas on the site that will be used to dispose of surface water.
- Existing and proposed grade contours

#### A COMPLETE SET OF CONSTRUCTION DRAWINGS INCLUDES THE FOLLOWING:

- Cross Sections w/Framing details (including porches, decks w/ railings, and accessory structures)
- Floor Plans & Elevations
- Window and door schedules
- Foundation plans with required drainage and damp proofing
  Electrical and plumbing layout. Mechanical drawings for any specialized equipment such as furnaces, chimneys, gas equipment, HVAC equipment (air handling) or other types of work that may require special review must be included.

### SEPARATE PERMITS ARE REQUIRED FOR INTERNAL & EXTERNAL PLUMBING, HVAC AND ELECTRICAL INSTALLATIONS

- All construction must be conducted in compliance with the 1999 B.O.C.A. Building Code as amended by Section 6-
- All plumbing must be conducted in compliance with the State of Maine Plumbing Code.
- All Electrical Installation must comply with the 1999 National Electrical Code as amended by Section 6-Art III.
- HVAC (Heating, Ventilation and Air Conditioning) installation must comply with the 1993 BOCA Mechanical Code.

#### Certification

I hereby certify that I am the Owner of record of the named property, or that the proposed work is authorized by the owner of record and that I have been authorized by the owner to make this application as his/her authorized agent. I agree to conform to all applicable laws of this jurisdiction. In addition, if a permit for work described in this application is issued, I certify that the Code Official's authorized representative shall have the authority to enter all areas covered by this permit at any reasonable hour to enforce the provisions of the codes applicable to this permit.

Signature of applicant: Heun	L. Canplell.	Date: 5	126	101

Minor/Minor Site Review Fee: \$300.00/Building Permit Fee: \$30.00 for the 1st \$1000.cost plus \$6.00 per \$1,000.00 construction cost thereafter.

ONE SET OF SUBMISSIONS INCLUDING CONSTRUCTION AND SITE PLAN DRAWINGS MUST BE SUBMITTED ON PAPER NO LARGER THAN 11" x 17" BEFORE ANY BUILDING PERMIT WILL BE ISSUED

BUILDING PERMIT REPORT 206 ST. John 57
DATE: 28 MAYCH 200 / ADDRESS: 966 Congress ST. CBL: \$64-A-00/
DATE: 28 MAYCH 200   ADDRESS: 966 (ongress ST. CBL: \$64-A-\$0/ REASON FOR PERMIT: In Tenior Yenovations / Change of USE Vocant To Marcantile
BUILDING OWNER: Robert Ganor
PERMIT APPLICANT: /CONTRACTOR DUTERS CORST INC.
USE GROUP: M CONSTRUCTION TYPE: 2 C CONSTRUCTION COST: 33,050,000 FERMIT FEES: 22,60
The City's Adopted Building Code (The BOCA National Building Code/1999 with City Amendments) The City's Adopted Mechanical Code (The BOCA National Mechanical Code/1993)
CONDITION(S) OF APPROVAL
This permit is being issued with the understanding that the following conditions shall be met: */ *// */2 */3 */4*/5.
1. This permit does not excuse the applicant from meeting applicable State and Federal rules and laws.

Before concrete for foundation is placed, approvals from the Development Review Coordinator and Inspection Services must be obtained. (A 24 hour notice is required prior to inspection) "ALL LOT LINES SHALL BE CLEARLY MARKED BEFORE CALLING."

- 3. Foundation drain shall be placed around the perimeter of a foundation that consists of gravel or crushed stone containing not more than 10 percent material that passes through a No. 4 sieve. The drain shall extend a minimum of 12 inches beyond the outside edge of the footing. The thickness shall be such that the bottom of the drain is not higher than the bottom of the base under the floor, and that the top of the drain is not less than 6 inches above the top of the footing. The top of the drain shall be covered with an approved filter membrane material. Where a drain tile or perforated pipe is used, the invert of the pipe or tile shall not be higher than the floor elevation. The top of joints or top of perforations shall be protected with an approved filter membrane material. The pipe or tile shall be placed on not less than 2" of gravel or crushed stone, and shall be covered with not less than 6" of the same material. Section 1813.5.2
- Foundations anchors shall be a minimum of 12" in diameter, 7" into the foundation wall, minimum of 12" from corners of foundation and a maximum 6' O.C. between bolts. Section 2305.17
- Waterproofing and dampproofing shall be done in accordance with Section 1813.0 of the building code.

Precaution must be taken to protect concrete and masonry. Concrete Sections 1908.9-19.8.10/ Masonry Sections 2111.3-2111.4.

- It is strongly recommended that a registered land surveyor check all foundation forms before concrete is placed. This is done to verify that the proper setbacks are maintained.
- Private garages located beneath habitable rooms in occupancies in Use Group R-1, R-2, R-3 or I-1 shall be separated from adjacent interior spaces by fire partitions and floor/ceiling assembly which are constructed with not less than 1-hour fire resisting rating. Private garages attached side-by-side to rooms in the above occupancies shall be completely separated from the interior spaces and the attic area by means of 1/2 inch gypsum board or the equivalent applied to the garage side. (Chapter 4, Section 407.0 of the BOCA/1999)
- All chimneys and vents shall be installed and maintained as per Chapter 12 of the City's Mechanical Code. (The BOCA National Mechanical Code/1993). Chapter 12 & NFPA 211
- 10. Sound transmission control in residential building shall be done in accordance with Chapter 12, Section 1214.0 of the City's Building Code.
- 11. Guardrails & Handrails: A guardrail system is a system of building components located near the open sides of elevated walking surfaces for the purpose of minimizing the possibility of an accidental fall from the walking surface to the lower level. Minimum height all Use Groups 42". In occupancies in Use Group A, B.H-4, I-1, I-2, M, R, public garages and open parking structures, open guards shall have balusters or be of solid material such that a sphere with a diameter of 4" cannot pass through any opening. Guards shall not have an ornamental pattern that would provide a ladder effect. Handrails shall be a minimum of 34" but not more than 38". Exception: Handrails that form part of a guard shall have a height not less than 36 inches (914 mm) and not more than 42 inches (1067 mm). Handrail grip size shall have a circular cross section with an outside diameter of at least 1 4" and not greater than 2". (Sections 1021 & 1022.0). Handrails shall be on both sides of stairway. (Section 1014.7)

12. Headroom in habitable space is a minimum of 7'6". (Section 1204.0)
13. Stair construction in <u>Use Group R-3 & R-4 is a minimum of 10" tread and 7 %" maximum rise.</u> All other Use Group minimum 11" tread, 7" maximum rise. (Section 1014.0)

¥ 14. The minimum headroom in all parts of a stairway shall not be less than 80 inches. (6'8") 1014.4

- \*15. The Minimum required width of a corridor shall be determined by the most restrictive of the criteria under section 1011.3 but not less then 36".
  - 16. Every sleeping room below the fourth story in buildings of Use Groups R and I-1 shall have at least one operable window or exterior door approved for emergency egress or rescue. The units must be operable from the inside without the use of special knowledge or separate tools. Where windows are provided as means of egress or rescue they shall have a sill height not more than 44 inches (1118mm) above the floor. All egress or rescue windows from sleeping rooms shall have a minimum net clear opening height dimension of 24 inches (610mm). The minimum net clear opening width dimension shall be 20 inches (508)mm, and a minimum net clear opening of 5.7 sq. ft. (Section 1010.4)
  - 17. Each apartment shall have access to two (2) separate, remote and approved means of egress. A single exit is acceptable when it exits directly from the apartment to the building exterior with no communications to other apartment units. (Section 1010.1)
  - 18. All vertical openings shall be enclosed with construction having a fire rating of at least one (1) hour, including fire doors with self closure's. (Over 3 stories in height requirements for fire rating is two (2) hours. (Section 710.0)
  - 19. The boiler shall be protected by enclosing with (1) hour fire rated construction including fire doors and ceiling, or by providing automatic extinguishment. (Table 302.1.1)

- 20. All single and multiple station smoke detectors shall be of an approved type and shall be installed in accordance with the provisions of the City's Building Code Chapter 9, Section 920.3.2 (BOCA National Building Code/1999), and NFPA 101 Chapter 18 & 19. (Smoke detectors shall be installed and maintained at the following locations):
  - In the immediate vicinity of bedrooms
  - In all bedrooms

In each story within a dwelling unit, including basements

- 21. A portable fire extinguisher shall be located as per NFPA #10. They shall bear the label of an approved agency and be of an approved type. (Section 921.0)
- 22. The Fire Alarm System shall be installed and maintained to NFPA #72 Standard.

× 23. The Sprinkler System shall be installed and maintained to NFPA #13 Standard.

24. All exit signs, lights and means of egress lighting shall be done in accordance with Chapter 10 Section & Subsections 1023.0 & 1024.0 of the City's Building Code. (The BOCA National Building Code/1999)

25. Section 25 - 135 of the Municipal Code for the City of Portland states, "No person or utility shall be granted a permit to excavate or open any street or sidewalk from the time of November 15 of each year to April 15 of the following year".

- 26. The builder of a facility to which Section 4594-C of the Maine State Human Rights Act Title 5 MRSA refers, shall obtain a certification from a design professional that the plans commencing construction of the facility, the builder shall submit the certification the Division of Inspection Services.
- 27. Ventilation and access shall meet the requirements of Chapter 12 Sections 1210.0 and 1211.0 of the City's Building Code. (Crawl spaces & attics).
- 28. All electrical, plumbing and HVAC permits must be obtained by Master Licensed holders of their trade. No closing in of walls until all electrical (min. 72 hours notice) and plumbing inspections have been done.

29. All requirements must be met before a final Certificate of Occupancy is issued.

- 30. All building elements shall meet the fastening schedule as per Table 2305.2 of the City's Building Code (The BOCA National Building Code/1996).
- X31. Ventilation of spaces within a building shall be done in accordance with the City's Mechanical code (The BOCA National Mechanical). Code/1993). (Chapter M-16)

32. Please read and implement the attached Land Use Zoning report requirements.

33. Boring, cutting and notching shall be done in accordance with Sections 2305.3, 2305.3.1, 2305.4.4 and 2305.5.1 of the City's Building Code.

34. Bridging shall comply with Section 2305.16.

₹35. Glass and glazing shall meet the requirements of Chapter 24 of the building code. (Safety Glazing Section 2406.0)

36. All flashing shall comply with Section 1406.3.10.

 All signage shall be done in accordance with Section 3102,0 signs of the City's Building Code, (The BOCA National Building Code/1999). This permit does not authorize the romoval of any Loud boaring

	W41(3,"		
<i>t 3</i> 2	7. Fine Pa-Tilions shall comply with section 711.0 of The	Ledg. Cool p	/
× <u>4</u>	S. All Desetrations shall comply with section 714	dOF The	6 Lda.Codo
7		7	, ,

Moffses, Building Inspector L. McDougali, PFD

Marge Schmuckal, Zoning Administrator Michael Nugent, Inspection Service Manager

PSH 10/1/00

\*\*This permit is herewith issued, on the basis of plans submitted and conditions placed on these plans, any deviations shall require a separate approval.

\*\*\*THIS PERMIT HAS BEEN ISSUED WITH THE UNDERSTANDING THAT ALL THE CONDITIONS OF THE APPROVAL SHALL BE COMPLETED. THEREFORE, BEFORE THE WORK IS COMPLETED A REVISED PLAN OR STATEMENT FROM THE PERMIT HOLDER SHALL BE SUBMITTED TO THIS OFFICE SHOWING OR EXPLAINING THAT THE CONDITIONS HAVE BEEN MET. IF THIS REQUIREMENT IS NOT RECEIVED YOUR CERTIFICATE OF OCCUPANCY SHALL BE WITHHELD. (You Shall Call for Inspections)

\*\*\*\*ALL PLANS THAT REQUIRE A PROFESSIONAL DESIGNER'S SEAL, (AS PER SECTION 114.0 OF THE BUILDING CODE) SHALL ALSO BE PRESENTED TO THIS DIVISION ON AUTO CAD LT. 2000, DXF FORMAT OR EQUIVALENT.

\*\*\*\*\*CERTIFICATE OF OCCUPANCY FEE \$50.00



Reviewed for Barrier Free

## State of Maine Department of Public Safety Construction Permit



# 11540

Sprinkled
Sprinkler Supervised

#### **SPOT SHOT BILLARDS**

Located at: 246 ST. JOHN STREET
PORTLAND

Occupancy/Use: ASSEMBLY CLASS B

Permission is hereby given to:

**UNION MET CORP** 

12 BROOK STREET WELLESLEY, MA 02482

to construct or alter the afore referenced building according to the plans hitherto filed with the Commissioner and now approved, no departure from application form/plans shall be madewithout prior approval in writing. This permit is issued under the provision of Title 25, Chapter 317, Section 2448 and the provisions of Title 5, Section 4594 - F.

Copy-4 File

Nothing herein shall excuse the holder of this permit for failure to comply with local ordinances, zoning laws, or other pertinent legal restrictions. Each permit issued shall be displayed/available at the site of construction.

This permit will expire at midnight on the 18th of Septemb 2001

Dated the 19th day of March

A.D. 2001

Commissioner

Fee:

\$25.00

\$25.00

Comments:



# State of Maine Department of Public Safety Construction Permit



Reviewed for Barrier Free

# 11538

Sprinkled
Sprinkler Supervised

#### DISTINCTIVE TILE

Located at: 246 ST. JOHN STREET

**PORTLAND** 

Occupancy/Use: MERCANTILE CLASS C

#### Permission is hereby given to:

UNION MET CORP

12 BROOK STREET WELLESLEY, MA 02482

to construct or alter the afore referenced building according to the plans hitherto filed with the Commissioner and now approved.

no departure from application form/plans shall be madewithout prior approval in writing. This permit is issued under the provision of Title 25, Chapter 317, Section 2448 and the provisions of Title 5, Section 4594 - F.

Copy-4 File

Nothing herein shall excuse the holder of this permit for failure to comply with local ordinances, zoning laws, or other pertinent legal restrictions. Each permit issued shall be displayed/available at the site of construction.

This permit will expire at midnight on the 18th of Septemb 2001

Dated the 19th day of March

A.D. 2001

Commissioner

Fee:

\$50.00

\$25.00

Comments:



Reviewed for Barrier Free

## State of Maine Department of Public Safety

#### Construction Permit

# 11539



Sprinkled
Sprinkler Supervised

#### **MAINE HARDWARE**

Located at: 246 ST. JOHN STREET
PORTLAND

Occupancy/Use: MERCANTILE CLASS B

#### Permission is hereby given to:

UNION MET CORP

12 BROOK STREET WELLESLEY, MA 02482

to construct or alter the afore referenced building according to the plans hitherto filed with the Commissioner and now approved.

no departure from application form/plans shall be madewithout prior approval in writing. This permit is issued under the provision of Title 25, Chapter 317, Section 2448 and the provisions of Title 5, Section 4594 - F.

Copy-4 File

Nothing herein shall excuse the holder of this permit for failure to comply with local ordinances, zoning laws, or other pertinent legal restrictions. Each permit issued shall be displayed/available at the site of construction.

This permit will expire at midnight on the 18th of Septemb 2001

Dated the 19th day of March

A.D. 2001

Commissioner

Fee:

\$100.00

\$25.00

Comments: