City of Portland, Maine - Building or Use Permit Application 389 Congress Street, 04101, Tel: (207) 874-8703, FAX: 874-8716 Permit No Location of Construction: Owner: Phone: # 222 Sc. John St. Suite 242 Dantel horthur 751-7900 Lessee/Buver's Name: Owner Address Phone: BusinessName: 222 St.John St. Suit# 103 MAlex Tatacos Contractor Names Address Phone: AUG 2 3 1999 COST OF WORK: Proposed Use: PERMIT FEE: Past Use: \$ 30,00 Office Theraputic Massage Office FIRE DEPT. Approved INSPECTION: Use Group: 13 Type: 3/3 □ Denied Zone: CBL: 064-A-002 BOCAGE Signature: Zoning Approval: Proposed Project Description: PEDESTRIAN ACTIVITIES DISTRICT OF Action: Approved Special Zone or Reviews: Change of Use from office to Approved with Conditions: ☐ Shoreland Hassage Office Denied □Wetland □ Flood Zone □ Subdivision Signature: Date: ☐ Site Plan maj ☐minor ☐mm ☐ Permit Taken By: Date Applied For: UB/GD 8/20/1999 Zoning Appeal □ Variance This permit application does not preclude the Applicant(s) from meeting applicable State and Federal rules. □ Miscellaneous Building permits do not include plumbing, septic or electrical work. □ Conditional Use Building permits are void if work is not started within six (6) months of the date of issuance. False informa-☐ Interpretation ☐ Approved tion may invalidate a building permit and stop all work... □ Denied Historic Preservation □ Not in District or Landmark ☐ Does Not Require Review ☐ Requires Review Action: CERTIFICATION ☐ Appoved □ Approved with Conditions I hereby certify that I am the owner of record of the named property, or that the proposed work is authorized by the owner of record and that I have been □ Denied authorized by the owner to make this application as his authorized agent and I agree to conform to all applicable laws of this jurisdiction. In addition, if a permit for work described in the application is issued, I certify that the code official's authorized representative shall have the authority to enter all Date: areas covered by such permit at any reasonable hour to enforce the provisions of the code(s) applicable to such permit August 20,1999 SIGNATURE OF APPLICANT ADDRESS: DATE: PHONE:

White-Permit Desk Green-Assessor's Canary-D.P.W. Pink-Public File Ivory Card-Inspector

RESPONSIBLE PERSON IN CHARGE OF WORK, TITLE

PHONE:

3

CEO DISTRICT

\$ *		
Re-cledled Cert of	Oce	
Re-cledled Cert of 00 was issued	8-31-99	
of my source of	toons Or Musing	
Checked extressed out	troons Oct Musis	
Control of the period of	& Close	
	To Classe	
	Inspection Record	
	Туре	Da
	Foundation:	
	Framing:	
	Plumbing:	
	Final: Other:	

THIS IS NOT A PERMIT/CONSTRUCTION CANNOT COMMENCE UNTIL THE PERMIT IS ISSUED

Building or Use Permit Pre-Application

Attached Single Family Dwellings/Two-Family Dwelling

Multi-Family or Commercial Structures and Additions Thereto

In the interest of processing your application in the quickest possible manner, please complete the Information below for a Building or Use Permit.

NOTE**If you or the property owner owes real estate or personal property taxes or user charges on ANY PROPERTY within the City, payment arrangements must be made before permits of any kind are accepted.

Square Footage of Lot

Location/Addressof Construction (include Portion of Building

Signature of applicant:

Total Square Footage of Proposed Structure 350 C


The state of the s		
Tax Assessor's Chart, Block & Lot Number	Owner Daniel Horinan	Telephone#:
Chart# 064 Block# A Lot# 002	En Altred Realton	Fine 761-7900
Owner's Address:	Lessee/Buyer's Name (If Applicable)	Cost Of Work: Fee
4	May Tatseos	\$ \$ 2.00
	11	30.
	offend HEOYIDA	
Proposed Project Description:(Please be as specific as possible)	0	
CHANGE OF USE CHO	m office to therap	pute Massaco office
Contractor's Name, Address & Telephone	in other to troup	Parid By
Contractors (varie, Address & Felephone		UB 160
Current Use:	Proposed Use: Hassa	22 - CC+
Current Cox.	Troposed Col. Harris	Je 0200
Separate permits are require	d for Internal & External Plumbing, HVAC and Electric	cal installation.
*All construction must be conducted in compl	iance with the 1996 B.O.C.A. Building Co	ode as amended by Section 6-Art II.
	icted in compliance with the State of Mai	
•All Electrical Installation must comply v		
•HVAC(Heating, Ventililation and Air Cond		
You must Include the following with you application		ine 1995 BOCK Mechanical code,
	Your Deed or Purchase and Sale Agreem	ent DEPT. OF BUILDING INSPECTION
	그 집에 가장 아니는 아니는 그는 사람들이 가장 그는 사람들이 가장 아니는 것이 되었다. 그는 사람들이 가장 아니는 것이 되었다. 그렇게 되었다면 하다.	le CITY OF PORTLAND, ME
2) A Copy o	of your Construction Contract, if available	le CITTOT POLITICA
ve ve ve de	3) A Plot Plan/Site Plan	- am 2 0 mm
Minor or Major site plan review will be required fo		MMG 2 0 1999
checklist outlines the minimum standards for a site		ווווו
	4) Building Plans	10 = 0 = 0 nn 12
	iction documents must be designed by a r	egistered design professional
A complete set of construction drawings showing a		1 to 1
Cross Sections w/Framing details (includ	ling porches, decks w/ railings, and accessor	y structures)
Floor Plans & Elevations	V2	april to porson +
Window and door schedules	A.	War To The Transco
Foundation plans with required drainage	and dampproofing	Mail to person +
	cal drawings for any specialized equipment	such as furnaces, chimneys, gas
	ing) or other types of work that may require	
The state of the s	Certification	AND THE PROPERTY OF THE PROPER
I hereby certify that I am the Owner of record of the named prop owner to make this application as his her authorized agent. I age application is issued, I certify that the Code Official's authorized enforce the provisions of the codes applicable to this permit.	erty, or that the proposed work is authorized by the own ree to conform to all applicable laws of this jurisdiction.	In addition, if a permit for work described in this

Building Permit Fee: \$30.00 for the 1st \$1000.cost plus \$6.00 per \$1,000.00 construction cost thereafter.

Additional Site review and related fees are attached on a separate addendum

Date:

suite 242 at 222 STJohn ST Portland ME



350 Sq. Ft for Suite

71

CITY OF PORTLAND, MAINE Department of Building Inspection



Certificate of Occupancy

LOCATION 222 St. John St. CBL: 064-A-002

Issued to Daniel Horihan

Suite #242

Date of Issue 8/23/99

This is to certify that the building, premises, or part thereof, at the above location, built - altered - changed as to use under Building Permit No. 980777, has had final inspection, has been found to conform substantially to requirements of Zoning Ordinance and Building Code of the City, and is hereby approved for occupancy or use, limited or otherwise, as indicated below.

PORTION OF BUILDING OR PREMISES

222 St. John Street Suite 242

APPROVED OCCUPANCY

Medical Office Theraputic Massage

Inspector of Building

BOCA 96

Use B

Type 3A

Limiting Conditions:

This certificate supersedes

certificate issued

Approved:

(Date)

Inspector

Notice: This certificate identifies lawful use of building or premises, and ought to be transferred from owner to owner when property changes hands. Copy will be furnished to owner or lessee for one dollar.

BUILDING PERMIT REPORT

DATE: 23 Aug. 99 ADDRESS: 222 ST. John ST. CBL: 664-A-882
REASON FOR PERMIT: Change of USE From Office To Massage Office
BUILDING OWNER: Danie Horingn
PERMIT APPLICANT: ALex TaTseos /Contractor
USE GROUP
The City's Adopted Building Code (The BOCA National Building Code/1996 with City Amendments) The City's Adopted Mechanical Code (The BOCA National Mechanical Code/1993)
CONDITION(S) OF APPROVAL
THE WILL WAS A STATE OF THE STA

This permit is being issued with the understanding that the following conditions are met: \(\frac{\delta}{\pi}\) \

- X 1. This permit does not excuse the applicant from meeting applicable State and Federal rules and laws.
 - Before concrete for foundation is placed, approvals from the Development Review Coordinator and Inspection Services must be obtained. (A 24 hour notice is required prior to inspection)
- Foundation drain shall be placed around the perimeter of a foundation that consists of gravel or crushed stone containing not more than 10 percent material that passes through a No. 4 sieve. The drain shall extend a minimum of 12 inches beyond the outside edge of the footing. The thickness shall be such that the bottom of the drain is not higher than the bottom of the base under the floor, and that the top of the drain is not less than 6 inches above the top of the footing. The top of the drain shall be covered with an approved filter membrane material. Where a drain tile or perforated pipe is used, the invert of the pipe or tile shall not be higher than the floor elevation. The top of joints or top of perforations shall be protected with an approved filter membrane material. The pipe or tile shall be placed on not less than 2" of gravel or crushed stone, and shall be covered with not less than 6" of the same material. Section 1813.5.2
- 4. Foundations anchors shall be a minimum of ½" in diameter, 7" into the foundation wall, minimum of 12" from corners of foundation and a maximum 6' o.c. between bolts. (Section 2305.17)
- 5. Waterproofing and dampproofing shall be done in accordance with Section 1813.0 of the building code.
- 6. Precaution must be taken to protect concrete from freezing. Section 1908.0
- 7. It is strongly recommended that a registered land surveyor check all foundation forms before concrete is placed. This is done to verify that the proper setbacks are maintained.
- 8. Private garages located beneath habitable rooms in occupancies in Use Group R-1, R-2, R-3 or I-1 shall be separated from adjacent interior spaces by fire partitions and floor/ceiling assembly which are constructed with not less than 1-hour fire resisting rating. Private garages attached side-by-side to rooms in the above occupancies shall be completely separated from the interior spaces and the attic area by means of ½ inch gypsum board or the equivalent applied to the garage means of ½ inch gypsum board or the equivalent applied to the garage side. (Chapter 4, Section 407.0 of the BOCA/1996)
- 9. All chimneys and vents shall be installed and maintained as per Chapter 12 of the City's Mechanical Code. (The BOCA National Mechanical Code/1993). Chapter 12 & NFPA 211
- 10. Sound transmission control in residential building shall be done in accordance with Chapter 12, Section 1214.0 of the City's Building Code.
- Guardrails & Handrails: A guardrail system is a system of building components located near the open sides of elevated walking surfaces for the purpose of minimizing the possibility of an accidental fall from the walking surface to the lower level. Minimum height all Use Groups 42", except Use Group R which is 36". In occupancies in Use Group A, B, H-4, I-1, I-2, M and R and public garages and open parking structures, open guards shall have balusters or be of solid material such that a sphere with a diameter of 4" cannot pass through any opening. Guards shall not have an ornamental pattern that would provide a ladder effect. (Handrails shall be a minimum of 3e4" but not more than 38". Use Group R-3 shall not be less than 30", but not more than 38".) Handrail grip size shall have a circular cross section with an outside diameter of at least 1 ¼" and not greater than 2". (Sections 1021 & 1022.0) Handrails shall be on both sides of stairway. (Section 1014.7)
 - 12. Headroom in habitable space is a minimum of 7'6". (Section 1204.0)
 - 13. Stair construction in Use Group R-3 & R-4is a minimum of 10" tread and 7 3/4" maximum rise. All other Use Group minimum 11" tread, 7" maximum rise. (Section 1014.0)
 - 14. The minimum headroom in all parts of a stairway shall not be less than 80 inches. (6'8") 1014.4
 - Every sleeping room below the fourth story in buildings of Use Groups R and I-1 shall have at least one operable window or exterior door approved for emergency egress or rescue. The units must be operable from the inside without the use of special knowledge or separate tools. Where windows are provided as means of egress or rescue they shall have a sill height not more than 44 inches (1118mm) above the floor. All egress or rescue windows from sleeping rooms shall have a minimum net clear opening height dimension of 24 inches (610mm). The minimum net clear opening width dimension shall be 20 inches (508mm), and a minimum net clear opening of 5.7 sq. ft. (Section 1018.6)
 - 16. Each apartment shall have access to two (2) separate, remote and approved means of egress. A single exit is acceptable when it exits directly from the apartment to the building exterior with no communications to other apartment units. (Section 1010.1)

17.	All vertical openings shall be enclosed with construction having a fire rating of at least one (1) hour, including fire doors with self closer's. (Over 3 stories in height requirements for fire rating is two (2) hours.) (Section 710.0)
18.	The boiler shall be protected by enclosing with (1)hour fire rated construction including fire doors and ceiling, or by providing automatic extinguishment. (Table 302.1.1)
19.	All single and multiple station smoke detectors shall be of an approved type and shall be installed in accordance with the provisions of the City's Building Code Chapter 9, Section 920.3.2 (BOCA National Building Code/1996), and NFPA 101 Chapter 18 &19. (Smoke detectors shall be installed and maintained at the following locations): In the immediate vicinity of bedrooms In all bedrooms
(20)	• In each story within a dwelling unit, including basements In addition to the required AC primary power source, required smoke detectors in occupancies in Use Groups R-2, R-3 and I-1 shall receive power from a battery when the AC primary power source is interrupted. (Interconnection is required) Section 920.3.2.
(20.)	A portable fire extinguisher shall be located as per NFPA #10. They shall bear the label of an approved agency and be of an approved type. (Section 921.0)
$\stackrel{\text{ZID}}{\rightleftharpoons}$	The Fire Alarm System shall maintained to NFPA #72 Standard.
χ_{23}	The Sprinkler System shall maintained to NFPA #13 Standard. All exit signs, lights and means of egress lighting shall be done in accordance with Chapter 10 Section & Subsections 1023.0 & 1024.0 of the City's Building Code. (The BOCA National Building Code/1996)
24.	Section 25-135 of the Municipal Code for the City of Portland states, "No person or utility shall be granted a permit to excavate or open any street or sidewalk from the time of November 15 of each year to April 15 of the following year".
25.	The builder of a facility to which Section 4594-C of the Maine State Human Rights Act Title 5 MRSA refers, shall obtain a certification from a design professional that the plans commencing construction of the facility, the builder shall submit the certification the Division o Inspection Services.
26. ∠27.	Ventilation shall meet the requirements of Chapter 12 Sections 1210.0 of the City's Building Code. (Crawl spaces & attics). All electrical, plumbing and HVAC permits must be obtained by a Master Licensed holders of their trade. No closing in of walls until all electrical (min.72 hours notice) and plumbing inspections have been done.
28.	All requirements must be met before a final Certificate of Occupancy is issued.
29.	All building elements shall meet the fastening schedule as per Table 2305.2 of the City's Building Code (the BOCA National Building Code/1996).
30.	Ventilation of spaces within a building shall be done in accordance with the City's Mechanical Code (The BOCA National Mechanical Code/1993). (Chapter M-16)
31.	Please read and implement the attached Land Use Zoning report requirements.
32. ≺ 33.	Boring, cutting and notching shall be done in accordance with Sections 2305.4.4, 2305.5.1 and 2305.5.3 of the City's Building Code. Glass and glazing shall meet the requirements of Chapter 24 of the building code.
` 34.	All signage, shall be done in accordance with Section 3102.0 signs of the City's Building Code, (The BOCA National Building Code 1996).
35.	
36.	
37.	
38.	
50.	
[1)	
Samuel	Morises, Building Inspector
CC: V	McDougall, PFD

Marge Schmuckal, Zoning Administrator

PSH 7/24/99

**On the basis of plans submitted and conditions placed on these plans any deviations shall require a separate approval.