

REPLACE ALL BRACING W/ 2 X 6 P.T. BRACING AS SHOWN. ATTACH BRACING W/ 2- 3/8" X 4" S.S. SCREWS BY SIMPSON. TYP. AT EACH END.

PROVIDE HORIZ. 4 X 4 P.T. BRACES AS SHOWN. ATTACH TO WALL AND COL. W/ 2- 3/8" X 4" S.S. SCREWS BY SIMPSON TO NAILED INTO EACH SIDE. PROVIDE 5/4 X 5 1/2" SQ. WD. BLOCK AT WALL BEHIND HORIZ. BRACE. PROVIDE MTL. Z FLASHING AT TOP



SPOT ARCHITECTURE

87 EMERY STREET APT. #3

PORTLAND, MAINE 04102

T: 207.756.4153

E-MAIL: MIKE138@MAINE.RR.COM

DRAFTSPERSON:
MJC

DATE OF ISSUE:
11/22/13

PROJECT STATUS:
BUILDING PERMIT



**NEW BRACING FOR EXISTING
REAR FIRE ESCAPE**

MAINLY PROPERTY MANAGEMENT

12 GILMAN STREET, PORTLAND, MAINE 04102

REAR STAIR ELEVATION

A-1

NOTE: INSPECT ALL PEICES OF STAIR AND LANDING SYSTEMS AND REPLACE ALL ROTTEN OR DETERIORATED WOOD MEMBERS OF LIKE SIZE AND P.T.

1

REAR STAIR ELEVATION

SCALE: 1/4" = 1'-0"