City of Portland, Maine - Building or Use Permit Application 389 Congress Street, 04101, Tel: (207) 874-8703, FAX: 874-8716

Location of Construction:	Owner:	Ph	ione:	Permit No:
114 Valley St.	04102			
Owner Address:	Lessee/Buyer's Name: Greater Portland Transit	Phone: Bu	usinessName:	991024
Contractor Name: METRO 114 Valley St. Portland, ME	Address: 114 VAlley St. Ptle	Phone:		PERMIT ISSUED
Past Use:	Proposed Use:	COST OF WORK:	PERMIT FEE: \$ 26.33	SEP 2 3 1999
Transit	Same	FIRE DEPT. Appro		SLI 20
(Bus Depot)		Denie Signature:	d Use Group: Type: Signature:	Zone: CBL: RILAND
Proposed Project Description:			TTIES DISTRICT (P.A.D.)	Zoning Approval:
24 ^m x 40 ^m Sidewalk Sign		Action: Appro	oved \Box voved with Conditions:	Special Zone or Reviews:
		Signature:	Date:	□ Subdivision
Permit Taken By:	Date Applied For:	9-13-99		Site Plan maj Dminor Dmm D
 This permit application does not preclude the A Building permits do not include plumbing, sep Building permits are void if work is not started tion may invalidate a building permit and stop 	otic or electrical work. within six (6) months of the date of issu		PERMITISSUED WITH REQUIREMENTS	□ Miscellaneous □ Conditional Use □ Interpretation □ Approved □ Denied Historic Preservation □ Not in District or Landmark □ Does Not Require Review □ Requires Review Action:
CERTIFICATION I hereby certify that I am the owner of record of the named property, or that the proposed work is authorized by the owner of record and that I have been authorized by the owner to make this application as his authorized agent and I agree to conform to all applicable laws of this jurisdiction. In addition, if a permit for work described in the application is issued, I certify that the code official's authorized representative shall have the authority to enter all areas covered by such permit at any reasonable hour to enforce the provisions of the code(s) applicable to such permit				□ Appoved □ Approved with Conditions □ Denied Date:
SIGNATURE OF APPLICANT	ADDRESS:	DATE:	PHONE:	
PERSONAL PROPERTY AND A DESCRIPTION OF THE PERSON AND A DESCRIPTION AND A DESCRIPTIO	a part of a support of		 A BARD TRACK 	
RESPONSIBLE PERSON IN CHARGE OF WORK	, TITLE		PHONE:	CEO DISTRICT
White-Per	mit Desk Green-Assessor's Cana	ry-D.P.W. Pink-Public F	ile Ivory Card-Inspector	ub

City of Portland, Maine – Building or Use Permit Application 389 Congress Street, 04101, Tel: (207) 874-8703, FAX: 874-8716

Location of Construction:	Owner:		Phone:	Permit No:
116 Veller St.	04102			
Owner Address:	Lessee/Buyer's Name: Greater Portland Transit	Phone: BusinessName:		991024
Contractor Name: Marko 114 Valley St. Portland, Mr.	Address: 114 VAlley St. Ptl	Dhapar	Control of the state states (Permit Issued: SUED
Past Use:	Proposed Use:	COST OF WORK:	PERMIT FEE:	SEP 23 1999
Litatie Li	5 nm+	FIRE DEPT. 🗆 Ap		J-F-029
(Bus Pepel)		Der Der		Zone: CBLI MILAND
Proposed Project Description:		Signature: PEDESTRIAN AC	Signature: TIVITIES DISTRICT (P.A.I	Zaning Annroual
A" - All" Stdewalk Sign		Action [.] Ap	pproved pproved with Conditions: nied	□ Special Zone or Reviews: □ Shoreland □ Wetland □ Flood Zone
	1	Signature:	Date:	
Permit Taken By:	Date Applied For:	3-13-30		□Site Plan maj □minor □mm □
 Building permits do not include plumbing, s Building permits are void if work is not starte tion may invalidate a building permit and starte 	d within six (6) months of the date of iss	ess(all por Cur	entry for Pirk hp	☐ Miscellaneous ☐ Conditional Use ☐ Interpretation ☐ Approved ☐ Denied
		774-03	PERMIT ISSUED WITH REQUIREMENTS	Historic Preservation Not in District or Landmark Does Not Require Review Requires Review Action:
CERTIFICATION I hereby certify that I am the owner of record of the named property, or that the proposed work is authorized by the owner of record and that I have been authorized by the owner to make this application as his authorized agent and I agree to conform to all applicable laws of this jurisdiction. In addition, if a permit for work described in the application is issued, I certify that the code official's authorized representative shall have the authority to enter all areas covered by such permit at any reasonable hour to enforce the provisions of the code(s) applicable to such permit				ition, Denied
		4-13-03		
SIGNATURE OF APPLICANT	ADDRESS:	DATE:	PHONE:	
RESPONSIBLE PERSON IN CHARGE OF WOR	K. TITLE		PHONE:	
White-P	ermit Desk Green–Assessor's Can	arv–D.P.W. Pink–Publi	c File Ivory Card-Inspecto	407

COMMENTS

	•		
		······································	
		1	
12/27/01	$\Omega \Lambda$		
12/28/01	and one	<27	
1941.			
	·		
х.			

٠

Inspection Record	Inspection Record		
Туре	Date		
Foundation:			
Framing:			
Plumbing:			
Final:			
Other:			

THIS IS NOT A PERMIT/CONSTRUCTION CANNOT COMMENCE UNTIL THE PERMIT IS ISSUED

Sign Permit Pre-Application Attached Single Family Dwellings/Two-Family Dwelling Multi-Family or Commercial Structures and Additions Thereto

In the interest of processing your application in the quickest possible manner, please complete the Information below for a Building or Use Permit.

NOTE**If you or the property owner owes real estate or personal property taxes or user charges on ANY PROPERTY within the City, payment arrangements must be made before permits of any kind are accepted.

Location/Addressof Construction (include Portion of Building) :	114	Valley SF	04102	
Total Square Footage of Proposed Structure	•	Square Footage of Lot		
Tax Assessor's Chart, Block & Lot Number Chart# Oley Block# F Lot# ODE	Owner:		00- 774-0351	
Owner's Address:		Name (If Applicable) In Anthand Tran	Total Sq. Ft. of Sign Fee S He - 33	
Proposed Project Description:(Please be as specific as possible)				
24" × 40" Side	ealk	Sigh	0	
Contractor's Name, Address & Telephone METRO 114 Valley SF BrHand Rec'd By				
Current Use:		Proposed Use: Passen	per Info	
	$) \cap$			
Signature of applicant:	thur	Date:	9-13-99	
Signage Permit F	ee: \$30.00 plu	15 20 per square foot of signa	age	
			SEP 1 3 1999	

Date: September 8, 1999

Re: Renewal of Permit for Sidewalk Sign at PULSE

Vchr # 31710 Payable to: City of Portland Vendor # 34 389 Congress Street 064-F-620 Portland, Maine 04101

\$ 26.33* G/L # 50499-42 Amount:

Bring check to City Hall Room # 315 along with:

- 1. Certificate of Liability Insurance
- 2. Drawing of sign showing dimensions

Sign will be located at 11 Elm Street, Portland, Maine

This is now a permanent permit. The charge is .20 per sq. foot plus 25.00. So, 24" X 40" = 960" divided by 144" = 6.67 X .20 = 1.33 + 25.00 = 26.33

ACORD CERTI	FICATE OF LIA	BILITY INS	URANC	E		(MM/DD/YY) 08/1999	
PRODUCER 207-774-5911 SEDGWICK OF MAINE, INC. PO BOX 975 2 MONUMENT SQUAR PORTLAN , M 04104-505		ONLY AND HOLDER. 1	THIS CERTIFICATE IS ISSUED AS A MATTER OF INFORMATIC ONLY AND CONFERS NO RIGHTS UPON THE CERTIFICA HOLDER. THIS CERTIFICATE DOES NOT AMEND, EXTEND O ALTER THE COVERAGE AFFORDED BY THE POLICIES BELO				
		1		AFFORDING COVERA		- BLEGIN	
SURED		INSURER A A	CADIA INSUR	ANCE			
GREATER PORTLAI		INSURER B.					
114 VALLEY STREE	T	INSURER C.					
P.O. BOX 1097	104	INSURER D:					
PORTLAND, ME 04	104	INSURER E.		In S	EP 1	0	
OVERAGES							
THE POLICIES OF INSURANCE LISTED ANY REQUIREMENT, TERM OR CONI MAY PERTAIN, THE INSURANCE AFFO POLICIES, AGGREGATE LIMITS SHOW	DITION OF ANY CONTRACT OR O DRDED BY THE POLICIES DESCRI	THER DOCUMENT WITH BED HEREIN IS SUBJECT	RESPECT TO W	HICH THIS CERTIFICATE I	MAY BE	ISSUED-OF	
R TYPE OF INSURANCE	POLICY NUMBER	POLICY EFFECTIVE DATE (MM/DD/YY)	POLICY EXPIRATION DATE (MM/DD/YY)	LIMIT	S		
GENERAL LIABILITY	• • • • • • • • • • • • • • • • • • •			EACH OCCURRENCE	\$	300.00	
	CPP100172310	01/01/99	01/01/00	FIRE DAMAGE (Any one fire)	5	100.00	
CLAIMS MADE X OCCUR				MED EXP (Any one person)	\$	10,00	
				PERSONAL & ADV INJURY	\$	300.00	
				GENERAL AGGREGATE	\$	600,00	
GEN'L AGGREGATE LIMIT APPLIES PER. POLICY JECT LOC				PRODUCTS - COMP/OP AGG	\$	600,00	
AUTOMOBILE LIABILITY	CAP100172410	01/01/99	01/01/00	COMBINED SINGLE LIMIT (Ea accident)	\$	300,00	
ALL OWNED AUTOS SCHEDULED AUTOS				BODILY INJURY (Per person)	\$		
HIRED AUTOS				BODILY INJURY (Per accident)	\$		
				PROPERTY DAMAGE (Per accident)	\$		
GARAGE LIABILITY				AUTO ONLY - EA ACCIDENT	S		
ANY AUTO				OTHER THAN AUTO ONLY: AGG			
EXCESS LIABILITY				EACH OCCURRENCE	\$		
OCCUR CLAIMS MADE				AGGREGATE	\$		
					5		
DEDUCTIBLE					\$		
RETENTION \$				TORY LIMITS ER	\$		
WORKERS COMPENSATION AND EMPLOYERS' LIABILITY				E.L. EACH ACCIDENT	\$		
				E.L. DISEASE - EA EMPLOYEE			
				E.L. DISEASE - POLICY LIMIT			
OTHER				r r	_		
		CENENTRECIAL REQUIRION					
SCRIPTION OF OPERATIONS/LOCATIONS/VE					"METR	°O"	
IDEWALK SIGN ON ELM STR						-	
	DITIONAL INSURED; INSURER LETTER:	CANCELLAT	ION				
CITY OF PORTLANE		SHOULD ANY OF DATE THEREOF, NOTICE TO THE	THE ABOVE DESCRI THE ISSUING INSUF CERTIFICATE HOLDE	BED POLICIES BE CANCELLED I RER WILL ENDEAVOR TO MAIL R NAMED TO THE LEFT, BUT F.	30 I	DAYS WRITTE	
389 CONGRESS STREET PORTLAND, ME 04101		REPRESENTATIV	IMPOSE NO OBLIGATION OR LIABILITY OF ANY KIND UPON THE INSURER, ITS AGENTS OF REPRESENTATIVES.				



		BUILDING PERMIT REPORT					
	DATE:	195epT99 ADDRESS: 114 Valley ST. CBL: \$64-F-\$2\$					
	REASO	NFOR PERMIT: SIde Walk SIGN					
	BUILDING OWNER: Greater Porthand Transit.						
	PERMIT APPLICANT:/Contractor_METHO						
	USE GF	ROUP <u>SIde walk Sign</u> CONSTRUCTION TYPE					
		y's Adopted Building Code (The BOCA National Building Code/1996 with City Amendments) y's Adopted Mechanical Code (The BOCA National Mechanical Code/1993)					
		CONDITION(S) OF APPROVAL					
	This per	mit is being issued with the understanding that the following conditions are met: $\frac{\frac{1}{4}/\frac{34}{5}}{5}$					
	Approve	ed with the following conditions:					
×	1.	This permit does not excuse the applicant from meeting applicable State and Federal rules and laws.					
~	2.	Before concrete for foundation is placed, approvals from the Development Review Coordinator and Inspection Services must be obtained.					
		(A 24 hour notice is required prior to inspection)"ALL LOT LINES SHALL BE CLEARLY MARKED					
		BEFORE CALLING."					
	3.	Foundation drain shall be placed around the perimeter of a foundation that consists of gravel or crushed stone containing not more than 10 percent material that passes through a No. 4 sieve. The drain shall extend a minimum of 12 inches beyond the outside edge of the					
		footing. The thickness shall be such that the bottom of the drain is not higher than the bottom of the base under the floor, and that the					
		top of the drain is not less than 6 inches above the top of the footing. The top of the drain shall be covered with an approved filter					
		membrane material. Where a drain tile or perforated pipe is used, the invert of the pipe or tile shall not be higher than the floor					
		elevation. The top of joints or top of perforations shall be protected with an approved filter membrane material. The pipe or tile shall be					
	4.	placed on not less than 2" of gravel or crushed stone, and shall be covered with not less than 6" of the same material. Section 1813.5.2 Foundations anchors shall be a minimum of 1/2" in diameter, 7" into the foundation wall, minimum of 12" from corners of foundation and					
	4.	'a maximum 6' o.c. between bolts. (Section 2305.17)					
	5.	Waterproofing and dampproofing shall be done in accordance with Section 1813.0 of the building code.					
	6.	Precaution must be taken to protect concrete from freezing. Section 1908.0					
	7.	it is strongly recommended that a registered land surveyor check all foundation forms before concrete is placed. This is done to verify					
	8.	that the proper setbacks are maintained. Private garages located beneath habitable rooms in occupancies in Use Group R-1, R-2, R-3 or I-1 shall be separated from adjacent					
	0.	interior spaces by fire partitions and floor/ceiling assembly which are constructed with not less than 1-hour fire resisting rating. Private					
		garages attached side-by-side to rooms in the above occupancies shall be completely separated from the interior spaces and the attic area					
		by means of 1/2 inch gypsum board or the equivalent applied to the garage means of 1/2 inch gypsum board or the equivalent applied to the					
	0	garage side. (Chapter 4, Section 407.0 of the BOCA/1996)					
	9.	All chimneys and vents shall be installed and maintained as per Chapter 12 of the City's Mechanical Code. (The BOCA National Mechanical Code/1993). Chapter 12 & NFPA 211					
	10.	Sound transmission control in residential building shall be done in accordance with Chapter 12, Section 1214.0 of the City's Building Code.					
	11.	Guardrails & Handrails: A guardrail system is a system of building components located near the open sides of elevated walking surfaces					
		for the purpose of minimizing the possibility of an accidental fall from the walking surface to the lower level. Minimum height all Use					
		Groups 42", except Use Group R which is 36". In occupancies in Use Group A, B, H-4, I-1, I-2, M and R and public garages and open					
		parking structures, open guards shall have balusters or be of solid material such that a sphere with a diameter of 4" cannot pass through any opening. Guards shall not have an ornamental pattern that would provide a ladder effect. (Handrails shall be a minimum of 3e4" but					
		not more than 38". Use Group R-3 shall not be less than 30", but not more than 38".) Handrail grip size shall have a circular cross section					
		with an outside diameter of at least 1 1/4" and not greater than 2". (Sections 1021 & 1022.0) - Handrails shall be on both sides of					
		stairway. (Section 1014.7)					
	12.	Headroom in habitable space is a minimum of 7'6". (Section 1204.0)					
	13.	Stair construction in Use Group R-3 & R-4is a minimum of 10" tread and 7 3/4" maximum rise. All other Use Group minimum 11" tread, 7" maximum rise. (Section 1014.0)					
	14.	The minimum headroom in all parts of a stairway shall not be less than 80 inches. (6'8") 1014.4					
	15.	Every sleeping room below the fourth story in buildings of Use Groups R and I-1 shall have at least one operable window or exterior door					
		approved for emergency egress or rescue. The units must be operable from the inside without the use of special knowledge or separate					
		tools. Where windows are provided as means of egress or rescue they shall have a sill height not more than 44 inches (1118mm) above					
		the floor. All egress or rescue windows from sleeping rooms shall have a minimum net clear opening height dimension of 24 inches (610mm). The minimum net clear opening width dimension shall be 20 inches (508mm), and a minimum net clear opening of 5.7 sq. ft.					
		(Section 1018.6)					

- 16. Each apartment shall have access to two (2) separate, remote and approved means of egress. A single exit is acceptable when it exits directly from the apartment to the building exterior with no communications to other apartment units. (Section 1010.1)
- 17. All vertical openings shall be enclosed with construction having a fire rating of at least one (1) hour, including fire doors with self closer's. (Over 3 stories in height requirements for fire rating is two (2) hours.) (Section 710.0)
- 18. The boiler shall be protected by enclosing with (1)hour fire rated construction including fire doors and ceiling, or by providing automatic extinguishment. (Table 302.1.1)
- 19. All single and multiple station smoke detectors shall be of an approved type and shall be installed in accordance with the provisions of the City's Building Code Chapter 9, Section 920,3.2 (BOCA National Building Code/1996), and NFPA 101 Chapter 18 & 19. (Smoke detectors shall be installed and maintained at the following locations):
 - In the immediate vicinity of bedrooms
 - In all bedrooms
 - In each story within a dwelling unit, including basements

In addition to the required AC primary power source, required smoke detectors in occupancies in Use Groups R-2, R-3 and I-1 shall receive power from a battery when the AC primary power source is interrupted. (Interconnection is required) Section 920.3.2.

- 20. A portable fire extinguisher shall be located as per NFPA #10. They shall bear the label of an approved agency and be of an approved type. (Section 921.0)
- 21. The Fire Alarm System shall maintained to NFPA #72 Standard.
- 22. The Sprinkler System shall maintained to NFPA #13 Standard.
- 23. All exit signs, lights and means of egress lighting shall be done in accordance with Chapter 10 Section & Subsections 1023.0 & 1024.0 of the City's Building Code. (The BOCA National Building Code/1996)
- 24. Section 25-135 of the Municipal Code for the City of Portland states. "No person or utility shall be granted a permit to excavate or open any street or sidewalk from the time of November 15 of each year to April 15 of the following year".
- 25. The builder of a facility to which Section 4594-C of the Maine State Human Rights Act Title 5 MRSA refers, shall obtain a certification from a design professional that the plans commencing construction of the facility, the builder shall submit the certification the Division of Inspection Services.
- 26. Ventilation shall meet the requirements of Chapter 12 Sections 1210.0 of the City's Building Code. (Crawl spaces & attics).
- 27. All electrical, plumbing and HVAC permits must be obtained by a Master Licensed holders of their trade. No closing in of walls until all electrical (min.72 hours notice) and plumbing inspections have been done.
- 28. All requirements must be met before a final Certificate of Occupancy is issued.
- All building elements shall meet the fastening schedule as per Table 2305.2 of the City's Building Code (the BOCA National Building Code/1996).
- Ventilation of spaces within a building shall be done in accordance with the City's Mechanical Code (The BOCA National Mechanical Code/1993). (Chapter M-16)
- 31. Please read and implement the attached Land Use Zoning report requirements.
- 32. Boring, cutting and notching shall be done in accordance with Sections 2305.4.4, 2305.5.1 and 2305.5.3 of the City's Building Code.
- 33. Glass and glazing shall meet the requirements of Chapter 24 of the building code.
- 34. All signage, shall be done in accordance with Section 3102.0 signs of the City's Building Code, (The BOCA National Building Code 1996).

Suc

meet The Signage

The reguireminis

\$35.

36.

37.

38.

Hollses/Building Inspector Li, McDougall, PFD cc:

Marge Schmuckal, Zoning Administrator

PSH 7/24/99

**On the basis of plans submitted and conditions placed on these plans any deviations shall require a separate approval.