



SECOND FLOOR PLUMBING PLAN
SCALE - 1/8" = 1'-0"

1. UNIT BRANCH PIPING SHALL BE 1" CW AND 3/4" HW UNLESS OTHERWISE NOTED.
2. UNIT WATER HAMMER ARRESTORS SHALL BE SIZE 'A' UNLESS OTHERWISE NOTED.

#	DATE	DESCRIPTION
1	4.03.07	CONTRACT ZONE SUBMISSION
2	5.01.07	CONTRACT ZONE SUBMISSION
3	7.10.07	CONTRACT ZONE SUBMISSION
4	9.04.07	SITE PLAN AND SUBDIVISION REVIEW
5	10.02.07	FINAL SITE PLAN REVIEW
6	11.15.07	50% MAINE HOUSING REVIEW SET
7	12.04.07	50% MAINE HOUSING REVIEW SET
8	05.02.08	90% MAINE HOUSING REVIEW SET
9	07.31.08	100% MAINE HOUSING REVIEW SET
10	09.02.08	100% BID DOCUMENTS

DATE:	09/02/08
PROJECT #	100405
DRAWN BY:	JMV
CHECKED BY:	SPDdel
DRAWING SCALE	AS NOTED

SHEET TITLE
**SECOND FLOOR
PLUMBING PLAN**

M203