


SECOND FLOOR FRAMING PLAN
1/8"=1'-0"

- NOTES:
- FLOOR CONSTRUCTION CONSISTS OF A 3 1/2" NORMAL WEIGHT CONCRETE SLAB ON 0.6C 22GA FORM DECK BY VULCRAFT OR ACCEPTED EQUIVALENT. (3 1/2" TOTAL THICKNESS). REINF W/ 6x6-W2.1xW2.1 W.W.F.
 - TOP OF CONCRETE SLAB EL 66'-1", U.N.O.
 - TOP OF STEEL (UNDERSIDE OF DECK) EL 65'-9 1/2" U.N.O. BY (-2), (-8), ETC.
 - J.H. INDICATES TOP OF STEEL = JOIST HEIGHT.
 - INDICATES 1 1/2" 18GA TYPE B METAL ROOF DECK. UNDERSIDE OF DECK EL (+1 1/4), U.N.O.
 - BRIDGING PER STEEL JOIST INSTITUTE SPECIFICATIONS.
 - WHERE STEEL JOIST FRAME INTO A BEAM OPPOSITE A STEEL BEAM, EXTEND JOIST TOP FLANGE FOR DECK SUPPORT.
 - INDICATES MOMENT CONNECTION.
 - PROVIDE L4x4x1/4 AROUND ALL SIDES OF OPENINGS IN SLAB, U.N.O.
 - INDICATES WOOD PANEL SHEARWALL ABOVE.
 - H.D. INDICATES SHEARWALL HOLDOWN LOCATION.
 - BF- INDICATES BRACED FRAME, SEE DWG S1.7.


BECKER
STRUCTURAL ENGINEERS, INC.
75 York Street
Portland, ME 04101-4701
Tel: 207.883.1832
Fax: 207.879.1832
www.beckerinc.com



GAWRON TURGEON ARCHITECTS
29 Black Point Road
Scarborough, ME 04074
www.gawronturgeon.com
Tel. 207. 883. 6307
Fax. 207. 883. 0361



FLORENCE HOUSE
PORTLAND, MAINE



REVISIONS	
#	DATE DESCRIPTION

DATE:	09.02.08
PROJECT #:	1686
DRAWN BY:	MCN
CHECKED BY:	MM
DRAWING SCALE:	1/8"=1'-0"

SHEET TITLE
SECOND FLOOR FRAMING PLAN

S1.3

© COPYRIGHT 1985-2006
REPRODUCTION OR RESALE OF THIS DOCUMENT WITHOUT WRITTEN PERMISSION OF GAWRON TURGEON ARCHITECTS IS PROHIBITED.