

DOOR SCHEDULE

DOOR SCHEDULE ABBREVIATIONS					
EHO	ELECTRO. HOLD OPENER	NO	NUMBER	WD	WOOD (SOLID)
HM	HOLLOW METAL	ES	ELECTRIC STRIKE	RG	RATED GLASS
INS	INSULATED	TEMP	TEMPERED	S	STAIN
MTL	METAL	THK	THICKNESS	P	PAINT
HCM	HOLLOW CORE MASONITE	SCM	SOLID CORE MASONITE	DV	DOOR VIEWER

DOORS										FRAMES						THRESHOLD			
NO	TYPE	SIZE	THK.	RATED	HDWR SET	MAT.	GLASS		REMARKS	TYPE	MAT.	RATED	DETAILS/A803		REMARKS	MAT.	DETAILS/A803		
							SIZE	TYPE					HEAD	JAMB			SILL	HEIGHT	
<b>BASEMENT</b>																			
001	-	NOT USED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
002	-	NOT USED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
003	E	3'-6"X 7'-0"	1 3/4"	45 MIN	-	WD	-	-	-	7	MTL	45 MIN	N15	J15	KNOCK DOWN	-	-	-	
004	E	3'-0"X 7'-0"	1 3/4"	45 MIN	-	WD	-	-	-	1	MTL	45 MIN	N15	J15	KNOCK DOWN	-	-	-	
005	E	3'-0"X 7'-0"	1 3/4"	45 MIN	-	WD	-	-	-	1	MTL	45 MIN	N15	J15	KNOCK DOWN	-	-	-	
006	E	3'-0"X 7'-0"	1 3/4"	45 MIN	-	WD	-	-	-	1	MTL	45 MIN	N15	J15	KNOCK DOWN	-	-	-	
007	C	3'-0"X 7'-0"	1 3/4"	-	-	WD	24"X36"	TEMP	-	1	MTL	-	N15	J15	KNOCK DOWN	-	-	-	
008	E	3'-0"X 7'-0"	1 3/4"	45 MIN	-	WD	-	-	-	1	MTL	45 MIN	N15	J15	KNOCK DOWN	-	-	-	
009	C	3'-0"X 7'-0"	1 3/4"	-	-	WD	24"X36"	TEMP	-	1	MTL	-	N15	J15	KNOCK DOWN	-	-	-	
010	D	3'-0"X 7'-0"	1 3/4"	-	-	MTL	4"X25"	TEMP	INS	1	MTL	-	N12	J12	WELDED	ALUM	A15	1/2"	
011	E	3'-0"X 7'-0"	1 3/4"	-	-	WD	-	-	-	1	MTL	-	N15	J15	KNOCK DOWN	-	-	-	
012	E	3'-0"X 7'-0"	1 3/4"	-	-	WD	-	-	-	1	MTL	-	N15	J15	KNOCK DOWN	-	-	-	
013	C	3'-0"X 7'-0"	1 3/4"	-	-	WD	24"X36"	TEMP	-	1	MTL	-	N15	J15	KNOCK DOWN	-	-	-	
014	F	3'-0"X 7'-0"	1 3/4"	-	-	WD	24"X66"	TEMP	-	1	MTL	-	N15	J15	KNOCK DOWN	-	-	-	
015	E	3'-0"X 7'-0"	1 3/4"	45 MIN	-	WD	-	-	-	1	MTL	45 MIN	N15	J15	KNOCK DOWN	-	-	-	
016	E	3'-0"X 7'-0"	1 3/4"	45 MIN	-	WD	-	-	-	1	MTL	45 MIN	N15	J15	KNOCK DOWN	-	-	-	
017	E	(2)3'-0"X 7'-0"	1 3/4"	45 MIN	-	WD	-	-	-	2	MTL	45 MIN	N15	J15	KNOCK DOWN	-	-	-	
018	E	3'-0"X 7'-0"	1 3/4"	-	-	WD	-	-	-	1	MTL	-	N15	J15	KNOCK DOWN	-	-	-	
019	E	3'-0"X 7'-0"	1 3/4"	45 MIN	-	WD	-	-	-	1	MTL	45 MIN	N15	J15	KNOCK DOWN	-	-	-	
020	E	(2)3'-0"X 7'-0"	1 3/4"	45 MIN	-	WD	-	-	-	2	MTL	45 MIN	N15	J15	KNOCK DOWN	-	-	-	
021	C	3'-0"X 7'-0"	1 3/4"	20 MIN	-	WD	-	-	-	1	MTL	20 MIN	N15	J15	KNOCKDOWN	-	-	-	
021A	C	3'-0"X 7'-0"	1 3/4"	20 MIN	-	WD	-	-	-	1	MTL	20 MIN	N15	J15	KNOCKDOWN	-	-	-	
021B	C	3'-0"X 7'-0"	1 3/4"	20 MIN	-	WD	-	-	-	1	MTL	20 MIN	N15	J15	KNOCKDOWN	-	-	-	
022	E	3'-0"X 7'-0"	1 3/4"	45 MIN	-	WD	-	-	-	1	MTL	45 MIN	N15	J15	KNOCK DOWN	-	-	-	
023	C	3'-0"X 7'-0"	1 3/4"	45 MIN	-	WD	24"X36"	RG	-	1	MTL	-	N15	J15	KNOCK DOWN	-	-	-	
024	D	3'-0"X 7'-0"	1 3/4"	45 MIN	-	WD	4"X25"	RG	-	1	MTL	45 MIN	N15	J15	KNOCK DOWN	-	-	-	
025	D	3'-0"X 7'-0"	1 3/4"	45 MIN	-	WD	4"X25"	RG	-	1	MTL	45 MIN	N15	J15	KNOCK DOWN	-	-	-	
026	D	3'-0"X 7'-0"	1 3/4"	-	-	WD	-	-	-	1	MTL	-	N15	J15	KNOCK DOWN	-	-	-	
ST1	D	3'-0"X 7'-0"	1 3/4"	90 MIN	-	WD	4"X25"	RG	-	1	MTL	75 MIN	N15	J15	KNOCK DOWN	-	-	-	
ST2	D	3'-0"X 7'-0"	1 3/4"	90 MIN	-	WD	4"X25"	RG	-	1	MTL	75 MIN	N15	J15	KNOCK DOWN	-	-	-	
ST3	D	3'-0"X 7'-0"	1 3/4"	90 MIN	-	MTL	4"X25"	RG	INS	1	MTL	75 MIN	N12	J12	WELDED	ALUM	A15	1/2"	
<b>FIRST FLOOR</b>																			
101	A	(2)3'-0"X 7'-0"	-	-	-	-	KAWNEER 350 MEDIUM STILE		-	-	-	-	N9	J9	STOREFRONT	ALUM	A15	1/2"	
102	B	3'-6"X 7'-0"	-	-	-	-	KAWNEER 350 MEDIUM STILE -50% TINTED GLAZING		-	-	-	-	N9	J9	STOREFRONT	ALUM	A15	1/2"	
103	F	3'-0"X 7'-0"	1 3/4"	-	-	WD	24"X66"	TEMP	-	1	MTL	-	N15	J15	KNOCK DOWN	-	-	-	
104	H	3'-0"X 3'-0"	1 3/4"	-	-	WD	-	-	-	-	-	-	-	A12	-	-	-	-	
105	H	3'-0"X 3'-0"	1 3/4"	-	-	WD	-	-	-	-	-	-	-	A12	-	-	-	-	
106	-	NOT USED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
107	-	NOT USED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
108	C	3'-0"X 7'-0"	1 3/4"	-	-	WD	24"X36"	TEMP	-	1	MTL	-	N15	J15	KNOCK DOWN	-	-	-	
109	E	3'-0"X 7'-0"	1 3/4"	-	-	WD	-	-	-	1	MTL	-	N15	J15	KNOCK DOWN	-	-	-	
110	-	NOT USED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
111	C	3'-0"X 7'-0"	1 3/4"	-	-	WD	24"X36"	TEMP	-	1	MTL	-	N15	J15	KNOCK DOWN	-	-	-	
112	C	3'-0"X 7'-0"	1 3/4"	-	-	WD	24"X36"	TEMP	-	1	MTL	-	N15	J15	KNOCK DOWN	-	-	-	

A1 DOOR SCHEDULE

DOOR SCHEDULE

DOOR SCHEDULE ABBREVIATIONS					
EHO	ELECTRO. HOLD OPENER	NO	NUMBER	WD	WOOD (SOLID)
HM	HOLLOW METAL	ES	ELECTRIC STRIKE	RG	RATED GLASS
INS	INSULATED	TEMP	TEMPERED	S	STAIN
MTL	METAL	THK	THICKNESS	P	PAINT
HCM	HOLLOW CORE MASONITE	SCM	SOLID CORE MASONITE	DV	DOOR VIEWER

DOORS										FRAMES						THRESHOLD			
NO	TYPE	SIZE	THK.	RATED	HDWR SET	MAT.	GLASS		REMARKS	TYPE	MAT.	RATED	DETAILS/A803		REMARKS	MAT.	DETAILS/A803		
							SIZE	TYPE					HEAD	JAMB			SILL	HEIGHT	
113	E	3'-0"X 7'-0"	1 3/4"	-	-	WD	-	-	-	1	MTL	-	N15	J15	KNOCK DOWN	-	-	-	
114	C	3'-0"X 7'-0"	1 3/4"	-	-	WD	24"X36"	TEMP	-	1	MTL	-	N15	J15	KNOCK DOWN	-	-	-	
115	D	3'-0"X 7'-4"	1 3/4"	90 MIN	-	MTL	4"X25"	RG	INS	8	MTL	75 MIN	N12	J12	WELDED, 4" FRAME @ HEAD	ALUM	A15	1/2"	
116	E	3'-0"X 7'-0"	1 3/4"	-	-	WD	-	-	-	1	MTL	-	N15	J15	KNOCK DOWN	-	-	-	
117	E	3'-0"X 7'-0"	1 3/4"	45 MIN	-	WD	24"X36"	RG	-	1	MTL	45 MIN	N15	J15	KNOCK DOWN	-	-	-	
118	E	3'-0"X 7'-0"	1 3/4"	-	-	WD	-	-	-	1	MTL	-	N15	J15	KNOCK DOWN	-	-	-	
119	C	3'-0"X 7'-4"	1 3/4"	-	-	MTL	24"X36"	TEMP	INS	8	MTL	-	N12	J12	WELDED, 4" FRAME @ HEAD	ALUM	A15	1/2"	
120	E	3'-0"X 7'-0"	1 3/4"	45 MIN	-	WD	-	-	-	1	MTL	45 MIN	N15	J15	KNOCK DOWN	-	-	-	
121	E	3'-0"X 7'-0"	1 3/4"	45 MIN	-	WD	-	-	-	1	MTL	45 MIN	N15	J15	KNOCK DOWN	-	-	-	
122	E	3'-6"X 7'-0"	1 3/4"	-	-	WD	-	-	-	7	MTL	-	N15	J15	KNOCK DOWN	-	-	-	
123	C	3'-0"X 7'-0"	1 3/4"	-	-	WD	24"X36"	TEMP	-	1	MTL	-	N15	J15	KNOCK DOWN	-	-	-	
124	-	NOT USED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
125	-	NOT USED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
126	J	(2)3'-0"X 7'-0"	-	-	-	-	KAWNEER 350 MEDIUM STILE		-	-	-	-	N9	J9	STOREFRONT	ALUM	A15	1/2"	
127	G	(2) 2'-8"X 6'-8"	1 3/4"	-	-	WD	-	-	-	6	-	-	-	-	TRACK	-	-	-	
128	E	2'-8"X 7'-0"	1 3/4"	-	-	WD	-	-	-	5	MTL	-	N15	J15	KNOCK DOWN	-	-	-	
129	E	2'-8"X 7'-0"	1 3/4"	-	-	WD	-	-	-	5	MTL	-	N15	J15	KNOCK DOWN	-	-	-	
130	E	3'-0"X 7'-0"	1 3/4"	-	-	WD	-	-	-	1	MTL	-	N15	J15	KNOCK DOWN	-	-	-	
131	E	3'-0"X 7'-0"	1 3/4"	-	-	WD	-	-	-	1	MTL	-	N15	J15	KNOCK DOWN	-	-	-	
132	E	3'-0"X 7'-0"	1 3/4"	-	-	WD	-	-	-	1	MTL	-	N15	J15	KNOCK DOWN	-	-	-	
133	E	3'-0"X 7'-0"	1 3/4"	-	-	WD	-	-	-	1	MTL	-	N15	J15	KNOCK DOWN	-	-	-	
134	E	3'-0"X 7'-0"	1 3/4"	-	-	WD	-	-	-	1	MTL	-	N15	J15	KNOCK DOWN	-	-	-	
ST1A	D	3'-0"X 7'-0"	1 3/4"	90 MIN	-	WD	4"X25"	RG	-	1	MTL	75 MIN	N15	J15	KNOCK DOWN	-	-	-	
ST2A	D	3'-0"X 7'-0"	1 3/4"	90 MIN	-	WD	4"X25"	RG	-	1	MTL	75 MIN	N15	J15	KNOCK DOWN	-	-	-	
ST3A	D	3'-0"X 7'-0"	1 3/4"	90 MIN	-	WD	4"X25"	RG	-	1	MTL	75 MIN	N15	J15	KNOCK DOWN	-	-	-	
<b>SECOND FLOOR</b>																			
1	K	3'-0"X 6'-8"	1 3/4"	20 MIN	-	WD	-	-	-	DV	1	MTL	20 MIN	N15	J15	KNOCK DOWN	-	-	-
1A	E	3'-0"X 6'-8"	1 3/8"	-	-	HCM	-	-	-	1	WD	-	N18	J18	PRE-HUNG	-	-	-	
1B	E	2'-6" X 6'-8"	1 3/8"	-	-	HCM	-	-	-	4	WD	-	N18	J18	PRE-HUNG	-	-	-	
2	L																		