

City of Portland, Maine - Building or Use Permit Application
 389 Congress Street, 04101 Tel: (207) 874-8703, Fax: (207) 874-8716

PERMIT ISSUED		Permit No: 01-0668 JUN	Issue Date: 19 2001	CBL: 065 A003001
----------------------	--	---------------------------	------------------------	---------------------

Location of Construction: 340 Park Ave	Owner Name: Oly Realty One Llc	Owner Address: 710 Route - 46 East St. PORTLAND	Phone: n/a
Business Name: n/a	Contractor Name: Bird-Omni Signs	Contractor Address: 185 Waukewan St. Meredith	Phone: 2072791492
Lessee/Buyer's Name n/a	Phone: n/a	Permit Type: Signs - Permanent	Zone: B-2

Past Use: Commercial / Hotel	Proposed Use: Same: Erect Signage. Call Linda at 603-279-1492 when ready.	Permit Fee:	Cost of Work: \$0.00	CEO District: 3
Proposed Project Description: Erect Signage Per Plans. SqFt totalling 216.75'		FIRE DEPT: <input type="checkbox"/> Approved <input type="checkbox"/> Denied	INSPECTION: <i>Signage</i> Use Group: Type: <i>6</i>	
		PERMIT ISSUED WITH REQUIREMENTS Signature: <i>[Signature]</i>		

PEDESTRIAN ACTIVITIES DISTRICT (P.A.D.)	
Action: <input type="checkbox"/> Approved <input type="checkbox"/> Approved w/Conditions <input type="checkbox"/> Denied	Signature: <i>[Signature]</i> Date:

Permit Taken By: cjh	Date Applied For: 06/11/2001	Zoning Approval
-------------------------	---------------------------------	------------------------

1. This permit application does not preclude the Applicant(s) from meeting applicable State and Federal Rules. 2. Building permits do not include plumbing, septic or electrical work. 3. Building permits are void if work is not started within six (6) months of the date of issuance. False information may invalidate a building permit and stop all work..	Special Zone or Reviews <input type="checkbox"/> Shoreland <input type="checkbox"/> Wetland <input type="checkbox"/> Flood Zone <input type="checkbox"/> Subdivision <input type="checkbox"/> Site Plan Maj <input type="checkbox"/> Minor <input type="checkbox"/> MM <input type="checkbox"/> Date: <i>OK [Signature]</i> <i>6/19/01</i>	Zoning Appeal <input type="checkbox"/> Variance <input type="checkbox"/> Miscellaneous <input type="checkbox"/> Conditional Use <input type="checkbox"/> Interpretation <input type="checkbox"/> Approved <input type="checkbox"/> Denied Date:	Historic Preservation <input checked="" type="checkbox"/> Not in District or Landmark <input type="checkbox"/> Does Not Require Review <input type="checkbox"/> Requires Review <input type="checkbox"/> Approved <input type="checkbox"/> Approved w/Conditions <input type="checkbox"/> Denied Date: <i>[Signature]</i>
--	--	--	--

PERMIT ISSUED WITH REQUIREMENTS

CERTIFICATION

I hereby certify that I am the owner of record of the named property, or that the proposed work is authorized by the owner of record and that I have been authorized by the owner to make this application as his authorized agent and I agree to conform to all applicable laws of this jurisdiction. In addition, if a permit for work described in the application is issued, I certify that the code official's authorized representative shall have the authority to enter all areas covered by such permit at any reasonable hour to enforce the provision of the code(s) applicable to such permit.

SIGNATURE OF APPLICANT	ADDRESS	DATE	PHONE
------------------------	---------	------	-------

RESPONSIBLE PERSON IN CHARGE OF WORK, TITLE	DATE	PHONE
---	------	-------

THIS IS NOT A PERMIT/CONSTRUCTION MAY NOT COMMENCE UNTIL THE PERMIT IS ISSUED

SIGNAGE APPLICATION

THIS IS NOT A PERMIT
CONSTRUCTION CANNOT NOT COMMENCE UNTIL THE PERMIT IS ISSUED

PORTLAND ME,
CHRIS' PERMITS

Linda Bird

603-279-1492

In the interest of processing your application in the quickest possible manner, please complete the Information below for a Building or Use Permit.

If you or the property owner owes real estate or personal property taxes or user charges on any property within the City, payment arrangements must be made before permits of any kind are accepted.

Location/Address of Construction: 340 PARK AVE

Total Square Footage of Proposed Structure 216.75 Square Footage of Lot 11,664 +

Tax Assessor's Chart, Block & Lot Number Chart# <u>65</u> Block# <u>A</u> Lot# <u>3</u>	Owner: <u>OLY REALTY</u> <u>710 RT 46 EAST</u> <u>FAIRFIELD JWS</u>	Telephone #:
--	---	--------------

Lessee/Buyer's Name (If Applicable)	Owner's/Purchaser/Lessee Address:	Total s.f of signs <u>216</u> x <u>.20</u> <u>\$43.80</u> plus \$30.00 TOTALS <u>73.80</u>
-------------------------------------	-----------------------------------	---

Current use: HOTEL - GUSE MALET Proposed use: SAME

Project description: REPLACE SIGNS

Applicants Name, Address & Telephone:

Contractor's Name, Address & Telephone: **BIRD-OMNI SIGNS**
185 Waukwan Street
Meredith, NH 03253

Who shall we contact when the permit is ready: LINDA BIRD - BIRD-OMNI SIGNS

Telephone: 603-279-1492

If you would like it mailed, what mailing address should we use:

Rec'd By:

SIGNAGE PRE-APPLICATION

PLEASE ANSWER ALL QUESTIONS

ADDRESS: 340 PARK AVE ZONE: B-2
OWNER: MARSH WILSON
APPLICANT: PARAMOUNT HOTEL GROUP
ASSESSOR NO. _____

PLEASE CIRCLE APPROPRIATE ANSWER

SINGLE TENANT LOT? YES NO MULTI-TENANT LOT? YES NO
FREESTANDING SIGN? (ex. Pole Sign) YES NO -- DIMENSIONS 9'-4" HEIGHT 5'-2"
MORE THAN ONE SIGN? YES NO DIMENSIONS 5'-10" HEIGHT 3'-3"
SIGN ATTACHED TO BLDG.? YES NO DIMENSIONS 6'-4" x 11'-8" TOTAL
MORE THAN ONE SIGN? YES NO DIMENSIONS 6'-4" x 11'-8" = 216.54
AWNING: YES NO IS AWNING BACKLIT? YES NO HEIGHT OFF SIDEWALK
IS THERE ANY MESSAGE, TRADEMARK OR SYMBOL ON IT? 6.33 x 11.66 = 73.8

LIST ALL EXISTING SIGNAGE AND THEIR DIMENSIONS: ① 8'x8' WALL = 64 SQ,
② -24" x 24" = 144 SQ CHANNEL LETTERS, ① 6x10 POLE SIGN = 60 SQ
① 2'x4' POLE SIGN = 8 SQ ③ 6x8 SHIELDS = 144 SQ TOTAL
*** TENANT BLDG. FRONTAGE (IN FEET): 281.87' 420 SQ.

*** REQUIRED INFORMATION

AREA FOR COMPUTATION

INSTALLATION

FREE STANDING SIGN S WILL BE INSTALLED ON
EXISTING POLES

YOU SHALL PROVIDE:

A SITE SKETCH AND BUILDING SKETCH SHOWING EXACTLY WHERE
EXISTING AND NEW SIGNAGE IS LOCATED MUST BE PROVIDED. SKETCHES
AND/OR PICTURES OF PROPOSED ARE ALSO REQUIRED.


SIGNATURE OF APPLICANT: [Signature] DATE: 4/8/01

THIS IS NOT A PERMIT/CONSTRUCTION MAY NOT COMMENCE UNTIL THE PERMIT IS ISSUED

If the property is located in a **HISTORIC DISTRICT**, a separate sketch is required indicating the design, dimensions, construction materials and source of illumination if any. A photograph of the building façade should be submitted, showing where each sign is to be installed.

Certification

I hereby certify that I am the Owner of record of the named property, or that the owner of record authorizes the proposed work and that I have been authorized by the owner to make this application as his/her authorized agent. I agree to conform to all applicable laws of this jurisdiction. In addition, if a permit for work described in this application is issued, I certify that the Code Official's authorized representative shall have the authority to enter all areas covered by this permit at any reasonable hour to enforce the provisions of the codes applicable to this permit.

Signature of applicant: 	Date: 5/3/01
---	--------------

Sign Permit Fee: \$30.00 plus \$0.20 per square foot.

A building permit is also required for any awning based on cost of work-\$30.00 for the first \$1,000.00 and \$6.00 for each additional \$1,000.00

BY FILLING OUT THIS APPLICATION IS DOES NOT MEET THAT YOU WILL BE APPROVED FOR THE AMOUNT OF SIGNAGE YOU ARE APPLYING FOR

IT IS SUGGESTED THAT YOU DO NOT ORDER ANY SIGNAGE UNTIL YOU HAVE RECEIVED YOUR SIGN PERMIT THAT HAS BEEN SIGNED BY THE BUILDING, ZONING AND POSSIBLE HISTORICAL OFFICIALS OF THIS OFFICE

BUILDING PERMIT REPORT

DATE: 8 June 2001 ADDRESS: 340 Park Ave. CBL: 065-A-003

REASON FOR PERMIT: Signage

BUILDING OWNER: Oly Realty

PERMIT APPLICANT: CONTRACTOR Bird-OMNI Signs

USE GROUP: _____ CONSTRUCTION TYPE: _____ CONSTRUCTION COST: _____ PERMIT FEES: 73.80


The City's Adopted Building Code (The BOCA National Building Code/1999 with City Amendments)
The City's Adopted Mechanical Code (The BOCA National Mechanical Code/1993)

CONDITION(S) OF APPROVAL

This permit is being issued with the understanding that the following conditions shall be met: X1, *32

1. This permit does not excuse the applicant from meeting applicable State and Federal rules and laws.
2. Before concrete for foundation is placed, approvals from the Development Review Coordinator and Inspection Services must be obtained. (A 24 hour notice is required prior to inspection) "ALL LOT LINES SHALL BE CLEARLY MARKED BEFORE CALLING."
3. Foundation drain shall be placed around the perimeter of a foundation that consists of gravel or crushed stone containing not more than 10 percent material that passes through a No. 4 sieve. The drain shall extend a minimum of 12 inches beyond the outside edge of the footing. The thickness shall be such that the bottom of the drain is not higher than the bottom of the base under the floor, and that the top of the drain is not less than 6 inches above the top of the footing. The top of the drain shall be covered with an approved filter membrane material. Where a drain tile or perforated pipe is used, the invert of the pipe or tile shall not be higher than the floor elevation. The top of joints or top of perforations shall be protected with an approved filter membrane material. The pipe or tile shall be placed on not less than 2" of gravel or crushed stone, and shall be covered with not less than 6" of the same material. Section 1813.5.2
4. Foundations anchors shall be a minimum of 1/2" in diameter, 7" into the foundation wall, minimum of 12" from corners of foundation and a maximum 6' O.C. between bolts. Section 2305.17
5. Waterproofing and dampproofing shall be done in accordance with Section 1813.0 of the building code.
6. Precaution must be taken to protect concrete and masonry. Concrete Sections 1908.9-19.8.10/ Masonry Sections 2111.3-2111.4.
7. It is strongly recommended that a registered land surveyor check all foundation forms before concrete is placed. This is done to verify that the proper setbacks are maintained.
8. Private garages located beneath habitable rooms in occupancies in Use Group R-1, R-2, R-3 or I-1 shall be separated from adjacent interior spaces by fire partitions and floor/ceiling assembly which are constructed with not less than 1-hour fire resisting rating. Private garages attached side-by-side to rooms in the above occupancies shall be completely separated from the interior spaces and the attic area by means of 1/2 inch gypsum board or the equivalent applied to the garage side. (Chapter 4, Section 407.0 of the BOCA/1999)
9. All chimneys and vents shall be installed and maintained as per Chapter 12 of the City's Mechanical Code. (The BOCA National Mechanical Code/1993). Chapter 12 & NFPA 211
10. Sound transmission control in residential building shall be done in accordance with Chapter 12, Section 1214.0 of the City's Building Code.
11. Guardrails & Handrails: A guardrail system is a system of building components located near the open sides of elevated walking surfaces for the purpose of minimizing the possibility of an accidental fall from the walking surface to the lower level. Minimum height all Use Groups 42". In occupancies in Use Group A, B.H-4, I-1, I-2, M, R, public garages and open parking structures, open guards shall have balusters or be of solid material such that a sphere with a diameter of 4" cannot pass through any opening. Guards shall not have an ornamental pattern that would provide a ladder effect. Handrails shall be a minimum of 34" but not more than 38". Exception: Handrails that form part of a guard shall have a height not less than 36 inches (914 mm) and not more than 42 inches (1067 mm). Handrail grip size shall have a circular cross section with an outside diameter of at least 1 1/4" and not greater than 2". (Sections 1021 & 1022.0). Handrails shall be on both sides of stairway. (Section 1014.7)
12. Headroom in habitable space is a minimum of 7'6". (Section 1204.0)
13. Stair construction in Use Group R-3 & R-4 is a minimum of 10" tread and 7 1/4" maximum rise. All other Use Group minimum 11" tread, 7" maximum rise. (Section 1014.0)
14. The minimum headroom in all parts of a stairway shall not be less than 80 inches. (6'8") 1014.4
15. The Minimum required width of a corridor shall be determined by the most restrictive of the criteria under section 1011.3 but not less than 36".
16. Every sleeping room below the fourth story in buildings of Use Groups R and I-1 shall have at least one operable window or exterior door approved for emergency egress or rescue. The units must be operable from the inside without the use of special knowledge or separate tools. Where windows are provided as means of egress or rescue they shall have a sill height not more than 44 inches (1118mm) above the floor. All egress or rescue windows from sleeping rooms shall have a minimum net clear opening height dimension of 24 inches (610mm). The minimum net clear opening width dimension shall be 20 inches (508)mm, and a minimum net clear opening of 5.7 sq. ft. (Section 1010.4)
17. Each apartment shall have access to two (2) separate, remote and approved means of egress. A single exit is acceptable when it exits directly from the apartment to the building exterior with no communications to other apartment units. (Section 1010.1)
18. All vertical openings shall be enclosed with construction having a fire rating of at least one (1) hour, including fire doors with self closure's. (Over 3 stories in height requirements for fire rating is two (2) hours. (Section 710.0)
19. The boiler shall be protected by enclosing with (1) hour fire rated construction including fire doors and ceiling, or by providing automatic extinguishment. (Table 302.1.1)

20. All single and multiple station smoke detectors shall be of an approved type and shall be installed in accordance with the provisions of the City's Building Code Chapter 9, Section 920.3.2 (BOCA National Building Code/1999), and NFPA 101 Chapter 18 & 19. (Smoke detectors shall be installed and maintained at the following locations):
 - In the immediate vicinity of bedrooms
 - In all bedrooms
 - In each story within a dwelling unit, including basements
21. A portable fire extinguisher shall be located as per NFPA #10. They shall bear the label of an approved agency and be of an approved type. (Section 921.0)
22. The Fire Alarm System shall be installed and maintained to NFPA #72 Standard.
23. The Sprinkler System shall be installed and maintained to NFPA #13 Standard.
24. All exit signs, lights and means of egress lighting shall be done in accordance with Chapter 10 Section & Subsections 1023.0 & 1024.0 of the City's Building Code. (The BOCA National Building Code/1999)
25. Section 25 – 135 of the Municipal Code for the City of Portland states, "No person or utility shall be granted a permit to excavate or open any street or sidewalk from the time of November 15 of each year to April 15 of the following year".
26. The builder of a facility to which Section 4594-C of the Maine State Human Rights Act Title 5 MRSA refers, shall obtain a certification from a design professional that the plans commencing construction of the facility, the builder shall submit the certification the Division of Inspection Services.
27. Ventilation and access shall meet the requirements of Chapter 12 Sections 1210.0 and 1211.0 of the City's Building Code. (Crawl spaces & attics).
28. All electrical, plumbing and HVAC permits must be obtained by Master Licensed holders of their trade. **No closing in of walls until all electrical (min. 72 hours notice) and plumbing inspections have been done.**
29. All requirements must be met before a final Certificate of Occupancy is issued.
30. All building elements shall meet the fastening schedule as per Table 2305.2 of the City's Building Code (The BOCA National Building Code/1996).
31. Ventilation of spaces within a building shall be done in accordance with the City's Mechanical code (The BOCA National Mechanical Code/1993). (Chapter M-16)
32. Please read and implement the attached Land Use Zoning report requirements.
33. Boring, cutting and notching shall be done in accordance with Sections 2305.3, 2305.3.1, 2305.4.4 and 2305.5.1 of the City's Building Code.
34. Bridging shall comply with Section 2305.16.
35. Glass and glazing shall meet the requirements of Chapter 24 of the building code. (Safety Glazing Section 2406.0)
36. All flashing shall comply with Section 1406.3.10.
37. All signage shall be done in accordance with Section 3102.0 signs of the City's Building Code, (The BOCA National Building Code/1999).


 P. Samuel Hennes, Building Inspector
 Cc: M. McDougall, PFD
 Marge Schmuckal, Zoning Administrator
 Michael Nugent, Inspection Service Manager

PSH 10/1/00

****This permit is herewith issued, on the basis of plans submitted and conditions placed on these plans, any deviations shall require a separate approval.**

*****THIS PERMIT HAS BEEN ISSUED WITH THE UNDERSTANDING THAT ALL THE CONDITIONS OF THE APPROVAL SHALL BE COMPLETED. THEREFORE, BEFORE THE WORK IS COMPLETED A REVISED PLAN OR STATEMENT FROM THE PERMIT HOLDER SHALL BE SUBMITTED TO THIS OFFICE SHOWING OR EXPLAINING THAT THE CONDITIONS HAVE BEEN MET. IF THIS REQUIREMENT IS NOT RECEIVED YOUR CERTIFICATE OF OCCUPANCY SHALL BE WITHHELD. (You Shall Call for Inspections)**

******ALL PLANS THAT REQUIRE A PROFESSIONAL DESIGNER'S SEAL, (AS PER SECTION 114.0 OF THE BUILDING CODE) SHALL ALSO BE PRESENTED TO THIS DIVISION ON AUTO CAD LT. 2000, DXF FORMAT OR EQUIVALENT.**

*******CERTIFICATE OF OCCUPANCY FEE \$50.00**



To: CHRIS

Company: PORTLAND PLANNING - PERMITS

Fax: 207-874-8716

From: 207-874-8730

Date: 6/7/01

Time: _____

Pages Including This Cover Page: (3) HELLO CHRIS

Message: THE ONLY THING
THAT WAS MISSING WAS
(1) WALL-SIGN 6'-4" X 11'-8"
THE SO TOTAL WAS
ORIGIANLY RIGHT. HE FORGOT
TO PUT IN THE EXTRA SIGN!

SORRY ABOUT THE CONFUSION
THANK YOU
-LINDA BIRD

Reply Necessary: YES X NO _____

185 Waukegan Street
Meredith, NH 03253
(603) 279-1492 - Fax (603) 279-0245
birdomnisiens.com



I, Stephen Siegel, hereby authorize Bird Omni Signs of Meredith, New Hampshire, to obtain any necessary sign permits on behalf of owner for the Fairfield Inn in the City of Portland, State of Maine.

With this approval, Bird Omni Signs will also be doing the installation of the proposed signage. (see attached drawings for permit submittal)

Sincerely,

PARAMOUNT MANAGEMENT ASSOCIATES

A handwritten signature in black ink, appearing to be "S. Siegel", is written over a horizontal line. The signature is stylized and somewhat abstract.

Stephen Siegel, Senior Vice President

ACORD CERTIFICATE OF LIABILITY INSURANCE

DATE (MM/DD/YY)
05/03/01

PRODUCER

API/Obrey-Pierce Ins. LLC
873 Union Ave
Laconia, N.H. 03247

INSURED

BIRD OMNI SIGNS INC.
185 Waukewan St.
Meredith, N.H. 03253

THIS CERTIFICATE IS ISSUED AS A MATTER OF INFORMATION ONLY AND CONFERS NO RIGHTS UPON THE CERTIFICATE HOLDER. THIS CERTIFICATE DOES NOT AMEND, EXTEND OR ALTER THE COVERAGE AFFORDED BY THE POLICIES BELOW.

INSURERS AFFORDING COVERAGE

INSURER A: HANOVER INSURANCE COS.
INSURER B:
INSURER C:
INSURER D:
INSURER E:

COVERAGES

THE POLICIES OF INSURANCE LISTED BELOW HAVE BEEN ISSUED TO THE INSURED NAMED ABOVE FOR THE POLICY PERIOD INDICATED. NOTWITHSTANDING ANY REQUIREMENT, TERM OR CONDITION OF ANY CONTRACT OR OTHER DOCUMENT WITH RESPECT TO WHICH THIS CERTIFICATE MAY BE ISSUED OR MAY PERTAIN, THE INSURANCE AFFORDED BY THE POLICIES DESCRIBED HEREIN IS SUBJECT TO ALL THE TERMS, EXCLUSIONS AND CONDITIONS OF SUCH POLICIES. AGGREGATE LIMITS SHOWN MAY HAVE BEEN REDUCED BY PAID CLAIMS.

INSR LTR	TYPE OF INSURANCE	POLICY NUMBER	POLICY EFFECTIVE DATE (MM/DD/YY)	POLICY EXPIRATION DATE (MM/DD/YY)	LIMITS
A	<input checked="" type="checkbox"/> GENERAL LIABILITY <input checked="" type="checkbox"/> COMMERCIAL GENERAL LIABILITY <input type="checkbox"/> CLAIMS MADE <input checked="" type="checkbox"/> OCCUR GEN'L AGGREGATE LIMIT APPLIES PER: POLICY: PHO-JECT: LOC:	ZDV 6338381 00	4/13/01	4/13/02	EACH OCCURRENCE \$ 1,000,000 FIRE DAMAGE (Any one fire) \$ 100,000 MED EXP (Any one person) \$ 5,000 PERSONAL & ADV INJURY \$ 1,000,000 GENERAL AGGREGATE \$ 2,000,000 PRODUCTS - COMP/OP AGG \$ 2,000,000
A	<input checked="" type="checkbox"/> AUTOMOBILE LIABILITY <input type="checkbox"/> ANY AUTO <input type="checkbox"/> ALL OWNED AUTOS <input type="checkbox"/> SCHEDULED AUTOS <input type="checkbox"/> HIRED AUTOS <input type="checkbox"/> NON-OWNED AUTOS	ABV6338388 00	4/13/01	4/13/02	COMBINED SINGLE LIMIT (Ea accident) \$ 1,000,000 BODILY INJURY (Per person) \$ BODILY INJURY (Per accident) \$ PROPERTY DAMAGE (Per accident) \$
	<input type="checkbox"/> GARAGE LIABILITY <input type="checkbox"/> ANY AUTO				AUTO ONLY - EA ACCIDENT \$ OTHER THAN EA ACC \$ AUTO ONLY: AGG \$
	<input type="checkbox"/> EXCESS LIABILITY <input type="checkbox"/> OCCUR CLAIMS MADE DEDUCTIBLE: RETENTION \$				EACH OCCURRENCE \$ AGGREGATE \$ \$ \$ \$
A	<input type="checkbox"/> WORKERS COMPENSATION AND EMPLOYERS' LIABILITY	TBD	6/2/01	6/2/02	WC STATUTORY LIMITS OTHER E.L. EACH ACCIDENT \$ 100,000 E.L. DISEASE - EA EMPLOYEE \$ 500,000 E.L. DISEASE - POLICY LIMIT \$ 100,000
	<input type="checkbox"/> OTHER				100,000

DESCRIPTION OF OPERATIONS/LOCATIONS/VEHICLES/EXCLUSIONS ADDED BY ENDORSEMENT/SPECIAL PROVISIONS

CERTIFICATE HOLDER ADDITIONAL INSURED; INSURER LETTER:

THE FAIRFIELD INN by MARRIOTT
340 Park Ave.
Portland, Maine

CANCELLATION

SHOULD ANY OF THE ABOVE DESCRIBED POLICIES BE CANCELLED BEFORE THE EXPIRATION DATE THEREOF, THE ISSUING INSURER WILL ENDEAVOR TO MAIL _____ DAYS WRITTEN NOTICE TO THE CERTIFICATE HOLDER NAMED TO THE LEFT, BUT FAILURE TO DO SO SHALL IMPOSE NO OBLIGATION OR LIABILITY OF ANY KIND UPON THE INSURER, ITS AGENTS OR REPRESENTATIVES.

AUTHORIZED REPRESENTATIVE


ORDER #14269A
 JOB # _____ - FRAME
 # _____ - FACE

6'-4 1/8" X 11'-8" S/F
 8 X 1 1/2" ALUM SPACER
 W/ NEW BLEED FIXED RETRO
 .040 ALUM BACK
 3 - 1/2" EYEBOLTS; FLUSH MOUNT HOLES
 ELEC OUT - THRU BACK, NEAR CENTER
 EXT SWITCH - THRU END, NEAR BOTTOM
 UL SPECS
 INCLUDE LAMPS; INSTALL FACE
 PAINT LACRYL SERIES 95;
 MATCH PMS 294 BLUE


CRATE

- S 1 140" L2
- S 2 58 5/8" MA, M1038*
- S 3 72" M1014*, M1038*
- ALUM RW 2 54" N282
- ALUM RW 2 65 3/4" N281
- ALUM RW 2 14 1/8" N281
- ALUM RW 1 134 3/4" N282
- AAI 6 7 7/8" - 2 X 3/16 (CROSS)
- AAI 1 25 3/4" - 1 1/2 X 3/16 (VERT)
- AAI 2 57 1/8" - 1 1/2 X 3/16 (VERT)
- ALUM STRAP 6 7 7/8" - 2 X 3/16 (CROSS)
- AI 4 140" - 1 1/2 X 3/16 (MOUNTING)

- 11 PR SOCKETS
- 2 672A BALLAST
 (8.4 AMPS/120 V)




SCALE: 3/4" = 1'-0"



950 PANAFLEX
 BLANK: 7'-1" X 12'-4"

Portland

		TRF PAS91512HW Z1P071112	SHEET NO. X TOTAL SHEETS X
DATE: 04.17.01 TIME: 01:46 PM	PROJECT: 950 PANAFLEX LOCATION:	DRAWING NO. E-4 1/8" X 11'-8" S/F	SHEET NO. X TOTAL SHEETS X
DRAWN BY:	CHECKED BY:	APPROVED BY:	DATE:



FRAME & LAMP DETAIL

SCALE: 1/2" = 1'-0"

SPECIFICATIONS

FRAME


- 1 34" X 1" X .063 ALUMINUM BEND BACK SKIN
- 2 1 1/2" X 2 1/2" X 3/16" ANGLE
- 3 1 1/2" X 1 1/2" X 3/16" SQUARE TUBE
- 4 2" X 2 3/16" ANGLE
- 5 1 1/2" X 1 1/2" X 3/16" ANGLE
- 6 1" X 1" X 1/8" ANGLE
- 7 2" X 2" X 3/16" STRAP
- 8 RACEWAY
- 9 BALLAST CHANNEL
- 10 BALLAST: ALLANSON 396-A 2-REQUIRED
- 11 4120-A 2-REQUIRED
- 12 LAMPS: F108T12 CW/HO 2-REQUIRED
- 13 F96T12 CW/HO 6-REQUIRED
- 14 F84T12 CW/HO 8-REQUIRED
- 15 SOCKETS: KULKA DOUBLE CONTACT SNAP IN
- 16 LAMP HOLDERS 582 & 583, 530 1 & 2
- 17 8" Ø EYEBOLTS 3-REQUIRED
- 18 3/4" X 21" X 18" PLATE/MATCH PLATE
- 19 1/4" X 4" X 6" GUSSETS
- 20 EXTERNAL ON/OFF SWITCH
- 21 ELECTRIC OUT PROVISION IN 2" X 4" BOX
- 22 MAIN SIZE SERVICE DOORS

FACE

- A 3M PANAFLEX SERIES 945
- B VT-1430 BLUE: BACKGROUND
- C VT-0502 RED: UNDERLINE
- D WHITE: COPY & BORDER


NOTES

DESIGN FACTOR: 40 PSF
 LAMPS INCLUDED
 U.L. APPROVED
 ELECTRICAL: 13.0 AMPS, 120 VOLTS




CROSS SECTION

SCALE: 3/4" = 1'-0"



PLATE/MATCH PLATE DETAIL

SCALE: 3/4" = 1'-0"




GRAPHICS DETAIL

SCALE: 1/2" = 1'-0"

		TITLE: F190-P200 DF FR F190-P200 FT FA DRAWN BY: DAD DATE: 2/20/98 CHECKED BY: [blank] PROJECT NO.: 9'-8" X 17'-2 1/8" B/F LOCATION: HARBOR - FAIRFIELD INN DATE OF APPROVAL: [blank]	MINI PRINT NOT TO SCALE SHEET NO. 1 of 2 DATE: 2/20/98 DRAWN BY: DAD CHECKED BY: [blank] PROJECT NO.: 9'-8" X 17'-2 1/8" B/F LOCATION: HARBOR - FAIRFIELD INN DATE OF APPROVAL: [blank]
--	--	--	--

JOB #116928 - FRAME
 #116928 - FACE
 #XXXXXX - POLE COVER

04.17.01 01:46 PM POC



- 1 - 3'-3" X 5'-10 1/2" D/F
- 18 X 1 1/2 X .080 ALUM SPACER
- 1 1/2" FLAT RETAINER
- 1 - 4" ID PIPE SADDLE
- 1 - 1/2" EYEBOLT
- ELEC OUT - THRU SADDLE MOUNT
- EXT SWITCH - THRU END, NEAR BOTTOM
- UL SPECS
- INCLUDE LAMPS; INSTALL FACES
- PAINT FRAME DAU - MATCH PMS 294 BLUE

EXT SWITCH

3" ALUM C-CHANNEL REVEAL
 .080 ALUM POLE COVER W/
 ROUTED COPY & POLY BACKER
 W/VT-0502 RED VINYL (1st SURFACE)
 1/8" FLAT WHITE SG POLY
 TRIM: 12" X 62"


CF

SCALE: 1" = 1'-0"



- 01 - 2'-9" X 5'-10 1/2" X 19" POLE COVER
- 1 1/2 X 1/16 SQ ALUM TUBE FRAMEWORK
- 3" ALUM C-CHANNEL REVEAL
- .080 ALUM SKINS
 - WELD FRONT & BACK
 - C'SINK SCREW ENDS
 - SERVICE ACCESS
- UL SPECS
- INCLUDE LAMPS; INSTALL FACES
- PAINT DAU - MATCH PMS 468 BEIGE

Portland



3/16" WHITE SG POLY FLAT
 TRIM: CSF ROUTE PER SKETCH
 VINYL (1st SURFACE):
 VT-1430 BLUE B/G
 VT-0502 RED UNDERLINE
 WHITE COPY, BORDER

	TYPE	F1-ADD40618MVL F1-P2F0406187	DRWG NO	M124-95/177	DATE	01
	NO	5'-3" X 5'-10 1/2" D/F	DRWG BY	NJP	DATE	
P.O. BOX 219 280 3rd Street Newark, NJ 07102 (908) 938-2544	REVISION		REVISED		DATE	BY
FAIRFIELD INN DATE OF APPROVAL			1	Expanded In Placement	5/25/02	MBB
			2	REV 5/25/02 BY JC	12/25/02	MBB

