SIGN B	PPG
Type:	Single-Face Wall Sign
Illumination:	Internally Illuminated w/ LED's
Square Footage:	32.11
To Grade:	Top of sign to grade = 14'-10 1/2" Bottom of sign to grade = 12'-0 18/2"

Sign Layout Detail

Scale: 1/2" = 1'-0"

Inspections Division
Date: 12/18/14

Color Specifications:

- Pantone 151C Orange
- Pantone 1785C Red
- Pantone 2577C Purple
- Pantone 2955C Blue
- Pantone 307C Blue
- Pantone 376C Green
- Pantone 116C Yellow

Electrical:

White LEDs Agilight Pro160 5000K
(2) 60w Transformers
Total Amps: 1.70
(1) 20 amp 120V Circuit Req.

UL LISTED

General Notes:

This sign is to be installed in accordance with the requirements of Article 600 of the National Electrical Code.

1) Grounded and bonded per NEC 600.7/NEC 250
2) Existing branch circuit in compliance with NEC 600.5, not to exceed 20 amps
3) Sign is to be UL listed per NEC 600.3
4) UL disconnect switch per NEC 600.6- required per sign component before leaving manufacturer*
*For multiple signs, a disconnect is permitted but not required for each section

Specifications: Wall Sign, Lexan Face

1. Existing Facade: Brick
2. 0.080" Aluminum sign cabinet painted to match PMS 307C
3. 2" x 2" Aluminum angle retainers painted to match PMS 307C
4. 3/16" White Lexan face with first surface digitally printed vinyl
5. Sign cabinet contains White LEDs and transformers
6. Disconnect switch UL Outdoor rated toggle type w/ neoprene boot per NEC 600-6
7. Primary electrical feed
8. Mounting hardware; 3/8" Sleeve anchor

Section @ S/F Wall Sign

LED Illum

Scale: N.T.S.

PPG PAINTS

Client: PPG
Site #: PP-8289
Address: 973 Congress Street
Portland, ME 04102

REVISION INFO			
09/30/2014	Original Rendering	SD
11/18/2014	Updated for permitting	AW

This rendering is the property of Anchor Sign, Inc. It is for the exclusive use of Anchor Sign, Inc. and the party which requested the rendering. It is an unpublished original drawing not to be distributed, reproduced or exhibited without the consent of Anchor Sign, Inc. Please contact your account manager with questions regarding this statement.

AnchorSign
1.800.213.3331