



- INDICATES ONE HOUR SEPARATED AREA
- A — 3 5/8" METAL STUD FRAMING @ 16" o. c. TO UNDERSIDE OF DECK W/ BATT INSULATION, (1) LAYER 5/8" GWB EACH SIDE. STC RATING = 54
- B — 3 5/8" METAL STUD FRAMING @ 16" o. c. TO UNDERSIDE OF DECK W/ BATT INSULATION, (1) LAYER 5/8" TYPE X GWB EACH SIDE. STC RATING = 54 ONE HOUR RATING
- C — 1 5/8" STEEL FURRING CHANNELS @ 16" o. c. VERTICALLY AT EXISTING BRICK OR MASONRY WALLS, (1) LAYER 5/8" GWB.
- INDICATES NEW PARTITION
- ⊕ EMERGENCY LIGHTING
- ⊕ EXIT SIGN
- ☒ FIRE EXTINGUISHER CABINET
- DOOR LOCKED SHUT

SECOND FLOOR PLAN

© 2006 TFH ARCHITECTS

**MERCY PHYSICIAN PRACTICE**  
 PORTLAND, MAINE  
 959 CONGRESS STREET  
 K E Y  
**shinberg**  
 CONSULTING, LLC

PROJECT NAME  
 PROJECT ADDRESS  
 PROJECT OWNER  
 OWNER'S REPRESENTATIVE

**TFH ARCHITECTS**  
 100 COMMERCIAL STREET  
 PORTLAND MAINE 04101  
 TELEPHONE 207 775 6141  
 ARCHITECTURE PLANNING

CONSULTANTS:

REVISIONS:

DATE: 04.10.06  
 PROJECT No. 0603  
 DRAWN BY: WFA  
 CHECKED BY: WFA  
 SCALE: 1/4" = 1'-0"  
 SHEET TITLE:

A1.2