



- INDICATES ONE HOUR SEPARATED AREA
- A 3 5/8" METAL STUD FRAMING @ 16" o. c. TO UNDERSIDE OF DECK
 W/ BATT INSULATION. (1) LAYER 5/8" TYPE X GWB EACH SIDE.
 STC RATING = 54
- B 3 5/8" METAL STUD FRAMING @ 16" o. c. TO UNDERSIDE OF DECK
 W/ BATT INSULATION. (1) LAYER 5/8" TYPE X GWB EACH SIDE.
 STC RATING = 54 ONE HOUR RATING
- C 1 5/8" STEEL FURRING CHANNELS @ 16" o. c. VERTICALLY AT EXISTING
 BRICK OR MASONRY WALLS. (1) LAYER 5/8" GWB.
- D 5/8" TYPE X GWB
 7/8" FURRING CHANNEL
 5/8" TYPE X GWB
 ONE HOUR RATED CEILING
- INDICATES NEW PARTITION
- EMERGENCY LIGHTING
- EXIT SIGN

FIRST FLOOR PLAN

© 2006 TFH ARCHITECTS

MERCY PHYSICIAN PRACTICE
 PORTLAND, MAINE

shinberg
 CONSULTING, LLC

477 CONGRESS STREET, 5TH FLOOR,
 PORTLAND, ME 04101
 TEL: 207 523 3410

PROJECT NAME
 PROJECT ADDRESS
 PROJECT OWNER
 OWNER'S REPRESENTATIVE

TFH ARCHITECTS
 100 COMMERCIAL STREET
 PORTLAND MAINE 04101
 TELEPHONE 207 775 6141
 ARCHITECTURE PLANNING

CONSULTANTS:

REVISIONS:

DATE: 04.10.06
 PROJECT No. 0603
 DRAWN BY: WFA
 CHECKED BY: WFA
 SCALE: 1/4" = 1'-0"
 SHEET TITLE:

A1.1