

Location of Construction: 389 Congress St. 04101		Owner: Canaan Granite		Phone: 179-1511		Permit No: <b>990998</b>	
Owner Address: 389 Congress St.		Lessee/Buyer's Name:		Phone:		BusinessName:	
Contractor Name: Canaan Granite		Address:		Phone:		Permit Issued: <b>SEP 14 1999</b> <b>CITY OF PORTLAND</b>	
Past Use:		Proposed Use:		COST OF WORK: \$		PERMIT FEE: \$ 34.95	
				FIRE DEPT. <input type="checkbox"/> Approved <input type="checkbox"/> Denied		INSPECTION: 3191998 Use Group: A-3 Type: B00490	
				Signature:		Signature: <i>[Signature]</i>	
Proposed Project Description: Building alterations 5426n				PEDESTRIAN ACTIVITIES DISTRICT (P.A.D.)			
				Action: <input type="checkbox"/> Approved <input type="checkbox"/> Approved with Conditions <input type="checkbox"/> Denied			
				Signature:		Date:	
Permit Taken By: <i>[Signature]</i>		Date Applied For: September 23, 1999					

1. This permit application does not preclude the Applicant(s) from meeting applicable State and Federal rules.
2. Building permits do not include plumbing, septic or electrical work.
3. Building permits are void if work is not started within six (6) months of the date of issuance. False information may invalidate a building permit and stop all work..

Please call permit to  
Search number  
389 Congress St.  
Portland, ME 04101

**PERMIT ISSUED  
WITH REQUIREMENTS**

**CERTIFICATION**

I hereby certify that I am the owner of record of the named property, or that the proposed work is authorized by the owner of record and that I have been authorized by the owner to make this application as his authorized agent and I agree to conform to all applicable laws of this jurisdiction. In addition, if a permit for work described in the application is issued, I certify that the code official's authorized representative shall have the authority to enter all areas covered by such permit at any reasonable hour to enforce the provisions of the code(s) applicable to such permit

SIGNATURE OF APPLICANT \_\_\_\_\_ ADDRESS: \_\_\_\_\_ DATE: 9/23/99 PHONE: \_\_\_\_\_

RESPONSIBLE PERSON IN CHARGE OF WORK, TITLE \_\_\_\_\_ PHONE: \_\_\_\_\_

Zone: \_\_\_\_\_ CBL: \_\_\_\_\_

Zoning Approval:

**Special Zone or Reviews:**

Shoreland  
 Wetland  
 Flood Zone  
 Subdivision  
 Site Plan maj  minor  mm

**Zoning Appeal**

Variance  
 Miscellaneous  
 Conditional Use  
 Interpretation  
 Approved  
 Denied

**Historic Preservation**

Not in District or Landmark  
 Does Not Require Review  
 Requires Review

Action:

Approved  
 Approved with Conditions  
 Denied

Date: \_\_\_\_\_

CEO DISTRICT

COMMENTS

10/4/99 7x6 sign  
installed &  
anchor bolted  
with guide wires  
Close out for building  
framing

Inspection Record

Type

Foundation: \_\_\_\_\_  
Framing: \_\_\_\_\_  
Plumbing: \_\_\_\_\_  
Final: \_\_\_\_\_  
Other: \_\_\_\_\_

Date

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

**THIS IS NOT A PERMIT/CONSTRUCTION CANNOT COMMENCE UNTIL THE PERMIT IS ISSUED**

**Building or Use Permit Pre-Application  
Attached Single Family Dwellings/Two-Family Dwelling  
Multi-Family or Commercial Structures and Additions Thereto**

In the interest of processing your application in the quickest possible manner, please complete the Information below for a Building or Use Permit.

**NOTE\*\*If you or the property owner owes real estate or personal property taxes or user charges on ANY PROPERTY within the City, payment arrangements must be made before permits of any kind are accepted.**

Location/Address of Construction (include Portion of Building) <i>921 Congress St 04101</i>			
Total Square Footage of Proposed Structure		Square Footage of Lot <i>1126</i>	
Tax Assessor's Chart, Block & Lot Number <i>065 ES Block # 0 Lot # 17</i>	Owner <i>SARAH TONY W. MANALERA</i>	Telephone# <i>875-2577</i>	
Owner's Address: <i>SARAH TONY W. MANALERA 921 CONGRESS ST</i>	Lessee/Buyer's Name (If Applicable)	Cost Of Work:	Fee <i>\$ 34.95</i>
Proposed Project Description: (Please be as specific as possible) <i>Sign on Building 54 X 66</i>			
Contractor's Name, Address & Telephone <i>Bailey Sign</i>			Rec'd By <i>J</i>
Current Use: <i>Restaurant</i>	Proposed Use: <i>Sign</i>		

Separate permits are required for Internal & External Plumbing, HVAC and Electrical installation.

- All construction must be conducted in compliance with the 1996 B.O.C.A. Building Code as amended by Section 6-Art II.
- All plumbing must be conducted in compliance with the State of Maine Plumbing Code.
- All Electrical Installation must comply with the 1996 National Electrical Code as amended by Section 6-Art III.
- HVAC (Heating, Ventilation and Air Conditioning) installation must comply with the 1993 BOCA Mechanical Code.

You must Include the following with you application:

- 1) A Copy of Your Deed or Purchase and Sale Agreement
- 2) A Copy of your Construction Contract, if available
- 3) A Plot Plan/Site Plan

Minor or Major site plan review will be required for the above proposed projects. The attached checklist outlines the minimum standards for a site plan.

**4) Building Plans**


**Unless exempted by State Law, construction documents must be designed by a registered design professional.**

A complete set of construction drawings showing all of the following elements of construction:

- Cross Sections w/Framing details (including porches, decks w/ railings, and accessory structures)
- Floor Plans & Elevations
- Window and door schedules
- Foundation plans with required drainage and dampproofing
- Electrical and plumbing layout. Mechanical drawings for any specialized equipment such as furnaces, chimneys, gas equipment, HVAC equipment (air handling) or other types of work that may require special review must be included.

**Certification**

I hereby certify that I am the Owner of record of the named property, or that the proposed work is authorized by the owner of record and that I have been authorized by the owner to make this application as his/her authorized agent. I agree to conform to all applicable laws of this jurisdiction. In addition, if a permit for work described in this application is issued, I certify that the Code Official's authorized representative shall have the authority to enter all areas covered by this permit at any reasonable hour to enforce the provisions of the codes applicable to this permit.



Signature of applicant: <i>SARAH TONY W. MANALERA</i>	Date: <i>8-30-99</i>
--	-------------------------

Building Permit Fee: \$25.00 for the 1st \$1000. cost plus \$5.00 per \$1,000.00 construction cost thereafter.  
Additional Site review and related fees are attached on a separate addendum

**SIGNAGE PRE-APPLICATION**

PLEASE ANSWER ALL QUESTIONS

ADDRESS: 921 Congress St ZONE: B-2

OWNER: SARGENT W. W. W. W. W. W.

APPLICANT: SARGENT W. W. W. W. W. W.

ASSESSOR NO. W 34170 -95 65 D 17

PLEASE CIRCLE APPROPRIATE ANSWER

SINGLE TENANT LOT? YES  NO  MULTI-TENANT LOT? YES  NO

FREESTANDING SIGN? (ex. Pole Sign) YES  NO  DIMENSIONS \_\_\_\_\_ HEIGHT \_\_\_\_\_

MORE THAN ONE SIGN? YES  NO  DIMENSIONS \_\_\_\_\_ HEIGHT \_\_\_\_\_

SIGN ATTACHED TO BLDG.? YES  NO  DIMENSIONS 54" X 66" = 3564# 144

MORE THAN ONE SIGN? YES  NO  DIMENSIONS \_\_\_\_\_

AWNING: YES  NO  IS AWNING BACKLIT? YES  NO  HEIGHT OFF SIDEWALK \_\_\_\_\_  
IS THERE ANY MESSAGE, TRADEMARK OR SYMBOL ON IT? \_\_\_\_\_

24.75'


LIST ALL EXISTING SIGNAGE AND THEIR DIMENSIONS: \_\_\_\_\_

None

\*\*\* TENANT BLDG. FRONTAGE (IN FEET): \_\_\_\_\_

\*\*\* REQUIRED INFORMATION

AREA FOR COMPUTATION



Sign  
CBL shows  
23' width of lot  
23 X 1.5m

34.5'  
max

**YOU SHALL PROVIDE:**

**A SITE SKETCH AND BUILDING SKETCH SHOWING EXACTLY WHERE EXISTING AND NEW SIGNAGE IS LOCATED MUST BE PROVIDED. SKETCHES AND/OR PICTURES OF PROPOSED ARE ALSO REQUIRED.**

SIGNATURE OF APPLICANT: SARGENT W. W. W. W. W. W. DATE: 8-30-99

BUILDING PERMIT REPORT

DATE: 2/Sept 99 ADDRESS: 921 Congress St. CBL: 065-D-017

REASON FOR PERMIT: Signage

BUILDING OWNER: Someak Waramalee

PERMIT APPLICANT: \_\_\_\_\_ /Contractor Bailey Sign.

USE GROUP Signage CONSTRUCTION TYPE \_\_\_\_\_

The City's Adopted Building Code (The BOCA National Building Code/1996 with City Amendments)  
The City's Adopted Mechanical Code (The BOCA National Mechanical Code/1993)


CONDITION(S) OF APPROVAL

This permit is being issued with the understanding that the following conditions are met: \*1, \*34

Approved with the following conditions: \_\_\_\_\_

- X1. This permit does not excuse the applicant from meeting applicable State and Federal rules and laws.
- 2. Before concrete for foundation is placed, approvals from the Development Review Coordinator and Inspection Services must be obtained. (A 24 hour notice is required prior to inspection) **"ALL LOT LINES SHALL BE CLEARLY MARKED BEFORE CALLING."**
- 3. Foundation drain shall be placed around the perimeter of a foundation that consists of gravel or crushed stone containing not more than 10 percent material that passes through a No. 4 sieve. The drain shall extend a minimum of 12 inches beyond the outside edge of the footing. The thickness shall be such that the bottom of the drain is not higher than the bottom of the base under the floor, and that the top of the drain is not less than 6 inches above the top of the footing. The top of the drain shall be covered with an approved filter membrane material. Where a drain tile or perforated pipe is used, the invert of the pipe or tile shall not be higher than the floor elevation. The top of joints or top of perforations shall be protected with an approved filter membrane material. The pipe or tile shall be placed on not less than 2" of gravel or crushed stone, and shall be covered with not less than 6" of the same material. Section 1813.5.2
- 4. Foundations anchors shall be a minimum of 1/2" in diameter, 7" into the foundation wall, minimum of 12" from corners of foundation and a maximum 6' o.c. between bolts. (Section 2305.17)
- 5. Waterproofing and dampproofing shall be done in accordance with Section 1813.0 of the building code.
- 6. Precaution must be taken to protect concrete from freezing. Section 1908.0
- 7. It is strongly recommended that a registered land surveyor check all foundation forms before concrete is placed. This is done to verify that the proper setbacks are maintained.
- 8. Private garages located beneath habitable rooms in occupancies in Use Group R-1, R-2, R-3 or I-1 shall be separated from adjacent interior spaces by fire partitions and floor/ceiling assembly which are constructed with not less than 1-hour fire resisting rating. Private garages attached side-by-side to rooms in the above occupancies shall be completely separated from the interior spaces and the attic area by means of 1/2 inch gypsum board or the equivalent applied to the garage means of 1/2 inch gypsum board or the equivalent applied to the garage side. (Chapter 4, Section 407.0 of the BOCA/1996)
- 9. All chimneys and vents shall be installed and maintained as per Chapter 12 of the City's Mechanical Code. (The BOCA National Mechanical Code/1993). Chapter 12 & NFPA 211
- 10. Sound transmission control in residential building shall be done in accordance with Chapter 12, Section 1214.0 of the City's Building Code.
- 11. Guardrails & Handrails: A guardrail system is a system of building components located near the open sides of elevated walking surfaces for the purpose of minimizing the possibility of an accidental fall from the walking surface to the lower level. Minimum height all Use Groups 42", except Use Group R which is 36". In occupancies in Use Group A, B, H-4, I-1, I-2, M and R and public garages and open parking structures, open guards shall have balusters or be of solid material such that a sphere with a diameter of 4" cannot pass through any opening. Guards shall not have an ornamental pattern that would provide a ladder effect. (Handrails shall be a minimum of 3e4" but not more than 38". Use Group R-3 shall not be less than 30", but not more than 38".) Handrail grip size shall have a circular cross section with an outside diameter of at least 1 1/4" and not greater than 2". (Sections 1021 & 1022.0) - Handrails shall be on both sides of stairway. (Section 1014.7)
- 12. Headroom in habitable space is a minimum of 7'6". (Section 1204.0)
- 13. Stair construction in Use Group R-3 & R-4 is a minimum of 10" tread and 7 3/4" maximum rise. All other Use Group minimum 11" tread, 7" maximum rise. (Section 1014.0)
- 14. The minimum headroom in all parts of a stairway shall not be less than 80 inches. (6'8") 1014.4
- 15. Every sleeping room below the fourth story in buildings of Use Groups R and I-1 shall have at least one operable window or exterior door approved for emergency egress or rescue. The units must be operable from the inside without the use of special knowledge or separate tools. Where windows are provided as means of egress or rescue they shall have a sill height not more than 44 inches (1118mm) above the floor. All egress or rescue windows from sleeping rooms shall have a minimum net clear opening height dimension of 24 inches (610mm). The minimum net clear opening width dimension shall be 20 inches (508mm), and a minimum net clear opening of 5.7 sq. ft. (Section 1018.6)

16. Each apartment shall have access to two (2) separate, remote and approved means of egress. A single exit is acceptable when it exits directly from the apartment to the building exterior with no communications to other apartment units. (Section 1010.1)
17. All vertical openings shall be enclosed with construction having a fire rating of at least one (1) hour, including fire doors with self closer's. (Over 3 stories in height requirements for fire rating is two (2) hours.) (Section 710.0)
18. The boiler shall be protected by enclosing with (1)hour fire rated construction including fire doors and ceiling, or by providing automatic extinguishment. (Table 302.1.1)
19. All single and multiple station smoke detectors shall be of an approved type and shall be installed in accordance with the provisions of the City's Building Code Chapter 9, Section 920.3.2 (BOCA National Building Code/1996), and NFPA 101 Chapter 18 &19. (Smoke detectors shall be installed and maintained at the following locations):
  - In the immediate vicinity of bedrooms
  - In all bedrooms
  - In each story within a dwelling unit, including basementsIn addition to the required AC primary power source, required smoke detectors in occupancies in Use Groups R-2, R-3 and I-1 shall receive power from a battery when the AC primary power source is interrupted. (Interconnection is required) Section 920.3.2.
20. A portable fire extinguisher shall be located as per NFPA #10. They shall bear the label of an approved agency and be of an approved type. (Section 921.0)
21. The Fire Alarm System shall maintained to NFPA #72 Standard.
22. The Sprinkler System shall maintained to NFPA #13 Standard.
23. All exit signs, lights and means of egress lighting shall be done in accordance with Chapter 10 Section & Subsections 1023.0 & 1024.0 of the City's Building Code. (The BOCA National Building Code/1996)
24. Section 25-135 of the Municipal Code for the City of Portland states, "No person or utility shall be granted a permit to excavate or open any street or sidewalk from the time of November 15 of each year to April 15 of the following year".
25. The builder of a facility to which Section 4594-C of the Maine State Human Rights Act Title 5 MRSA refers, shall obtain a certification from a design professional that the plans commencing construction of the facility, the builder shall submit the certification the Division of Inspection Services.
26. Ventilation shall meet the requirements of Chapter 12 Sections 1210.0 of the City's Building Code. (Crawl spaces & attics).
27. All electrical, plumbing and HVAC permits must be obtained by a Master Licensed holders of their trade. **No closing in of walls until all electrical (min.72 hours notice) and plumbing inspections have been done.**
28. All requirements must be met before a final Certificate of Occupancy is issued.
29. All building elements shall meet the fastening schedule as per Table 2305.2 of the City's Building Code (the BOCA National Building Code/1996).
30. Ventilation of spaces within a building shall be done in accordance with the City's Mechanical Code (The BOCA National Mechanical Code/1993). (Chapter M-16)
31. Please read and implement the attached Land Use Zoning report requirements.
32. Boring, cutting and notching shall be done in accordance with Sections 2305.4.4, 2305.5.1 and 2305.5.3 of the City's Building Code.
33. Glass and glazing shall meet the requirements of Chapter 24 of the building code.
- ~~34.~~ All signage, shall be done in accordance with Section 3102.0 signs of the City's Building Code, (The BOCA National Building Code 1996).
35. \_\_\_\_\_
36. \_\_\_\_\_
37. \_\_\_\_\_
38. \_\_\_\_\_

  
P. Samuel Proffes, Building Inspector  
cc: L. McDougall, PFD  
Marge Schmuckal, Zoning Administrator

PSH 7/24/99

**\*\*On the basis of plans submitted and conditions placed on these plans any deviations shall require a separate approval.**

**ACORD. CERTIFICATE OF INSURANCE**OP ID LC  
SENGT-1DATE (MM/DD/YY)  
09/01/99

## PRODUCER

Prindle Insurance Agency  
31 Mallett Drive, P.O. Box 537  
Freeport ME 04032Linda Capen  
207-865-3131

## INSURED

Seng Thai Food 2  
Somsak Waramalee DBA  
921 Congress St  
Portland ME 04102

THIS CERTIFICATE IS ISSUED AS A MATTER OF INFORMATION ONLY AND CONFERS NO RIGHTS UPON THE CERTIFICATE HOLDER. THIS CERTIFICATE DOES NOT AMEND, EXTEND OR ALTER THE COVERAGE AFFORDED BY THE POLICIES BELOW.

## COMPANIES AFFORDING COVERAGE

COMPANY  
A Travelers Cas & Surety CoCOMPANY  
BCOMPANY  
CCOMPANY  
D

## COVERAGES

THIS IS TO CERTIFY THAT THE POLICIES OF INSURANCE LISTED BELOW HAVE BEEN ISSUED TO THE INSURED NAMED ABOVE FOR THE POLICY PERIOD INDICATED, NOTWITHSTANDING ANY REQUIREMENT, TERM OR CONDITION OF ANY CONTRACT OR OTHER DOCUMENT WITH RESPECT TO WHICH THIS CERTIFICATE MAY BE ISSUED OR MAY PERTAIN, THE INSURANCE AFFORDED BY THE POLICIES DESCRIBED HEREIN IS SUBJECT TO ALL THE TERMS, EXCLUSIONS AND CONDITIONS OF SUCH POLICIES. LIMITS SHOWN MAY HAVE BEEN REDUCED BY PAID CLAIMS

CO LTR	TYPE OF INSURANCE	POLICY NUMBER	POLICY EFFECTIVE DATE (MM/DD/YY)	POLICY EXPIRATION DATE (MM/DD/YY)	LIMITS
A	GENERAL LIABILITY	I6B0353R2746TCT99	07/26/99	07/26/00	GENERAL AGGREGATE \$ 1000000
	<input checked="" type="checkbox"/> COMMERCIAL GENERAL LIABILITY				PRODUCTS - COMP/OP AGG \$ 1000000
	<input type="checkbox"/> CLAIMS MADE <input checked="" type="checkbox"/> OCCUR				PERSONAL & ADV INJURY \$ 500000
	<input type="checkbox"/> OWNER'S & CONTRACTOR'S PROT				EACH OCCURRENCE \$ 500000
					FIRE DAMAGE (Any one fire) \$ 300000
					MED EXP (Any one person) \$ 5000
	AUTOMOBILE LIABILITY				COMBINED SINGLE LIMIT \$
	<input type="checkbox"/> ANY AUTO				BODILY INJURY (Per person) \$
	<input type="checkbox"/> ALL OWNED AUTOS				BODILY INJURY (Per accident) \$
	<input type="checkbox"/> SCHEDULED AUTOS				PROPERTY DAMAGE \$
	GARAGE LIABILITY				AUTO ONLY - EA ACCIDENT \$
	<input type="checkbox"/> ANY AUTO				OTHER THAN AUTO ONLY \$
					EACH ACCIDENT \$
					AGGREGATE \$
	EXCESS LIABILITY				EACH OCCURRENCE \$
	<input type="checkbox"/> UMBRELLA FORM				AGGREGATE \$
	<input type="checkbox"/> OTHER THAN UMBRELLA FORM				\$
	WORKERS COMPENSATION AND EMPLOYERS' LIABILITY				STATUTORY LIMITS
	<input type="checkbox"/> THE PROPRIETOR/PARTNERS/EXECUTIVE OFFICERS ARE: <input type="checkbox"/> INCL <input type="checkbox"/> EXCL				EACH ACCIDENT \$
					DISEASE - POLICY LIMIT \$
					DISEASE - EACH EMPLOYEE \$
	OTHER				

## DESCRIPTION OF OPERATIONS/LOCATIONS/VEHICLES/SPECIAL ITEMS

Delicatessen &amp; Sandwich Shop

## CERTIFICATE HOLDER

CITY/OPP


The City of Portland  
Congress St  
Portland ME 04101

## CANCELLATION

SHOULD ANY OF THE ABOVE DESCRIBED POLICIES BE CANCELLED BEFORE THE EXPIRATION DATE THEREOF, THE ISSUING COMPANY WILL ENDEAVOR TO MAIL 10 DAYS WRITTEN NOTICE TO THE CERTIFICATE HOLDER NAMED TO THE LEFT, BUT FAILURE TO MAIL SUCH NOTICE SHALL IMPOSE NO OBLIGATION OR LIABILITY OF ANY KIND UPON THE COMPANY, ITS AGENTS OR REPRESENTATIVES.

AUTHORIZED REPRESENTATIVE

Linda Capen



ACORD 26-S (3/93)

ACORD CORPORATION 1993



Wendy 1912





NOTES:

DESIGN STATUS:

PRESENTATION PRINT DATE:

PROGRESS PRINT #.:

CONSTRUCTION/MOUNTING: DATE:

PERMIT/SITE PLAN: DATE:

APPROVED MANUFACTURING:

DATE:

VOLTAGE:

REVISIONS: 4/7/99 PHONE NO.  
8/30/99 REDRAW NEW SIZE & D.F.

**Bailey Sign**  
9 Thomas Drive  
C/O Westbrook Executive Park  
Westbrook, ME 04092  
207-774-2843 / 1-800-535-SIGN  
Fax: 774-1193  
E-Mail: newsign@baileysign.com  
© COPYRIGHT 1999

**PLEASE NOTE:**  
THIS IS A PROGRESS PRINT - FIELD MEASUREMENTS MAY OR MAY NOT NEED TO BE VERIFIED.  
THIS DESIGN IS THE EXCLUSIVE PROPERTY OF BAILEY SIGN INCORPORATED AND ALL RIGHTS TO ITS USE OR REPRODUCTION ARE RESERVED.  
COLORS SHOWN HERE ARE FOR DISTRIBUTION ONLY COLOR MATCH NUMBERS WILL BE NEEDED  
IF AN ELECTRIC SIGN, THEN INSTALLATION MUST BE ACCOMPLISHED IN TOTAL COMPLIANCE WITH THE NATIONAL ELECTRIC CODE, THE REQUIREMENTS OF UNDERWRITERS LABORATORY, CANADIAN STANDARDS ASSOCIATION, AND APPLICABLE LOCAL CODES.

CUSTOMER:  
**S&R SENG THAI FOOD**  
LOCATION:  
**CONGRESS ST.  
PORTLAND, ME**

SALESPERSON: **R.B.** DRAWN BY: **L.W.M.**

ACCEPTANCE SIGNATURE DATE: \_\_\_\_\_  
CLIENT \_\_\_\_\_

PS. # **D-355** W.O. # \_\_\_\_\_

SCALE **3/4" = 1'** DATE **4/5/99**

DRAWING NO:  
SHEET \_\_\_\_ / \_\_\_\_ **04031 R2**



OPTION A

10" U.C. & 6 3/4" L.C.  
WINDSOR BT. (NORMAL)

4 1/2" U.C.  
WINDSOR BT. (NORMAL)



OPTION B

10" U.C. & 6 3/4" L.C.  
WINDSOR BT. (NORMAL)


4 1/2" U.C.  
WINDSOR BT. (NORMAL)

(1) D.F. 5'-0" X 6'-0" X \_\_\_\_\_" INTERNALLY ILLUMINATED STICK OUT SIGN

OPTION A: CABINET & 1 1/2" RETAINER: MATTE BLACK  
V.O.: 54" X 66"  
PAN FACE: \_\_\_\_\_  
B/G = WHITE  
COPY "SENG THAI FOOD": WHITE OUT OF GERBER TRANS. RED VINYL  
20 3/8" PEPSI LOGO: GERBER TRANS. RED & DARK BLUE VINYL & WHITE  
ALL OTHER TEXT: BLACK VINYL

OPTION B: CABINET & 1 1/2" RETAINER: MATTE BLACK  
V.O.: 54" X 66"  
PAN FACE: \_\_\_\_\_  
B/G = WHITE  
COPY "SENG THAI FOOD": WHITE OUT OF GERBER TRANS. DARK BLUE VINYL  
20 3/8" PEPSI LOGO: GERBER TRANS. RED & DARK BLUE VINYL & WHITE  
ALL OTHER TEXT: BLACK VINYL





D/F ~~LE~~ FACED SIGN W/ SINGLE FILLER

- 1 - SINGLE FILLER - 8" DEPTH, ALLOY 6063-T5
- 2 - HINGE/LOCKING DEVICE - ALLOY 6005-T5, AN ALUM. EXTRUSION (COMBINED W/ A SPRING ENABLING THE HINGE/LOCKING TO MOVE OUT OF WAY FOR SERVICING, HINGED AT TOP)
- 3 BALLAST + SOCKETS - OUTDOOR, HIGH OUTPUT BALLAST FASTENS TO RACEWAY W/ SPECIALLY DESIGNED MOUNTING BRACKETS. RACEWAY COVERS SNAPPED ON + DESIGNED TO FIT TOMBSTONE SOCKETS.
- 4 SIGN BACKING - 23 GAUGE ALUM., INSIDE PRECOATED HIGH-GLOSS WHITE, ENSURES EVEN DISTRIBUTION OF LIGHT. SIGN BACKING IS PER RIVETED TO SINGLE FILLER W/ ALUM RIVETS,  $\approx 1/16" \times 3/8" \times 6"$  O.C.
- 5 RACEWAY + COVERS - PRECOATED WHITE ENAMEL SHEET METAL, ROLL FORMED SO THAT KNOCK-OUT ID HOLE COVER SNAPS ON TO RACEWAY BOTTOMS. RACEWAYS ARE FASTENED TO SIGN BACK W/ RIVETS.
- 6 GUSSETS - ALUM., FASTEN TO RACEWAY AND FILLER TO FORM A BRACING THAT STRENGTHENS THE CABINET.
- 7 FILLER CORNER BRACKET + JOINER BRACKET - ALUM. EXTRUSION, ALLOY 6063-T5, FASTENED W  $8 \times 3/8"$  SOCKET HEAD SCREWS.
- 8 P.V.C. GASKET - SLIDES INTO FILLER WITHOUT ADHESIVES FOR A WATER TIGHT SEAL PREVENTING ELECTRICAL COMPONENTS FROM CORROSION, V.L APPROVED.
- 9  $1 1/2"$  FRAME - ALUM EXTRUSION, ALLOY 6063-T5 DESIGNED FOR USE W/ HINGE LOCKING DEVICE, FOR RIGID FACE APPLICATION
- 10  $1/8"$  LEXAN FACE + HANGING STRIPS -  $1/8"$  LEXAN FACE W/ HANGING STRIPS TOP + BOTTOM TO PREVENT FACE FROM BLOWING OUT.

SIGN SPECIFICATIONS										
<input type="checkbox"/> ILLUMINATED	# ROWS NEON		NEON COLOR		NEON MM					
<input type="checkbox"/> NON-ILLUMINATED	CABINET TYPE		SF	DF	HEIGHT	LENGTH	WIDTH	RADIUS	MATERIAL RETAINER	DIVIDERS
FACE MATERIAL		TRIM SIZE		COLOR		# ROWS TRACK		RAB		SIZE
LAMPS		# LAMPS		BALLASTS		# ELECTRICAL LINES		BRAND GAUGE		COLOR
										AMPS/VOLTAGE
										120 Volts
POLE COVER SIZE										

Customer *TYPICAL S.F.*

Location

Designer *L. MERRIFIELD* Salesp *B. B.*

Revised		

Scale *NONE* Date *11*

Job/W.O.# Sheet

UL # AH-522605

FINAL MFG. PRINT  
DATE *5/28/92*  
OK PER *B. BAILEY*



(ACCEPTANCE SIGNATURE/DAT  
Project # Drawing