City of Portland, Maine – Building or Use Permit Application, 389 Congress Street, 04101, Tel: (207) 874-8703, FAX: 874-8716

| Location of Construction: | Owner: | Phone: | | Permit No9 7 1 2 2 9 |
|--|---|--|---|--|
| IIIS GIAman St. Owner Address: | Whitewater Dave Lopen Wessee/Buyer's Name: Rohummod Korgar 37 Scevers | Phone: Busine | ssName: | PERMIT ISSUED |
| Contractor Name: | Address: 1. 1. | $\frac{2}{2} \frac{2}{2} \frac{1}{2} \frac{1}$ | <u>した。</u> の方法MPUそよで | Pernit Issued: |
| Past Use: | Proposed Use: | COST OF WORK: \$ 500.00 | PERMIT FEE: \$ 25.00 | NOV 1 3 1997 |
| 6 - Kindle | ಎಲ್. ದಿಕ್ | FIRE DEPT. Deproved | INSPECTION: Use Group: Type: | CITY OF PORTLAND |
| Droposed Description | | Signature: 11 44 | Signature: | Zone: CBL: 055-5-007 |
| Proposed Project Description: Action: Approved | | | A Constant of the second se | |
| PHENVE EXECTION LACKS - | focul & luted kluots | | with Conditions: | □ Shoreland |
| | | Signature: | Date: | □Subdivision |
| Permit Taken By: Curre Greath | Date Applied For: | hovember 1997 | | Zoning Appeal |
| Building permits do not include plumbing, septic or electrical work. Building permits are void if work is not started within six (6) months of the date of issuance. False information may invalidate a building permit and stop all work | | | | ☐ Miscellaneous ☐ Conditional Use ☐ Interpretation ☐ Approved ☐ Denied |
| | | PERI WITH 9 | NIT ISSUED EQUIREMENTS | Historic Preservation Privot in District or Landmark Does Not Require Review Requires Review Action: |
| I hereby certify that I am the owner of record of authorized by the owner to make this applicatio if a permit for work described in the application areas covered by such permit at any reasonable | n as his authorized agent and I agree to conf is issued, I certify that the code official's au | form to all applicable laws of t thorized representative shall h | his jurisdiction. In addition, | Denied |
| 103 Conversiber (1997 | | | | |
| SIGNATURE OF APPLICANT CONTRACTOR | ERIZAL ADDRESS: | DATE: | PHONE: | - |
| RESPONSIBLE PERSON IN CHARGE OF WC | RK, TITLE | | PHONE: | |
| White | Parmit Dask Graan-Assassor's Canar | v-D.P.W. Pink-Public File | Ivory Card-Inspector | |

White–Permit Desk Green–Assessor's Canary–D.P.W. Pink–Public File Ivory Card–Inspector

4

LAND USE - ZONING REPORT

ADDRESS: 105 GlimAn DATE: REASON FOR PERMIT: Demolish enor White Water" evel Corp C-B-L: BUILDING OWNER: KargAr PERMIT APPLICANT: Mohammad APPROVED: With cond trans DENIED:_____ #6, #.8, #9 CONDITION(S) OF APPROVAL During its existence, all aspects of the Home Occupation criteria, Section 14-410, shall be 1. maintained.

- The footprint of the existing _______ shall not be increased during maintenance 2. reconstruction.
- All the conditions placed on the original, previously approved, permit issued on _____ 3. are still in effect for this amendment.
- Your present structure is legally nonconforming as to rear and side setbacks. If you were 4. to demolish the building on your own volition, you will not be able to maintain these same setbacks. Instead you would need to meet the zoning setbacks set forth in today's ordinances. In order to preserve these legally non-conforming setbacks, you may only rebuild the garage in place and in phases.
 - This property shall remain a single family dwelling. Any change of use shall require a separate permit application for review and approval.
 - Our records indicate that this property has a legal use of $\leq 1 \times 10^{-10}$ units. Any change in this approved use shall require a separate permit application for review and approval. Separate permits shall be required for any signage.

Separate permits shall be required for future decks and/or garage.

5.

Other requirements of condition the se decks may be legally Non conforming is. Once you remove These deckson your own ion you wray not be Able to replace Them unless y can meet The requirements at the time you rebuild . _____Marge Schmuckal, Zoning Administrator, Asst. Chief of Code Enforcement

| BUILDING PERMIT REPORT | | | | |
|--|---|--|--|--|
| DATE:ADDRESS:SJ | | | | |
| REASON FOR PERMIT: Perchel | | | | |
| BUILDING OWNER: White water Development Corp | | | | |
| CONTRACTOR: mohemmed Kerjer | | | | |
| CONTRACTOR: <u>mohominged Korgov</u> PERMITAPPLICANT: <u>APPROVAL: Korgov</u> DENHEI |) | | | |
| USE GROUP BOCA 1996 CONSTRUCTION TYPE | | | | |
| CONDITION(S) OF APPROVAL | | | | |
| This permit does not excuse the applicant from meeting applicable State and Federal rules and laws. Before concrete for foundation is placed, approvals from the Development Review Coordinator and Inspection Services must be obtained. (A 24 hour notice is required prior to inspection) Precaution must be taken to protect concrete from freezing. It is strongly recommended that a registered land surveyor check all foundation forms before concrete is placed. This is done to verify that the proper setbacks are maintained. Private garages located beneath habitable rooms in occupancies in Use Group R-1, R-2, R-3 or 1-1 shall be separated for adjacent interior spaces by fire partitions and floor/ceiling assembly which are constructed with not less than 1-hour fur resisting rating. Private garages attached side-by-side to rooms in the above occupancies shall be completely separated the interior spaces and the attic area by means of ½ inch gypsum board or the equivalent applied to the garage side. (Chapter 4 Section 407.0 of the BOCA/1996) All chinneys and vents shall be installed and maintained as per Chapter 12 of the City's Mechanical Code. (The BOC National Mechanical Code/1993). Sound transmission control in residential building shall be done in accordance with Chapter 12 section 1214.0 of the coulding code. Guardrails & Handrails: A guardrail system is a system of building components located near the open sides of elevate walking surfaces for the purpose of minimizing the possibility of an accidental fall from the walking surface to the low level. Minimum height all Use Groups 42", except Use Group R which is 36". In occupancies in Use Group A, B, H-1, 1-2 M and R and public garages and open parking structures, open guards shall have balusters or be of solid materia that a sphere with a diameter of 4" cannot pass through any opening. Guards shall not have an ornamental pattern tha would provide a ladder effect. (Handrails shall be a minimum of 3 | s om c from f ½ A ity`s d cr 4, I- such | | | |
| 9. Headroom in habitable space is a minimum of 7'6". (10) Stair construction in Use Group R-3 & R-4 is a minimum of 10" tread and 7 3/4" maximum rise. All other Use group minimum 11" tread. 7" maximum rise. 11. The minimum headroom in all parts of a stairway shall not be less than 80 inches. (6' 8") | | | | |
| Every sleeping room below the fourth story in buildings of use Groups R and I-1 shall have at least one operable window exterior door approved for emergency egress or rescue. The units must be operable from the inside without the use of special knowledge or separate tools. Where windows are provided as means of egress or rescue they shall have a sill have a sill have not more than 44 inches (1118mm) above the floor. All egress or rescue windows from sleeping rooms shall have a minimum net clear opening height dimension of 24 inches (610mm). The minimum net clear opening width dimension shall be 20 inches (508mm), and a minimum net clear opening of 5.7 sq. ft. Each apartment shall have access to two (2) separate, remote and approved means of egress. A single exit is acceptable when it exits directly from the apartment to the building exterior with no communications to other apartment units. | eight _. n | | | |
| 14. All vertical openings shall be enclosed with construction having a fire rating of at lest one (1)hour, including fire doors self closer's. | with | | | |
| 15. The boiler shall be protected by enclosing with (1) hour fire-rated construction including fire doors and ceiling, or by providing automatic extinguishment. | | | | |
| 16. All single and multiple station smoke detectors shall be of an approved type and shall be installed in accordance with the | C | | | |

- provisions of the City's Building Code Chapter 9, Section 19, 920.3.2 (BOCA National Building Code/1996), and NFPA 101 Chapter 18 & 19. (Smoke detectors shall be installed and maintained at the following locations):
 - In the immediate vicinity of bedrooms •
 - In all bedrooms •

Á

In each story within a dwelling unit, including basements

In addition to the required AC primary power source, required smoke detectors in occupancies in Use Groups R-2, R-3 and I-1 shall receive power from a battery when the AC primary power source is interrupted. (Interconnection is required)

- 17. A portable fire extinguisher shall be located as per NFPA #10. They shall bear the label of an approved agency and be of an approved type.
- 18. The Fire Alarm System shall be maintained to NFPA #72 Standard.
- 19. The Sprinkler System shall maintained to NFPA #13 Standard.
- All exit signs, lights, and means of egress lighting shall be done in accordance with Chapter 10 Section & Subsections 1023. & 1024. Of the City's building code. (The BOCA National Building Code/1996)
- 21. No construction or demolition work shall begin until you have obtained permits for dumpsters or containers. A work Stop Order shall be issued if this requirement is not met.
- 22. Section 25-135 of the Municipal Code for the City of Portland states, "No person or utility shall be granted a permit to excavate or open any street or sidewalk from the time of November 15 of each year to April 15 of the following year".
- 23. The builder of a facility to which Section 4594-C of the Maine State Human Rights Act Title 5 MRSA refers, shall obtain a certification from a design professional that the plans commencing construction of the facility, the builder shall submit the certification to the Division of Inspection Services.
- 24. This permit does not excuse the applicant from obtaining any license which may be needed from the City Clerk's office.
- 25. Ventilation shall meet the requirements of Chapter 12 Sections 1210, of the City's Building Code.
- 26. All electrical, plumbing and HVAC permits must be obtained by a Master Licensed holders of their trade.
- 27. All requirements must be met before a final Certificate of Occupancy is issued.
- 28. All building elements shall meet the fastening schedule as per Table 2305.2 of the City's Building Code. (The BOCA National Building Code/1996).
- 29. Ventilation of spaces within a building shall be done in accordance with the City's Mechanical Code (The BOCA National Mechanical Code/1993).

and implement attacked Land use. Rease ¥ 30. 201100 31. 32. 33. 34,

P. Samuel Hoffses, Code Enforcement 24 5 M S cc: Lt. McDougall, PFD Marge Schmuckal

