15 Lawell St	Owner:	Pho	ne:	Permit No 6 10 6
Owner Address:	Leasee/Buyer's Name:	Phone: Bus	inessName:	PERMIT ISSUED
Contractor Name:	Address: 10 Danforth St Pald, ME. 64101 773-3625		Permit Issued: 0CT 2 5 1996	
Past Use:	Proposed Use:	COST OF WORK: \$ 145,000.00	PERMIT FEE: \$ 745.00	
Professional Offices	Secure	FIRE DEPT. Approv	Use Group: Type:	Zone: CBL: 067-J-001
Proposed Project Description:	-	Signature: PEDESTRIAN ACTIVI	Signature: /////// TIES DISTRICT (P.U.D.)	Zoning Approval:
Interior Renovations is	t floor	Action: Approv Approv Denied Signature:	ed with Conditions:	Special Zone or Reviews: Shoreland Wetland Flood Zone Subdivision
Permit Taken By:	Date Applied For:	17 October 1996	Date.	☐ Site Plan maj ☐ minor ☐ mm ☐
 This permit application doesn't preclude the Building permits do not include plumbing, Building permits are void if work is not startion may invalidate a building permit and startion. 	septic or electrical work. rted within six (6) months of the date			Zoning Appeal □ Variance □ Miscellaneous □ Conditional Use □ Interpretation □ Approved
				☐ Denied
15178/30-3396		The state of the s	6 / CO.	☐ Denied Historic Preservation
15178/30-3396 15179/30-3397		WITH REO	URENEN S	
	CERTIFICATION	WITH REO	URENENTS	Historic Preservation Not in District or Landmark Does Not Require Review Requires Review Action:
	the named property, or that the propo on as his authorized agent and I agree n issued, I certify that the code offici	sed work is authorized by the owne to conform to all applicable laws of all's authorized representative shall	r of record and that I have been of this jurisdiction. In addition have the authority to enter a	Historic Preservation Not in District or Landmark Does Not Require Review Requires Review Action: Approved Approved with Conditions Denied
I hereby certify that I am the owner of record of authorized by the owner to make this applicatio if a permit for work described in the application	the named property, or that the propo on as his authorized agent and I agree n issued, I certify that the code offici	sed work is authorized by the owne to conform to all applicable laws of all's authorized representative shall	r of record and that I have been of this jurisdiction. In addition have the authority to enter a	Historic Preservation Not in District or Landmark Does Not Require Review Requires Review Action: Approved Approved with Conditions Denied
I hereby certify that I am the owner of record of authorized by the owner to make this applicatio if a permit for work described in the application	the named property, or that the propo on as his authorized agent and I agree n issued, I certify that the code offici hour to enforce the provisions of the	sed work is authorized by the owne to conform to all applicable laws of al's authorized representative shall e code(s) applicable to such permit	r of record and that I have been of this jurisdiction. In addition have the authority to enter a	Historic Preservation Not in District or Landmark Does Not Require Review Requires Review Action: Approved Approved with Conditions Denied

Location of Construction: 15 Lowell St	Owner: Tundra Asso		Phone:	Permit No: 9 6 1 0 7 2
Owner Address:	Leasee/Buyer's Name:	Phone:	BusinessName:	PERMIT ISSUED
Contractor Name: Wright-Ryan Construct			773–3625	Permit Issued: 00T 2 5 1996
Past Use:	Proposed Use:	\$ 145,000.00	PERMIT FEE: \$ 745.00	
Professional Offices	Same	FIRE DEPT. App		Zone: CBL: 067-J-001
Proposed Project Description:		PEDESTRIAN ACT	IVITIES DISTRICT (9.U.D.)	Zoning Approval:
Interior Renovations lst floor			proved with Conditions:	Special Zone or Reviews:
		Signature:	Date:	☐ Subdivision
Permit Taken By: Mary Gresik	Date Applied For:	17 October 1996		☐ Site Plan maj☐ minor ☐ mm ☐ Zoning Appeal
This permit application doesn't preclude the	☐ Variance			
2. Building permits do not include plumbing, so	☐ Miscellaneous ☐ Conditional Use			
 Building permits are void if work is not starte tion may invalidate a building permit and sto 	☐ Interpretation☐ Approved☐ Denied			
15178/30-3396		Ag.	PER	Historic Preservation
15179/30-3397		,	TH REQUIRES UED	Not in District or Landmark Does Not Require Review Requires Review
			Te	Action:
	CERTIFICATION		9	Appeved
I hereby certify that I am the owner of record of th authorized by the owner to make this application if a permit for work described in the application is	as his authorized agent and I agree to ssued, I certify that the code official's	conform to all applicable la authorized representative s	ws of this jurisdiction. In addition hall have the authority to enter a	n, Denied
areas covered by such permit at any reasonable h	our to enforce the provisions of the co	de(s) applicable to such per	mit	
SIGNATURE OF APPLICANT Pat Richter	ADDRESS:	17 October 1996 DATE:	773 - 3625 PHONE:	#
RESPONSIBLE PERSON IN CHARGE OF WOR	K, TITLE		PHONE:	CEO DISTRICT
White-Pe	ermit Desk Green-Assessor's Ca	nary-D.P.W. Pink-Public	File Ivory Card-Inspector	

BUILDING PERMIT REPORT

DATE: 10/24/94	ADDRESS: 15 how 11 st
REASON FOR PERMIT:_	arnovation
BUILDING OWNER:	Tundra Asjac
CONTRACTOR:	Wright - Ryny
	$\frac{\mathcal{F}_{1} + \mathcal{F}_{1} c_{1} + c_{2}}{\text{DENIED:}} = \frac{\text{APPROVAL:}}{\text{APPROVAL:}} \times \frac{1}{17} \cdot 1$

CONDITION OF APPROVAL OR DENIAL

- 1. Before concrete for foundation is placed, approvals from the Development Review coordinator and Inspection Services must be obtained. (A24 hour notice is required prior to inspection)
- 2. Precaution must be taken to protect concrete from freezing.
- It is strongly recommended that a registered land surveyor check all foundation forms before concrete is placed. This is done to verify that the proper setbacks are maintained.
- Private garages located beneath habitable rooms in occupancies in Use Group R-1, R-2, R-3 or I-1 shall be separated from adjacent interior spaces by fire partitions and floor/ceiling assembly which are constructed with not less than 1-hour fire resisting rating. Private garages attached side-by-side to rooms in the above occupancies shall be completely separated from the interior spaces and the attic area by means of 1/2 inch gypsum board or the equivalent applied to the garage means of 1/2 inch gypsum board or the equivalent applied to the garage side. (Chapter 4 section 407.0 of the BOCA/1996)
 Guardrail & Handrails-A guardrail system is a system of building components located near the open sides of elevated walking surfaces for the purpose of minimizing the possibility of
 - the open sides of elevated walking surfaces for the purpose of minimizing the possibility of an accidental fall from the walking surface tot he loser level. Minimum height all Use Groups 42:, except Use Group R which is 36". In occupancies in Use Group A,B, H-4, I-1, I-2 M and R and public garages and open parking structures, open guards shall have balusters or be of solid material such that a sphere with a diameter of 4" cannot pass through any opening. Guards shall not have an ornamental pattern that would provide a ladder effect.
- 6. Headroom in habitable space is a minimum of 7'6".
- 7. Stair construction in Use Group R-3 & R-4 is a minimum of 10" tread and 7 3/4" maximum rise. All other Use Group minimum 11" tread, 7" maximum rise.
- 8. The minimum headroom in all parts of a stairway shall not be less than 80 inches.
- 9. Every sleeping room below the fourth story in buildings of Use Groups R and I-1 shall have at least one operable window or exterior door approved for emergency egress or rescue. The units must be operable from the inside without the use of special knowledge or separate tools. Where windows are provided as means of egress or rescue, they shall

have a sill height not more than 44 inches (1118mm) above the floor. All egress or rescue windows from sleeping rooms shall have a minimum net clear opening height dimension of 24 inches (610mm). The minimum net clear opening width dimension shall be 20 inches (508mm), and a minimum net clear opening of 5.7 sq. feet.

- 10. Each apartment shall have access to two (2) separate, remote and approved means of egress. A single exit is acceptable when it exits directly from the apartment to the building exterior with no communications to other apartment units.
- 11. All vertical openings shall be enclosed with construction having a fire rating of at least one (1) hour, including fire doors with selfclosers.
- 12. The boiler shall be protected by enclosing with on (1) hour fire-rated construction including fire doors and ceiling, or by providing automatic extinguishment.
- 13. All single and multiple station smoke detectors shall be of an approved type and shall be installed in accordance with the provisions of the City's building code Chapter 9, Section 19, 919.3.2 (BOCA National Building Code/1996), and NFPA 101 Chapter 18 & 19. (Smoke detectors shall be installed and maintained at the following locations):
 - 1. In the immediate vicinity of bedrooms
 - 2. In all bedrooms
 - 3. In each story within a swelling unit, including basements
 In addition to the required AC primary power source, required smoke detectors in
 occupancies in Use Groups R-2, R-3 and I-1 shall receive power from a battery when the
 AC primary power source is interrupted. (Interconnection is required)
- A portable fire extinguisher shall be located as per NFPA #10. They shall bear the label of an approved agency and be of an approved type.
 - The Fire Alarm System shall be maintained to NFPA #72 Standard.
- The Sprinkler System shall maintained to NFPA #13 Standard.
- All exit signs, lights, and means of egress lighting shall be done in accordance with Chapter 10 Section & Subsections 1023. & 1024. of the City's building code. (The BOCA National Building Code/1996)
- All construction and demolition debris must be disposed at the City's authorized reclamation site. The fee rate is attached. Proof of such disposal must be furnished to the office of Inspection Services before final Certificate of Occupancy is issued or demolition permit is granted.
- 19. Section 25-135 of the Municipal Code for the City of Portland states, "No person or utility shall be granted a permit to excavate or open any street or sidewalk from the time of November 15 of each year to April 15 of the following year".
- 20. The builder of a facility to which Section 4594-C of the Maine State Human Rights Act, Title 5 MRSA refers, shall obtain a certification from a design professional that the plans of the facility meet the standards of construction required by this section. Prior to commencing construction of the facility, the builder shall submit the certification to the Division of Inspection Services.
- This permit does not excuse the applicant from obtaining any license which may be needed from the City Clerk's Office.

P Samuel Hoffses, Chief of Inspection Services c.c. Lt. McDougall P. F. D.