



CEILING KEY

- X HVAC LOUVERS TO REMAIN - P10
- X EGG GRADE TO BE REPLACED W/ LOUVER TO MATCH EXIST
- X SMALL LOUVERS TO REMAIN UNLESS NOTED OTHERWISE - P10

GENERAL NOTE:

1. LEAVE AV. CAMERA, SPEAKERS & SIMILAR IN PLACE.
2. ALL CEILINGS TO STAY AT EXISTING HEIGHT - UNO
3. SEE ELEC DRAWINGS FOR ADDITIONAL INFO.
4. CONTRACTOR IS RESPONSIBLE FOR CLEANING & REINSTALLING ALL DIFFUSERS, VENTS & SIMILAR AT EXISTING LOCATIONS
5. CONTRACTOR IS RESPONSIBLE FOR PROTECTING & REINSTALLING FIRE PROTECTION INCLUDING TRIM PLATE & ASSOCIATED. SPUCCED SAT IS NOT ALLOWED. CONTRACTOR'S CHOICE OF PROVIDING LARGE TRIM PLATES TO COVER LARGER HOLES FOR SAT INSTALLATION OVER ACTIVE HEADS OR SHUTTING DOWN & DRAWING EXIST SYSTEM FOR REINSTALLATION HEAD THEN REACTIVATING SYSTEM BY LICENSED SPRINKLER INSTALLER.

1 REFLECTED CEILING PLAN
0 4'-0" SCALE: 1/4"=1'-0"

PORT CITY ARCHITECTURE
65 NEWBURY STREET
PORTLAND, ME 04101
207.761.9000
info@portcityarch.com
WWW.PORTCITYARCH.COM

CONSULTANTS

PERMIT SET
-FOR CONSTRUCTION-

| REVISIONS | |
|-----------|-------------|
| No. | Description |
| 1 | Addendum 1 |
| 2 | Addendum 2 |
| 3 | Addendum 3 |

GREATER PORTLAND METRO OFFICE RENOVATIONS
PORTLAND, MAINE

RCP

| | |
|----------------|------------------|
| Project Number | 16403 |
| Date | October 31, 2016 |
| Drawn By | TS |
| Checked by | LAS |

Scale