Location of Construction:	Owner:	tiggins/Rose Higgins	Phone: 780-6651	Permit No: 9 8 0 7 5 3
Owner Address: 04102	Lessee/Buyer's Name:	Phone:	BusinessName:	PERMIT ISSUED
Contractor Name: Ron Forest & Sons		Phone:		Permit Issued:
Past Use:	Proposed Use:	COST OF WORK: \$ 8,765.00	PERMIT FEE: \$ 85.00	
2-fam		FIRE DEPT. □ App □ Den Signature:		CITY OF PORTLAND
Proposed Project Description: Build Garden Shed (8 x 12) wooden swingset]	to replace existing	PEDESTRIAN ACT Action: App	TVITIES DISTRICT (D.	□ Special Zone or Reviews: □ □ Shoreland □ □ Wetland
and an analysis of the same of	96	Signature:	Date:	☐ Flood Zone ☐ Subdivision
Permit Taken By:	Date Applied For:	12 June 1998		☐ Site Plan maj ☐minor ☐mm I
 This permit application does not preclude Building permits do not include plumbin Building permits are void if work is not station may invalidate a building permit and 	ng, septic or electrical work. tarted within six (6) months of the date of	f issuance. False informa-		☐ Variance ☐ Miscellaneous ☐ Conditional Use ☐ Interpretation ☐ Approved ☐ Denied
		WITE	PERMIT ISSUED REQUIREMENTS	Historic Preservation ☐ Not in District or Landmark ☐ Does Not Require Review ☐ Requires Review
I hereby certify that I am the owner of record of authorized by the owner to make this application if a permit for work described in the application areas covered by such permit at any reasonable.	tion as his authorized agent and I agree to on is issued, I certify that the code offici	o conform to all applicable la al's authorized representative	ws of this jurisdiction. In addit shall have the authority to ente	ion, Denied
		June 1998		
SIGNATURE OF APPLICANT	ADDRESS:	DATE:	PHONE:	

Licher - Talled to puner chouse	mient - some be'll as	10
115/10 = / Miller 10 vaner about	project - says he'll ca	u
when work Starts.		
198 Wish started setting	sills for Shed where appears to not setter	
100000000000000000000000000000000000000	got sold on	0
swing user to be	appears to ned setto	inter
,		
1-30-98 The vall inf	Ch /	
- soll and and		
	Inspection Record	
	Туре	Dat
	Foundation:	
	Framing:	
	Plumbing:	
	Final:	
/	Other:	

THIS IS NOT A PERMIT/CONSTRUCTION CANNOT COMMENCE UNTIL THE PERMIT IS ISSUED

Building or Use Permit Application Additions/Alterations/Accessory Structures

To Detached Single Family Dwelling

In the interest of processing your application in the quickest possible manner, please complete the Information below for a Building or Use Permit.

NOTE**If you or the property owner owes real estate or personal property taxes or user charges on any property within the City, payment arrangements must be made before permits of any kind are accepted.


City, payment arrangements	s must be made before permits of any kind are	e accepted.
Location/Address of Construction: 56 Bozu	Join St	
Tax Assessor's Chart, Block & Lot Number Tax Map 70 Chart# Block# D Lot# 4	ROSA HIGGINS	Telephone#: 780 - 6651
Owner's Address: 04/02 456 Bowdoin St. Portland, ME	Lessee/Buyer's Name (If Applicable)	Cost Of Work: \$ 8765.
Proposed Project Description:(Please be as specific as possible) Buld Garden Shed (8×14 = 9	1659H.) to replace existing woodu	, swangset (17' x5')
Contractor's Name, Address & Telephone RON Forest + Sons, 354 Pau	gue Rd. Scarborough, ME.	07) 883 - 2775 04074 - 9564
•All construction must be conducted in complia •All plumbing must be conducted in compliance. •All Electrical Installation must comply would be of the entire of the entir	cted in compliance with the State of Maine Playith the 1996 National Electrical Code as ame itioning) installation must comply with the 19 application: ur Deed or Purchase and Sale Agreem four Construction Contract, if available Plot Plan (Sample Attached) mplete plot plan (Site Plan) must include disting buildings (if any), the proposed structure a orches, a bow windows cantilever sections and reductures.	Is amended by Section 6-Art II. Illumbing Code. Inded by Section 6-Art III. Inded by Section 6
 A complete set of construction drawings s Cross Sections w/Framing details (includ Floor Plans & Elevations Window and door schedules Foundation plans with required drainage selectrical and plumbing layout. Mechanic 	ing porches, decks w/ railings, and accessory stru	construction 2 1998 E G E I V E as furnaces, chimneys, gas
I hereby certify that I am the Owner of record of the named proper	erty or that the proposed work is authorized by the owner of t	record and that I have been authorized by the

owner to make this application as his/her authorized agent. I agree to conform to all applicable laws of this jurisdiction. In addition, if a permit for work described in this application is issued, I certify that the Code Official's authorized representative shall have the authority to enter all areas covered by this permit at any reasonable hour to enforce the provisions of the codes applicable to this permit.

Signature of applicant:


Date: 5/29/98

Site Review Fee: \$150.00/Building Permit Fee: \$25.00 for the 1st \$1000.cost plus \$5.00 per \$1,000.00 construction cost thereafter.



Sans Fence Company Ron Forest &

354 Payne Road • Scarborough, Maine 04074-9564 Tel.: (207) 883-2775 Fax: (207) 883-7017 In Maine: 1-800-287-2775





Ron Forest & Sons Fence Company

354 Payne Road • Scarborough, Maine 04074-9564

Tel.: (207) 883-2775 Fax: (207) 883-7017 In Maine: 1-800-287-2775

Page II Nicholas + Rosa Higgins
36 Bow doin 8th Fd. 6x6 x4' # ceden + 6x6 Si11-Brick Dry Log over Comported Stone Dust 2x4 Ceder Door 4' Dousle Do Ruming
Drum Son es

Trellis
Silving Chapboned Colon 2 1/2 "x6 coder Rofters 1 x6 Boneds. Asphall-Shate Color-Roof Frances Cupala TO +106 COST 48, 765-



Ron Forest & Sons Fence Company

354 Payne Road • Scarborough, Maine 04074-9564

Tel.: (207) 883-2775 Fax: (207) 883-7017 In Maine: 1-800-287-2775

Ron Forest & Sons Fence Company 354 Payne Road

FENCE & GARDEN ACCESSORIES Scarborough, Maine 0407 Tel: 207-883-2775 Fax: 207-883-7017	74-9564	
In Maine: 1-800-287-277	75	
PROPOSAL SUBMITTED TO	IOME PHONE	WORK PHONE
P-5 = 1100 11	76-0-1-1551	Saxe
STREET	IOB NAME	JUME -
The is a second	OB NAME	
CUTTY CTUTY AND SUB-SUB-SUB-SUB-SUB-SUB-SUB-SUB-SUB-SUB-	IOD LOGUETON	r vi
	IOB LOCATION	
tairland Duc CYDZ		
DATE		JOB PHONE
9-10-10		
We hereby submit specifications and estimates for:	Contra was	
# 1 126 m	The war	W
3 ec	Degines	N-3-7-1
	,	
1- 3'x12' She.	水 エフムデー)	
	,	
- / /		
1 - Endry + (aute	# Z800 -	
Ĭ.		
	21	
	411565-	
		•
We Propose hereby to furnish material and labor - compl		
Eleven Thousand Free he	LO COTE	· 900 11 555
Half down upon acceptance of propo		etion
of work - net 10 days (unless otherwi	se specified)	
Il material is guaranteed to be as specified. All work to be completed in a workmanli		70 /
nanner according to standard practices. Any alteration or deviation from above specific ions involving extra costs will be executed only upon written orders, and will become	Signature	Car Car
extra charge over and above the estimate. All agreements contingent upon strikes, accident or delays beyond our control. Owner to carry fire, tornado and other necessary insurance	ts	and may be
Our workers are fully covered by Workmen's Compensation Insurance.	Note: This proy withdrawn by us if not acc	
	withdrawn by us it not acc	cpicd within day
Acceptance of Proposal – The above prices, specifications and conditions a	re	
satisfactory and I have read the statements on the reverse side and accept them as part	oľ	
my contract and are hereby accepted. You are authorized to do the work as specific Payment will be made as outlined above.	d. Signature X	
ayacte and se under as ordined above.		
V	Signature	
Date of Acceptance: X		

BUILDING PERMIT REPORT
DATE: 13 July 98 ADDRESS: 56 Bowdoin ST. 070-D-004 REASON FOR PERMIT: To Construct 8X12 Shed
REASON FOR PERMIT: To Construct 8X12 Shed
BUILDING OWNER: HIGGIDS
CONTRACTOR: Ron Forest & Sons
PERMIT APPLICANT: GW1-EV
USE GROUP U. BOCA 1996 CONSTRUCTION TYPE 5B
CONDITION(S) OF APPROVAL

This Permit is being issued with the understanding that the following conditions are met:

Approved with the following conditions: $\frac{4}{4}$, $\frac{42}{2}$, $\frac{424}{2}$

- This permit does not excuse the applicant from meeting applicable State and Federal rules and laws.
- 2. Before concrete for foundation is placed, approval@from the Development Review Coordinator and Inspection Services must be obtained. (A 24 hour notice is required prior to inspection)
 - 2.5 Foundation drain shall be placed around the perimeter of a foundation that consists of gravel or crushed stone containing not more than 10 percent material that passes through a No. 4 sieve. The drain shall extend a minimum of 12 inches beyond the outside edge of the footing. The thickness shall be such that the bottom of the drain is not higher than the bottom of the base under the floor, and that the top of the drain is not less than 6 inches above the top of the footing. The top of the drain shall be covered with an approved filter membrane material. Where a drain tile or perforated pipe is used, the invert of the pipe or tile shall not be higher than the floor elevation. The top of joints or top of perforations shall be protected with an approved filter membrane material. The pipe or tile shall be placed on not less than 2" of gravel or crushed stone, and shall be covered with not less than 6" of the same material.
 - Precaution must be taken to protect concrete from freezing.
 - 4. It is strongly recommended that a registered land surveyor check all foundation forms before concrete is placed. This is done to verify that the proper setbacks are maintained.
 - 5. Private garages located beneath habitable rooms in occupancies in Use Group R-1, R-2, R-3 or I-1 shall be separated from adjacent interior spaces by fire partitions and floor/ceiling assembly which are constructed with not less than 1-hour fire resisting rating. Private garages attached side-by-side to rooms in the above occupancies shall be completely separated from the interior spaces and the attic area by means of ½ inch gypsum board or the equivalent applied to the garage means of ½ inch gypsum board or the equivalent applied to the garage side. (Chapter 4 Section 407.0 of the BOCA/1996)
- 6. All chimneys and vents shall be installed and maintained as per Chapter 12 of the City's Mechanical Code. (The BOCA National Mechanical Code/1993).
- 7. Sound transmission control in residential building shall be done in accordance with Chapter 12 section 1214.0 of the city's building code.
- 8. Guardrails & Handrails: A guardrail system is a system of building components located near the open sides of elevated walking surfaces for the purpose of minimizing the possibility of an accidental fall from the walking surface to the lower level. Minimum height all Use Groups 42", except Use Group R which is 36". In occupancies in Use Group A, B, H-4, I-1, I-2 M and R and public garages and open parking structures, open guards shall have balusters or be of solid material such that a sphere with a diameter of 4" cannot pass through any opening. Guards shall not have an ornamental pattern that would provide a ladder effect. (Handrails shall be a minimum of 34" but not more than 38". Use Group R-3 shall not be less than 30", but not more than 38".) Handrail grip size shall have a circular cross section with an outside diameter of at least 1 1/4" and not greater than 2".
- 9. Headroom in habitable space is a minimum of 7'6".
- 10. Stair construction in Use Group R-3 & R-4 is a minimum of 10" tread and 7 3/4" maximum rise. All other Use group minimum 11" tread. 7" maximum rise.
- 11. The minimum headroom in all parts of a stairway shall not be less than 80 inches. (6' 3")
- 12. Every sleeping room below the fourth story in buildings of use Groups R and I-1 shall have at least one operable window or exterior door approved for emergency egress or rescue. The units must be operable from the inside without the use of special knowledge or separate tools. Where windows are provided as means of egress or rescue they shall have a sill height not more than 44 inches (1118mm) above the floor. All egress or rescue windows from sleeping rooms shall have a minimum net clear opening height dimension of 24 inches (610mm). The minimum net clear opening width dimension

- shall be 20 inches (508mm), and a minimum net clear opening of 5.7 sq. ft.
- 13. Each apartment shall have access to two (2) separate, remote and approved means of egress. A single exit is acceptable when it exits directly from the apartment to the building exterior with no communications to other apartment units.
- 14. All vertical openings shall be enclosed with construction having a fire rating of at lest one (1)hour, including fire doors with self-closer's. (Over 3 stories in height requirements for fire rating is two (2) hours.)
- 15. The boiler shall be protected by enclosing with (1) hour fire-rated construction including fire doors and ceiling, or by providing automatic extinguishment.
- All single and multiple station smoke detectors shall be of an approved type and shall be installed in accordance with the provisions of the City's Building Code Chapter 9, Section 19, 920.3.2 (BOCA National Building Code/1996), and NFPA 101 Chapter 18 & 19. (Smoke detectors shall be installed and maintained at the following locations):
 - In the immediate vicinity of bedrooms
 - in all bedrooms
 - In each story within a dwelling unit, including basements

In addition to the required AC primary power source, required smoke detectors in occupancies in Use Groups R-2, R-3 and I-1 shall receive power from a battery when the AC primary power source is interrupted. (Interconnection is required)

- 17. A portable fire extinguisher shall be located as per NFPA #10. They shall bear the label of an approved agency and be of an approved type.
- 18. The Fire Alarm System shall be maintained to NFPA #72 Standard.
- The Sprinkler System shall maintained to NFPA #13 Standard.
- 20. All exit signs, lights, and means of egress lighting shall be done in accordance with Chapter 10 Section & Subsections 1023. & 1024. Of the City's building code. (The BOCA National Building Code/1996)
- 21. Section 25-135 of the Municipal Code for the City of Portland states, "No person or utility shall be granted a permit to excavate or open any street or sidewalk from the time of November 15 of each year to April 15 of the following year".
- 22. The builder of a facility to which Section 4594-C of the Maine State Human Rights Act Title 5 MRSA refers, shall obtain a certification from a design professional that the plans commencing construction of the facility, the builder shall submit the certification to the Division of Inspection Services.
- 23. Ventilation shall meet the requirements of Chapter 12 Sections 1210. Of the City's Building Code. (crawl spaces & attics)
- 24. All electrical, plumbing and HVAC permits must be obtained by a Master Licensed holders of their trade.
- 25. All requirements must be met before a final Certificate of Occupancy is issued,
- All building elements shall meet the fastening schedule as per Table 2305.2 of the City's Building Code. (The BOCA National Building Code/1996).
 - 27. Ventilation of spaces within a building shall be done in accordance with the City's Mechanical Code (The BOCA National Mechanical Code/1993).

Please read and implement the attached Land Use-Zoning report requirements.	

cc: Lt. McDougall, RFD Marge Schmuckal

Building Inspector

PSH 6-23-9X

Prepared by Owner. 581 Existing House Lansen 101 Existing Driveway 15, x92, Bow Coll Existing Walkway ProposED Existing Gorden GARDEN SHED Replaces Existing wooden Swring SET 17' x5' 100 for less may be 51 from side 4. REAT line 115'