

Doors to be placed in the 2<sup>nd</sup> floor bedrooms:

-

Door Material	Pine
Door Style	6-pane l
Width (Actual) (Inches)	31.7 5
Height (Actual) (Inches)	81.7 5
Weight (lbs.)	84.9
Door Thickness (Inches)	1.37 5
Core Type	Solid
Handing	Righ t
Bore	Yes
Jamb Depth (Inches)	4.56 25
Jamb Type	Split
Casing Option	Yes
Casing Size (Inches)	2.5
Casing Profile	351. 0
Number of Hinges	3.0
Hinge Color	Bras s
Primed	Yes
Paintable	Yes
Stainable	Yes
Prefinished	No
Lockset Included	No
Rough Opening Width (Inches)	32.0
Rough Opening Height (Inches)	82.5
Glass Style	N/A
Series	N/A
Theme/Design	Non e
Nominal Width (Inches)	30.0
Nominal Height (Inches)	80.0

Fire doors to be placed in the entrances/exits of each unit and common space:

-

Glass Style	None
Glass Caming	No
Glass Insert Shape/Style	None
Brickmould	No
Door Swing	Inswing
Jamb Width (Inches)	4.5625
Door Width (Inches)	32.0
Door Height (Inches)	80.0
Masonry Opening Height (Inches)	83.75
Masonry Opening Width (Inches)	37.25
Sill Type	Fixed
Sill Finish	Mill
Lockset Bore	Yes
Collection Name	Fire door
Type	6-panel
Prefinished	No
Primed	Yes
Paintable	Yes
Caming Option	Other
Vented Glass with Screen	N/A
Construction	Other
Glass Insulation	N/A
Lockset Option	Ready for lockset and deadbolt
Tempered Glass	N/A
Look and feel of real woodgrain	No
Fire Resistant	Yes
Prefinish Color	None
Optional Additions Available	Sidelites

Door Style	6-panel
ENERGY STAR Qualified Northern Zone	Yes
ENERGY STAR Qualified North/Central Zone	Yes
ENERGY STAR Qualified Southern Zone	Yes
Iris Technology	No
Door Handing	Right
Nominal Width (Inches)	32.0
Nominal Height (Inches)	80.0
Slab or Prehung	Prehung

Insulation to be used

-

R-Value	19.0
Width (Inches)	23.0
Coverage Area (Sq. Feet)	133.68
Rolls/Batts	9.0
Thickness (Inches)	6.5
Length (Inches)	93.0