



NOTE:  
 DRAIN LOCATIONS SHOWN ARE TO A DEGREE ARBITRARY, THEREFORE,  
 SHOULD LOCATIONS CONFLICT WITH STRUCTURAL ELEMENTS OR OTHER  
 UTILITY SYSTEMS, SOME MOVEMENT OF THE ROUGH-IN POINT IS POSSIBLE.  
 ALWAYS MAKE THE DRAIN MORE ACCESSIBLE RATHER THAN OBTUSCURED BY  
 EQUIPMENT. SOME AREA FLOOR DRAINS MAY BE RELOCATED TO FACILITATE  
 ECONOMY OF DESIGN.

NOTE:  
 AREA FLOOR DRAINS ARE TO BE PROVIDED AND  
 LOCATED BY THE PLUMBING CONTRACTOR.  
 LOCATIONS SHOWN ON PLAN ARE WITHIN CLOSE  
 PROXIMITY OF DESIRED LOCATION. PLUMBING  
 CONTRACTOR TO TRY TO INCORPORATE FLOOR  
 DRAIN'S AS CLOSE AS POSSIBLE, PER FIELD  
 CONDITIONS.

P.4 - TO CONNECT BLENDED  
 WATER THRU UNILUFT BREAKER  
 FROM MIXING CABINET TO HOSE  
 REEL AS REQUIRED.

P.6 - TO CONNECT 3/4" 180"  
 INSULATED HOT WATER  
 LINE FROM BOOSTER  
 TO DISHWASHER.

NOTE:  
 THIS DRAWING INDICATES THE GENERAL EXTENT OF THE WORK AND IS NOT INTENDED TO  
 INDICATE OR DESCRIBE ANY AND ALL WORK REQUIRED FOR THE FULL PERFORMANCE AND  
 COMPLETION OF THE REQUIREMENTS OF THE CONTRACT DOCUMENTS.

FINAL - ISSUED FOR CONSTRUCTION

Project:  
**MERCY HEALTH SYSTEM OF MAINE  
 PORTLAND, MAINE**

Revisions:


Job Number: 04166  
 Date: 11-10-2006  
 Drawn By: WM  
 Checked By: RSP  
 SCALE: 1/4" = 1'-0"

PLUMBING  
 PLAN

Sheet  
**FS-1.2**