

SECTION 1 S1.1
1/2" = 1'-0"



SECTION 2 S1.1
1/2" = 1'-0"



SECTION 3 S1.1
1/2" = 1'-0"



SECTION 4 S1.1
1/2" = 1'-0"



SECTION 6 S1.1
1/8" = 1'-0"



SECTION 8 S1.1
1/8" = 1'-0"



SECTION 7 S1.1
1/8" = 1'-0"

NOTES: 1. COORDINATE SUMP PIT LOCATION W/ARCH DWGS.
2. COORDINATE HYDRAULICS BOARD CUT W/ELEVATOR MFR
3. APPLY 1/8" FIVE STAR WATERPROOFING TO INSIDE FACE OF PIT WALLS AND THE SLAB SURFACE.



SECTION 2 S1.1
1/8" = 1'-0"



TYP WALL REINF DETAILS
N.T.S.



NOTES:
1. CONST JOINT DOES NOT EXTEND THRU FTG
2. DISTANCE BETWEEN CONST JOINTS IN STRAIGHT LENGTHS OF WALL NOT TO EXCEED 40'-0"

TYP. CONSTRUCTION JOINT IN WALL
N.T.S.



NOTES:
1. INSTALL JOINTS 15'-0" FROM ANY CORNER AND 30'-0" MAX ALONG STRAIGHT LENGTHS OF WALL (TYP).

TYP CONTROL JOINT IN WALL
N.T.S.

TYP. SLAB CONTROL JOINT DETAIL
N.T.S.



TYP. OPENING IN WALL
N.T.S.

CWS Architects
Landscape Architecture
Urban Planning
Public Meetings
434 Cumberland Avenue
Portland, ME 04101
Phone: (207)871-1541
Fax: (207)774-1911
www.cwspa.com

Owner
YG PORTLAND L.P.
Fitzgerald Street
PORTLAND, MAINE 04101

Client
YORK-CUMBERLAND HOUSING DEVELOPMENT

LOGAN PLACE
PORTLAND, MAINE

Project No. 1218

Drawing Title
FOUNDATION SECTIONS AND DETAILS

Scale: 1/2" = 1'-0"
Date: FEBRUARY 8, 2006

Revisions

Drawing Number
S2.1