## DISPLAY THIS CARD ON PRINCIPAL FRONTAGE OF WORK





This is to certify that

PORTLAND WATER DISTRICT /Zachau Construction,

Inc.

**PERMIT ID:** 2013-02474

**ISSUE DATE:** 01/10/2014

Located at

197 DOUGLASS ST (225)

**CBL:** 079 C008001

has permission to Renovations to the main entrance, conference room & office.

provided that the person or persons, firm or corporation accepting this permit shall comply with all of the provisions of the Statues of Maine and of the Ordinances of the City of Portland regulating the construction, maintenance and use of the buildings and structures, and of the application on file in the department.

Notification of inspection and written permission procured before this building or part thereof is lathed or otherwise clsoed-in. 48 HOUR NOTICE IS REQUIRED.

A final inspection must be completed by owner before this building or part thereof is occupied. If a certificate of occupancy is required, it must be procured prior to occupancy.

Fire Department

/s/ Craig Messinger

/s/ Jeanie Bourke

Fire Official

**Building Official** 

## THIS CARD MUST BE POSTED ON THE STREET SIDE OF THE PROPERTY THERE IS A PENALTY FOR REMOVING THIS CARD

Approved Property Use - Zoning

Portland Water District Offices

**Building Inspections** 

Use Group: B

Type: 2B

Business NFPA 13 Sprinkler

Fire Alarm System

**ENTIRE** 

MUBEC/IBC 2009

## BUILDING PERMIT INSPECTION PROCEDURES Please call 874-8703 (ONLY)

or email: buildinginspections@portlandmaine.gov

# Check the Status or Schedule an Inspection On-Line at http://www.portlandmaine.gov/planning/permitstatus.asp

With the issuance of this permit, the owner, builder or their designee is required to provide adequate notice to the city of Portland Inspections Services for the following inspections. Appointments must be requested 48 to 72 hours in advance of the required inspection. The inspection date will need to be confirmed by this office.

- Please read the conditions of approval that is attached to this permit!! Contact this office if you have any questions.
- Permits expire in 6 months. If the project is not started or ceases for 6 months.
- If the inspection requirements are not followed as stated below additional fees may be incurred due to the issuance of a "Stop Work Order" and subsequent release to continue.
- Per Section 107.3.1 of the Maine Uniform Building and Energy Code (MUBEC). One set of printed approved stamped construction documents shall be kept at the site of work and shall be open to inspection by building officials.

## **REQUIRED INSPECTIONS:**

Close-in Plumbing/Framing Electrical Close-in Above Ceiling Inspection

Final - Commercial

Final - Electric

Final - Fire

The project cannot move to the next phase prior to the required inspection and approval to continue, REGARDLESS OF THE NOTICE OF CIRCUMSTANCES.

IF THE PERMIT REQUIRES A CERTIFICATE OF OCCUPANCY, IT MUST BE PAID FOR AND ISSUED TO THE OWNER OR DESIGNEE BEFORE THE SPACE MAY BE OCCUPIED.

**PERMIT ID:** 2013-02474 **Located at:** 197 DOUGLASS ST (225) **CBL:** 079 C008001

#### Permit No: Date Applied For: CBL: City of Portland, Maine - Building or Use Permit 11/04/2013 2013-02474 079 C008001 389 Congress Street, 04101 Tel: (207) 874-8703, Fax: (207) 874-8716 Proposed Use: Proposed Project Description: Portland Water District - main ofiice Renovations to the main entrance, conference room & office. Reviewer: Ann Machado **Dept:** Zoning Status: Approved w/Conditions **Approval Date:** 01/06/2014 Ok to Issue: Note:

#### **Conditions:**

1) This permit is being approved on the basis of plans submitted. Any deviations shall require a separate approval before starting that work.

 Dept:
 Building
 Status:
 Approved w/Conditions
 Reviewer:
 Jeanie Bourke
 Approval Date:
 01/08/2014

 Note:
 Ok to Issue:
 ✓

### **Conditions:**

- 1) Separate permits are required for any electrical, plumbing, sprinkler, fire alarm, HVAC systems, heating appliances, including pellet/wood stoves, commercial hood exhaust systems and fuel tanks. Separate plans may need to be submitted for approval as a part of this process.
- 2) Any modifications to existing building systems and all new systems (HVAC, electrical, plumbing) shall meet IECC 2009 or ASHRAE 90.1-2007 requirements for energy code compliance.
- 3) This permit is approved based upon information provided by the applicant or design professional. Any deviation from the final approved plans requires separate review and approval prior to work.

 Dept:
 Fire
 Status:
 Approved w/Conditions
 Reviewer:
 Craig Messinger
 Approval Date:
 01/09/2014

 Note:
 Ok to Issue:
 ✓

### **Conditions:**

- 1) The fire alarm system shall have a new fire alarm inspection sticker.
- 2) All outstanding code violations shall be corrected prior to final inspection.
- 3) All means of egress to remain accessible at all times.
- 4) Construction or installation shall comply with City Code Chapter 1
- 5) Fire walls, fire barriers, fire partitions, smoke barriers and smoke partitions or any other wall required to have protected openings or penetrations shall be effectively and permanently identified with signs or stenciling in accessible concealed floor, floor-ceiling or attic spaces at intervals not exceeding 30 feet with lettering not less than 0.5 inches in height.
- 6) Emergency lights and exit signs are required. Emergency lights and exit signs are required to be labeled in relation to the panel and circuit and on the same circuit as the lighting for the area they serve.

PERMIT ID: 2013-02474 Located at: 197 DOUGLASS ST (225) CBL: 079 C008001