DISPLAY THIS CARD ON PRINCIPAL FRONTAGE OF WORK





This is to certify that

PERMIT ID: 2016-01751

Located at

563 ST JOHN ST

DURRELL TERRY D & MARK D ROGERS JTS

ISSUE DATE: 07/26/2016 **CBL:** 080 A016001

has permission to **Existing building was demolished to first floor decking. Rebuilding. Rebuilding house in the same footprint-**

provided that the person or persons, firm or corporation accepting this permit shall comply with all of the provisions of the Statues of Maine and of the Ordinances of the City of Portland regulating the construction, maintenance and use of the buildings and structures, and of the application on file in the department.

Notification of inspection and written permission procured before this building or part thereof is lathed or otherwise closed-in. 48 HOUR NOTICE IS REQUIRED. A final inspection must be completed by owner before this building or part thereof is occupied. If a certificate of occupancy is required, it must be procured prior to occupancy.

Fire Department

/s/ Craig Messinger

/s/ Doug Morin

Fire Official

Building Official

THIS CARD MUST BE POSTED ON THE STREET SIDE OF THE PROPERTY THERE IS A PENALTY FOR REMOVING THIS CARD

Approved Property Use - Zoning

Building InspectionsUse Group:Type:Single Family DwellingENTIREMUBEC/IRC 2009

BUILDING PERMIT INSPECTION PROCEDURES Please call 874-8703 (ONLY) or email: buildinginspections@portlandmaine.gov

Check the Status or Schedule an Inspection On-Line at http://www.portlandmaine.gov/planning/permitstatus.asp

With the issuance of this permit, the owner, builder or their designee is required to provide adequate notice to the City of Portland Inspections Services for the following inspections. Appointments must be requested 48 to 72 hours in advance of the required inspection. The inspection date will need to be confirmed by this office.

- Please read the conditions of approval that are attached to this permit! Contact this office if you have any questions.
- Permits expire in 6 months. If the project is not started or ceases 6 months.
- If the inspection requirements are not followed as stated below, additional fees may be incurred due to the issuance of a "Stop W Order" and subsequent release to continue.

REQUIRED INSPECTIONS:

Setbacks and Footings Prior to Pouring Close-in Plumbing/Framing Electrical Close-in Final Inspection

The project cannot move to the next phase prior to the required inspection and approval to continue, REGARDLESS OF THE NOTICE OF CIRCUMSTANCES.

IF THE PERMIT REQUIRES A CERTIFICATE OF OCCUPANCY, IT MUST BE PAID FOR AND ISSUED TO THE OWNER OR DESIGNEE BEFORE THE SPACE MAY BE OCCUPIED.

City of Portland, Maine - Building or Use Permit		Permit No:	Date Applied For:	CBL:						
389 Congress Street, 04101 Tel: (207) 874-8703, Fax: (207) 874-8716		2016-01751	06/30/2016	080 A016001						
Proposed Use:										
Same: Single-Family Home	Existing building was demolished to first floor decking. Rebuilding Rebuilding house in the same footprint-									
	•			. 07/25/2016						
• • • • • • • • • • • • • • • • • • • •	eviewer:	Doug Morin	Approval Da							
Note: R-5 zone Ok to Issue: ✓ Lot size 4,722 sf, below 6,000 sf min - existing nonconf. Front yard 20' min, existing house 18' - ok 6										
Conditions:										
 This property shall remain a single family dwelling. Any change of use shall require a separate permit application for review and approval. 										
2) This permit is being approved on the basis of plans submitted. Any deviations shall require a separate approval before starting that work.										
Dept: Building Inspecti Status: Approved w/Conditions Re	eviewer:	Doug Morin	Approval Da	nte: 07/08/2016						
Note:		C		Ok to Issue: 🗹						
Conditions:										
 Where supported by attachment to an exterior wall, decks shall be positively anchored to the primary structure and designed for both vertical and lateral loads as applicable. Such attachment shall not be accomplished by the use of toenails or nails subject to withdrawal. See IRC 2009 Sec. 502.2.2 and IBC Sec. 1604.8.3 for details. 										
Deck lateral load connection shall be allowed with hold-down tension devices installed in not less than two locations per deck, with each device having an allowable stress design capacity of not less than 1500 pounds.										
Where positive connection to the primary building structure cannot be verified during inspection, decks shall be self- supporting.										
. 2) Connections and Fasteners to be installed per 2009 IBC Sec. 2304.9 and/or IRC Table R602.3(1)										
3) Separate permits are required for any electrical, plumbing, sprinkler, fire alarm, HVAC systems, heating appliances, including pellet/wood stoves, commercial hood exhaust systems, fire suppression and fuel tanks. Separate plans may need to be submitted for approval as a part of this process.										
Carbon Monoxide (CO) alarms shall be installed in each area within or giving access to sleeping rooms. That detection must be powered by the electrical service (plug-in or hardwired) in the building and battery.										
Hardwired photoelectric interconnected battery backup smoke detectors shall be installed in all sleeping rooms, protecting outside these rooms, and on every level.										
The same is required for existing buildings, where permanent wiring is feasible; or at the very least battery operated smoke detectors are required. Verification of this will be upon inspection.										
) This permit is approved based upon information provided by the applicant or design professional. Any deviation from the final approved plans requires separate review and approval prior to work.										

Dept:	Fire Status:	Approved w/Conditions	Reviewer:	Craig Messinger	Approval Date:	07/25/2016		
Note:					Ok te	o Issue: 🗹		
Condit	ions:							
1) Shal	1) Shall meet the requirements of NFPA 13D, Sprinkler systems.							
2) Shall meet the requirements of NFPA 101, Chapter 24, One and Two family dwellings.								
3) Shal	3) Shall meet the requirements of 2009 NFPA 1 Fire Code.							
4) All o	construction shall comply w	vith City Code Chapter 10.						