



# A & D Klumb Environmental, LLC

December 18, 2014

City of Portland  
Inspections Division  
389 Congress St.  
Room 315  
Portland, ME 04101

**RE: Proposed Telecommunications Project, Diamond Island, ME**

To Inspections Division;

A & D Klumb Environmental, LLC is conducting a Section 106 for the above referenced project at the request of our telecommunications client. The proposed project will be located on the existing 60-foot tall water tank off Ingalls Road, Diamond Island, Portland, Cumberland County, ME. The project will involve installing panel antennas on the 60-foot tall water tank. The Latitude/Longitude of the site location is: 43° 40' 59.54"N/70° 11' 42.32"W and is shown on the attached map.

The equipment shelter will be installed at ground level. Access to the site will be via a proposed 4-foot wide foot path from Ingalls Road.

The ME Historic Preservation Commission and the FCC require that the municipality and any local Historical Commission be notified of this project. ADKE have been retained to determine whether the proposed undertaking will adversely impact properties of historical significance (properties listed or eligible for the National Register of Historic Places). Our findings will be submitted in a report to the ME Historic Preservation Commission upon the completion of the research.

If you have any questions regarding this project please do not hesitate to contact us at the number or address below.

Sincerely,

A handwritten signature in cursive script that reads "Sarah Cate".

Sarah Cate  
Associate Project Manager

Great Diamond Island WT  
Ingalls Road  
Portland, Cumberland County, ME




Data use subject to license.

© DeLorme. XMap® 7.

www.delorme.com



Scale 1 : 25,000



1" = 2,083.3 ft Data Zoom 13-0