Reviewed for Code Compliance
Inspections Division
Approved with Conditions
Date: 12/11/17

Farrell Tree Inventory- Diamond Cove Lot # 17

Trees to be Removed for construction and septic

Tree Tag #	***Circumference (in)***	***DBH***	***Basal Area (Sq ft)***	***GPS -long***	***GPS-lat***	***Species***	***AGS***	***UGS***	***Comments***
11	27	8.5	0.394	70.11.839	43.41.193	crab apple		x	dead- covered in bittersweet vine
12	38	12	0.785	70.11.837	43.41.190	maple	x		
13	23	7	0.267	70.11.837	43.41.191	maple	x		
14	27	8.5	0.394	70.11.838	43.41.190	maple		x	leaning / partly dead
15	15	5	0.136	70.11.838	43.41.189	ash		x	
18	17	5	0.136	70.11.836	43.41.187	ash	x		
19	13	4	0.087	70.11.841	43.41.191	maple	x		
20	22	7	0.267	70.11.837	43.41.187	maple		x	twin
28	20	6	0.196	70.11.832	43.41.183	birch		x	partly dead
29	27	8.5	0.394	70.11.831	43.41.184	birch		x	
31	22	7	0.267	70.11.831	43.41.189	birch		x	partly dead
32	27	8.5	0.394	70.11.829	43.41.189	pine		x	
33	37	12	0.785	70.11.831	43.41.184	maple	x		
34	36	11	0.660	70.11.825	43.41.181	beech		x	
112	19	6	0.196	70.11.828	43.41.201	ash		x	leaning
114	13	4	0.087	70.11.825	43.41.198	ash		x	
115	36	11.5	0.721	70.11.825	43.41.197	oak		x	leaning
116	21	7	0.267	70.11.826	43.41.198	maple	x		
117	25	8	0.349	70.11.826	43.41.198	beech		x	injured
118	39	12.5	0.852	70.11.827	43.41.198	oak	x		twin
119	20	6.5	0.230	70.11.826	43.41.196	pine		x	
120	24	7.5	0.307	70.11.826	43.41.195	pine	x		
121	52	16.5	1.485	70.11.828	43.41.196	birch		x	partly dead
122	16	5	0.136	70.11.831	43.41.193	pine		x	
123	24	7.5	0.307	70.11.836	43.41.193	pine		x	
124	24	7.5	0.307	70.11.831	43.41.194	maple	x		
125	22	7	0.267	70.11.832	43.41.188	birch		x	majority dead
126	31	10	0.545	70.11.833	43.41.186	pine		x	majority dead
127	26	8	0.349	70.11.833	43.41.186	birch		x	majority dead
128	29	9	0.442	70.11.831	43.41.189	hemlock		x	majority dead
129	15	5	0.136	70.11.824	43.41.190	pine		x	partly dead
131	15	5	0.136	70.11.826	43.41.191	pine		x	
Total			***12.287***						