1 SECTION

1/2" = 1'-0"

2B TYPICAL FOUNDATION ON SLOPED LEDGE

1/2" = 1'-0"

2A TYPICAL FOUNDATION ON LEDGE

1/2" = 1'-0"

3 SECTION

3/4" = 1'-0"

4 SECTION

3/4" = 1'-0"

5 SECTION

3/4" = 1'-0"

HOLDOWN SCHEDULE

PLAN MARK	HOLDOWN	MIN. END POST	DETAIL	NOTES
HD-A	HDU5-SDS2.5	(3) 2x6	3/S7	-
HD-B	HDU14-SDS2.5	(4) 2x6	4/S7	CAST IN PLACE ANCHOR ROD REQUIRED (SEE PLAN)
HD-C	CMSTC16 COILED STRAP	(2) 2x6	5/S7	30" MIN. END LENGTH

CITY OF PORTLAND, MAINE — RESURGAM

Reviewed for Code Compliance
Inspections Division
Approved with Conditions

Date: 12/11/17

Revisions:

No:	Date:	Description:

M2 STRUCTURAL ENGINEERING, P.C.
23 Thornbury Way
Windham, ME 04062
(207) 892-0983
info@m2se.com

Client: AMY FARRELL

Sheet Title: FOUNDATION SECTIONS AND DETAILS

Project Name: FARRELL RESIDENCE
GREAT DIAMOND ISLAND,
PORTLAND, MAINE

Project No:	17079
Designed By:	MJM
Drawn By:	MJM
Checked By:	MJM
Scale:	AS NOTED
Date:	09/25/2017

S7

This drawing is an instrument of professional service, and shall not be used, in whole or in part, for any project other than for which it was created without the express, written consent of M² Structural Engineering, P.C. Any unauthorized use, reuse, modification or alteration, including automated conversion of this document shall be at the user's sole risk without liability or legal exposure to M² Structural Engineering, P.C.