

Construent of Bill Constraints

ENCATION 29 Spring Cove La

CITY OF POR

CBL 083E A031001

lesued to Rickerby Ryan & /TBD

Date of Issue 05/20/2010

— changed as to use under Building Permit No. 05-0947 — has list inspection, has been found to conform substantially to requirements of Zoning Archinance and Building Code of the City, and is hereby approved for occupancy or use, limited or otherwise is indigated below.

PORTION OF BUILDING OR PRINCIPES

Entire Dwelling

APPROVED OCCUPANCY
Use Group R-3

Type 5B IRC 2003

Limiting Conditions:

This certificate supersedes certificate issued

Approved: 5-20:10

Enter plant in the second of t

Form # P 04

DISPLAY THIS CARD ON PRINCIPAL FRONTAGE OF WORK

		CITY OF PORTLANI
Application And Figure 1 Application And Figure 2 Application And Figur	Please Read	FERMINA

PERMIT

PERMIT ISSUED Permit Number: 050947 AUG 3 1 2005

CITY OF PORTLAND

This is to certify that

Rickarby Ryan & /TBD

has permission to __

Notes, If Any,

Attached

Summer cottage 3 bedrooms /12 Bat

083E A031001

epting this permit shall comply with all

of buildings and state tures, and of the application on file in

ances of the City of Portland regulating

AT 29 Spring Cove Ln

provided that the person or persons. of the provisions of the Statutes of I the construction, maintenance and u this department.

Apply to Public Works for street line and grade if nature of work requires such information.

ication insped h must n permis n procu and w ding or t thered e this ed or d osed-in. IR NOTICE IS REQUIRED.

ine and of the

A certificate of occupancy must be procured by owner before this building or part thereof is occupied.

OTHER REQUIRED APPROVALS

Fire Dept. _______

Other ______ Department Name

PENALTY FOR REMOVING THIS CARD

Dietar - Building & Inspection Services

LOCATI	on of Construction:	Owner Name:		Owner Address:	AUG 3	Mhone	
29 St	oring Cove Ln	Rickarby Ryan	ı &	3 Country Farm P	kd .	603-772-	146
Busine	ss Name:	Contractor Name	:	Contractor Address:		Phone	
		TBD		Portland	CITY OF PO)RTLAND	ļ
Lessee	Buyer's Name	Phone:		Permit Type:			Zone:
_			}	Single Family			IRY
Past U	se:	Proposed Use:		Permit Fee:	Cost of Work:	CEO District:	1
Vaca	nt Land	Summer cottag	ge 3 bedrooms &	\$2,346.00	\$250,000.00	1	
Proposed Project Description:			FIRE DEPT:	Approved INSP. Use (ECTION: R-3 TRC 20	туре: <i>51</i> U3	
			ł	PEDESTRIAN ACTIVACION: Action: Approv		w/Conditions	Denued
		[m. 4 A . 11 A 20	<u></u>				
	Taken By:	Date Applied For:	l		Approval	Day.	
ldob	son	07/11/2005	Special Zone or Review	Zoning			cryation
ldob	son This permit application	07/11/2005	Special Zone of Review	Zoning	ig Appeal	Historic Pres	
1. 1 1. 1 2. 1	son This permit application Applicant(s) from meet	07/11/2005 does not preclude the ing applicable State and tinclude plumbing,	Shoreland Crow H	Zoning Zoning Zoning White Controls Miscella	g Appeal	Historic Pres	t or Landma
1dob 1. 2 2. 3 3. 1	Find the second	does not preclude the ing applicable State and tinclude plumbing, t. bid if work is not started f the date of issuance.	Shoreland C+ H	Zoning Zoning Zoning Zoning Miscella	neous	Historic Pres	t or Landma quire Review
1dob 1. 2 2. 3 3. 3	Son This permit application Applicant(s) from meet Federal Rules. Building permits do not septic or electrical work Building permits are vo	does not preclude the ing applicable State and tinclude plumbing, t. bid if work is not started of the date of issuance. invalidate a building	Shoreland Gran H Wetland Flood Zone PAnel Subdivision	Zoning Zoning Zoning Zoning Miscella	neous	Historic Pres	t or Landma quire Review
1. 2. 1. 3. 3. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1.	False information may in a part of the control of t	does not preclude the ing applicable State and tinclude plumbing, t. bid if work is not started of the date of issuance. invalidate a building	Shoreland Crow H Wetland Flood Zone Panel	Zoning Zoning Zoning Zoning Zoning Condition Interpret	neous pal Use	Historic Pres	t or Landma quire Review
1. 2. 3. 3. 1	False information may in a part of the control of t	does not preclude the ing applicable State and tinclude plumbing, t. bid if work is not started of the date of issuance. invalidate a building	Shoreland Gran H Wetland Flood Zone P Anel Subdivision Site Plan	Zoning Zoning Zoning Zoning Zoning Condition Interpret	neous pal Use	Historic Pres	t or Landma quire Review

CERTIFICATION

I hereby certify that I am the owner of record of the named property, or that the proposed work is authorized by the owner of record and that I have been authorized by the owner to make this application as his authorized agent and I agree to conform to all applicable laws of this jurisdiction. In addition, if a permit for work described in the application is issued, I certify that the code official's authorized representative shall have the authority to enter all areas covered by such permit at any reasonable hour to enforce the provision of the code(s) applicable to such permit.

SIGNATURE OF APPLICANT	ADDRESS	DATE	PHONE

ELECTRICAL PERMIT City of Portland, Me.

To the Chief Electrical Inspector, Portland Maine:

The undersigned hereby applies for a permit to make electrical installations in accordance with the laws of Maine, the City of Portland Electrical Ordinance, National Electrical Code and the following specifications:

Date 9/26	/01/
Permit #	54895
CBL# <u>83</u>	EA 31

CMP ACCOUNT #				OWNER_	<u>R</u>	YAN RICOBY	- <u> </u>	
TENANT				PHONE #	<u></u>			
						TOTA	L EACH	FEE
OUTLETS	37	Receptacles	72	Switches	6	Smoke Detector	.20	10.00
							I	
FIXTURES	9	Incandescent	2	Fluorescent		Strips U	.20	2.20
			L					
SERVICES		Overhead		Underground	X	TTL AMPS 700 <800	15.00	1200
		Overhead		Underground	}	>800	25.00	===
Temporary Service	ا 	Overhead	ļ —	Underground	<u> </u>	TTL AMPS	25.00	
Temporary Service		Overnieau	-	Onderground	 	TILAMIFS	25.00	 -
METERS	V	(number of)		-			1.00	1.00
MOTORS		(number of)	1		<u> </u>	· · · · · · · · · · · · · · · · · · ·	2.00	7.00_
RESID/COM	-	Electric units	 	L	 	 	1.00	-
HEATING		oil/gas units		Interior	} —	Exterior	5.00	
APPLIANCES		Ranges	 	Cook Tops	 	Wall Ovens	2.00	200
AI I EIAITOCO		Insta-Hot	<u> </u>	Water heaters		Fans	2.00	
		Dryers	ļ <u>-</u>	Disposals		Dishwasher	2.00	4.5.
		Compactors	<u> </u>	Spa	1	Washing Machine	2.00	400
	<u></u>	Others (denote)	ļ- -		 _	Washing Washine	2.00	200
MISC. (number of)	 	Air Cond/win	 		├	 	3.00	
inioo. (ildiliber oi)	<u> </u>	Air Cond/cent	 -		╁╼╌╴	Pools	10.00	\
	\ 	HVAC	} -	EMS	├	Thermostat	5.00	{
-	- -	Signs	 -		{	THOMOSTAL	10.00	
	 	Alarms/res	 	<u> </u>	 		5.00	
· · · · · · · · · · · · · · · · · · ·	-	Alarms/com	 -	 -		DEPT. OF BUILDING INSPE		
	 	Heavy Duty(CRKT)	 		-	CITY OF PORTLAND, N	2.00	\-
- ,	 	Circus/Carny	<u> </u>	 	├		25.00	
•	 	Alterations	 	 		SED 26	5.00	}
	 	Fire Repairs	 		 	SEP 2 6 2005	15.00	
	 	E Lights	├		╂		1.00	 -
	├	E Generators	├	<u> </u>	 	RECEIVED	20.00	
	 	L donorators	┼─	 	┼	ILUCIVED	20.00	
PANELS	 	Service	 	Remote	 	Main	4.00	
TRANSFORMER	 	0-25 Kva			 	 	5.00	}-
	 	25-200 Kva	 	 	 		8.00	 -
-	<u> </u>	Over 200 Kva	1-	 	1		10.00	†
	 	-	†	l	† –	TOTAL AMOUNT DUE		36.20
	t	MINIMUM FEE/CO	MM	RCIAL 45.00	 	MINIMUM FEE 35.0	0	1 3,000
CONTRACTORS NAMADDRESS _ 7 4	NE -	MINIMUM FEE/CO FACOAST E EEUWOOD				<u> </u>		

White Copy - Office /

Yellow Copy - Applicant

A ..

والجر

- - = = = =

	AIFEEL DATEDT 181'	(1) 01 01 01 01 01 01 01 01 01 01 01 01 01	ጎለማኑ ውጣቱ ውጣቱ	05-0947	07/11/2005	002E 4021001
	oustruction:	(207) 874-8703, Fax: (2	207) 874-8710	Owner Address:		083E A031001
29 Spring C		}				Phone:
usiness Nam		Rickarby Ryan &		3 Country Farm Re		603-772-4446
(43181¢22 14940)	5.	TBD		Portland		Phone
essee/Buyer'	s Name	Phone:		Permit Type:		
				Single Family		
roposed Use:			Propos	ed Project Description:		
Summer co	ttage 3 bedrooms & 2/12	? Baths	Sumn	ner cottage 3 bedroo	oms & 2/12 Baths	
Dept: Zo	ning Status:	Approved with Conditions	s Reviewer	: Marge Schmucka	ıl Approval I	Date: 08/08/200
Note:	6	Tippio (VI Will COMMISSION	140.100.01		. Itppeorari	Ok to Issue:
work.	rmit is being approved o	on the basis of plans submit	•	•	separate approval	before starting that
	- 				A	08/21/700
Dept: Bu	niding Status:	Approved with Conditions	s Reviewer	: Tammy Munson	Approval I	_
Note:		1	1			Ok to Issue:
-	-	or any electrical, plumbing,	_			
2) As disci	ussed, the first floor syst	tem will be insulated in ord	ler to comply w	ith the energy effici	ency code.	
3) The bas	ement is NOT approved	l as habitable space.				
) The cas		proved as part of this perm	it.			
•	door shower is NOT app	are and home or much hearer				
4) The out 5) As disc	-	rail shall be placed on each		ithin the structure a	nd shall return to the	e wall at the
4) The out 5) As discrete beginning	ussed, a graspable handring and end of the run. approved based on the p	-	run of stairs w			
4) The out 5) As discrete beginning 6) Permit a	ussed, a graspable handring and end of the run. approved based on the pin plans.	rail shall be placed on each	run of stairs w			agreed on and as
4) The out 5) As discrete beginning 6) Permit a noted or	ussed, a graspable handring and end of the run. approved based on the pin plans.	ail shall be placed on each	run of stairs w	ntractor, with addition	onal information as	agreed on and as
4) The out 5) As discrete beginning 6) Permit a noted of Dept: Di	ussed, a graspable handring and end of the run. approved based on the pin plans. RC Status:	ail shall be placed on each	run of stairs w ed w/owner/cor Reviewer	ntractor, with addition	Approval I	agreed on and as Date: 08/02/200 Ok to Issue:
4) The out 5) As discribeginnin 6) Permit a noted of Dept: Di Note: 1) All Site 2) The De	ussed, a graspable handring and end of the run. approved based on the pin plans. RC Status:	ail shall be placed on each lans submitted and reviewed Approved with Condition adscaping, loam and seed) administer reserves the right to	run of stairs w ed w/owner/cor s Reviewer must be comple	tractor, with additions: Jay Reynolds eted prior to issuance	Approval I	ngreed on and as Date: 08/02/200 Ok to Issue:
4) The out 5) As discrebeginning 6) Permit a noted or Dept: DI Note: 1) All Site 2) The Denecessa	ussed, a graspable handring and end of the run. approved based on the pin plans. RC Status: work (final grading, lanvelopment Review Coorry due to field condition	ail shall be placed on each lans submitted and reviewed Approved with Condition adscaping, loam and seed) administer reserves the right to	run of stairs weed w/owner/cors Reviewer must be complete require addition	tractor, with additional lot grading or	Approval I e of a certificate of other drainage impr	ngreed on and as Date: 08/02/200 Ok to Issue:

8/23/05-tmm: left message for owner for building issues

CITY OF PORTLAND, MAINE **DEVELOPMENT REVIEW APPLICATION** PLANNING DEPARTMENT PROCESSING FORM

Zoning Copy

2005-0155 Application I. D. Number

Rickarby Ryan & Applicant		Jenice Harmonn		/2005 lication Date
3 Country Farm Rd , Stra Applicant's Mailing Address		 29 - 29 Spring Cov	-	ect Name/Description
Consultant/Agent Agent Ph:	Agent Fax:	Address of Propose 083E A031001	d Site	
Applicant or Agent Daytim	•	Assessor's Reference		
		ding Building Addition Change		
	Warehouse/Distribution Park	ing Lot	Other (specif	y)
1536 sq ft Proposed Building square	Feet or # of Units	40743 Acreage of Site		Zoning
		, tolouge of Otto		
Check Review Required				
Site Plan (major/minor)	☐ Subdivision # of lots	PAD Review		14-403 Streets Review
☐ Flood Hazard	Shoreland	☐ HistoricPreserva	tion	DEP Local Certification
Zoning Conditional Use (ZBA/P8)	Zoning Variance	,		Other
Fees Paid: Site Pla	\$50.00 Subdivision	Engineer Review	\$250.00	Date 7/13/2005_
Zoning Approva	l Status:	Reviewer		
Approved	Approved w/Co See Attached	onditions D	enled	
Approval Date	Approval Expiration	on Extension to		Additional Sheets Attached
Condition Compliance				Allacied
	signature	date		
Performance Guarantee	Required*	☐ Not Required	-	
* No building permit may	be issued until a performance guar	antee has been submitted as indicated b	elow	
Performance Guarant	ee Accepted			
	da	te amou	nt	expiration date
Inspection Fee Paid	4.			
- Ruilding Domit Locus	da	e amou	nt	
Building Permit Issue				
Performance Guarant				
	da	te remaining t	Dalance	aignature
☐ Temporary Certificate	of Occupancy	Conditions (See	Attached)	
_	da	de .		expiration date
Final Inspection	da	e signati		
Certificate Of Occupa		signati	ਪਾ ਹ	
Continuate of Occupat	da	de		
Performance Guarant	ee Released			
_	da	te signati	nte	
Defect Guarantee Sub				
	aubmitte	ed date amou	nt	expiration date
Defect Guarantee Rei	Dease			

date

signature



Residential Building Permit Application

If you or the property owner owes real estate or personal property taxes or user charges on any property within the City, payment arrangements must be made before permits of any kind are accepted.

Location/Address of Construction: Lot #31 Spring GUE Lane, Great Diamond Island							
Total Square Footage of Proposed Structure 1,534 58.	_	Square Footage of Lot 46					
Tax Assessor's Chart, Block & Lot Chart# Block# Lot# 83E A 31	Owner:	Cathleen Rickary	Telephone: 603 - 772 - 4446				
Lessee/Buyer's Name (If Applicable)	SAM	ame, address & telephone: onting Farm Rd control NH 03885	Cost Of 250,000 Work: \$ 250,000				
Current Specific use: LAND Proposed Specific use: Residential (Single family dwelling) + 75 Project description: Summer Cottage - 3 bedrooms 21/2 bath							
JUL 1 1 2005 Contractor's name, address & telephone:							
Who should we contact when the permit is ready: Ryan 2/12 Cathleen Rick BECEIVED Mailing address: 3 Country Farm Rd Stratham, NH 03885 Phone 603-772-4446							
Stratham, 1)H	03885	Phon	e 603-772-4446				

Please submit all of the information outlined in the Residential Application Checklist. Failure to do so will result in the automatic denial of your permit.

At the discretion of the Planning and Development Department, additional information may be required prior to permit approval. For further information stop by the Building Inspections office, room 315 City Hall or call 874-8703.

I hereby certify that I am the Owner of record of the manet property, or that the owner of record authorizes the proposed work and that I have been authorized by the owner to make this application as his/her authorized agent. I agree to conform to all applicable laws of this jurisdiction. In addition, if a permit for work described in this application is issued, I certify that the Code Official's authorized representative shall have the authority to enter all areas covered by this permit at any reasonable hour to enforce the provisions of the codes applicable to this permit.

Signature of applicant:	12: 1/2	Date:
	11111	

Permit Fee: \$30.00 for the first \$1000.00 Construction Cost, \$9.00 per additional \$1000.00 cost



Residential Building Permit Application Checklist



All of the following information is required and must be submitted in order to help insure an expeditious permitting process.

A comple	te set of construction drawings must include:
	Cross sections w/framing details Detail of any new walls or permanent partitions Floor Plans & Elevations Window and door schedules Foundation plans with required drainage and damp proofing (if applicable) Electrical and plumbing layout. Mechanical drawings for any specialized equipment such as furnaces, chimneys, gas equipment, HVAC equipment (air handling) or other types of work that may require special review must be included.
Separate points of there are required a	permits are required for internal & external plumbing, HVAC, and electrical installations. Lipies Site Plans & Le Literal PDF of 11×17 OSite & Constr. The any additions to the footprint or volume of the new or existing structure(s), a plot plan is Plan and must include:
	The shape and dimension of the lot, footprint of the proposed structure and the distance from the actual property lines drawn to scale. Structures include decks porches; a bow windows cantilever sections and roof overhangs, sheds, pools, garages and any other accessory structures must be shown. Boundary survey to scale showing north arrow; zoning district and setbacks First floor sill elevation (based on mean sea level datum) Location and dimensions of parking areas and driveways Location and size of both existing utilities in the street and the proposed utilities serving the building Location of areas on the site that will be used to dispose of surface water
	Existing and proposed grade contours Silt fence locations rveyor's monuments must be in place and the lot staked for a setback inspection.
	submit all of the information outlined in this Residential Application Checklist. Failure to do so ult in the automatic denial of your permit.

Permit Fee: \$30.00 for the first \$1000.00 Construction Cost, \$9.00 per additional \$1000.00 cost

This is not a Permit; you may not commence any work until the Permit is issued.

At the discretion of the Planning and Development Department, additional information may be required prior to permit approval.

For further information stop by the Building Inspections office, room 315 City Hall or call 874-8703.

Applicant: RyAn Rickardy Address: 29 Spring Cove LN. CBL: 003E-A-03/ CHECK-LIST AGAINST ZONING ORDINANCE Date - New De velopment Zone Location - IR- Interior or corner tot - End of Spring Cove LN Zone Location - TR- Interior or corner tot - End of Spring Cove LN Zone Location - IR- Interior or corner tot - End of Spring Cove LN Zone Location - IR- Interior or corner tot - End of Spring Cove LN Zone Location - IR- Interior or corner tot - End of Spring Cove LN Zone Location - IR- Interior or corner tot - End of Spring Cove LN Zone Location - Interior - Inte		
Address: 29 Spring Cove LN: CBL: 083E-A-03/ CHECK-LISTAGAINST ZONING ORDINANCE Date-New Development Pennt #05-094/ Zone Location-IR-1 Interior or corner to: Cond of Spring Cove LN 24 x 32 Proposed Use Work - to Construct New Single Franch, Ly Dwelly with Sewage Disposal-Provide Loi Street Frontage-100' min - 100' + 8his Front Yard-30' min - 25' Scalad (33' Shown on close-up) Rear Yard-30' min - 25' Scalad (33' Shown on close-up) Rear Yard-20' min - 44' & 187' 8his Front Yard-20' min - 44' & 187' 8his Front Store Front Scalad (1887) From Store Front Scalad (1887) From Store Front Scalad (1887) From Store Front Scalad (1887) Front Sc		Applicant: RyAn Richardy Dute: 3/4/05
CHECK-LIST AGAINST ZONING ORDINANCE Date - NEW De velsop ment Zone Location - IR - Interior or corner tot - and of Spring Cove W 24 x 32 Proposed UserWork - to Construct New Snow From Ly Dwelley with Sewage Disposal - Private Loi Street Frontage - 100 min - 100 + 8 min loss - 16 kg/b/ Front Yard - 30 min - 24 scalled (33 shown on close - 16 kg/b/ Side Yard - 20 min - 44 1/2 187 8 min Projections - front Scalled porch - rear bulkhe and Width of Lot - 100 min - 100 + 4 min for the first on grand grade Lot Area - 40,000 has 40,743 has a for the first of the firs		Address: 29 Spring Cove LN: C-B-L: 083E-A-03/
Date - New Development Zone Location - TR- Interior or corner lot - End of Spring Cove LW 24×32 Proposed Use Work - to Construct New Single Finally Dwelley with Servage Disposal - Private Loi Street Frontage - 100' min - 100' + 8h Front Yard - 30' min - 24 Scalad (33' Shown on close - up) Rear Yard - 30' min - 25' Scalad (33' Shown on close - up) Rear Yard - 20' min - 44' = 187' 8h Projections - Front Scalad porch - rear bulkhered Width of Lot - 100' m - 100' + Ghoristic for original grade Lot Area - 40,000 has 40,743 ft Lot Coveraged Impervious Surface - 20 g max - 0,148. bt Off-street Parking - 7 reg - 2p x Spaces Shown on side gold of Site Plan - min of Shown of Shoreland Zoning Stream Protection - Bldy is over \$60 fm the Min Shoreland Zoning Stream Protection - Bldy is over \$60 fm the Min Shoreland Zoning Stream Protection - Bldy is over \$60 fm the Min Shoreland Zoning Stream Protection - Bldy is over \$60 fm the Min Shoreland Zoning Stream Protection - Bldy is over \$60 fm the Min Shoreland Zoning Stream Protection - Bldy is over \$60 fm the Min Shoreland Zoning Stream Protection - Bldy is over \$60 fm the Min Shoreland Zoning Stream Protection - Bldy is over \$60 fm the Min Shoreland Zoning Stream Protection - Bldy is over \$60 fm the Min Shoreland Zoning Stream Protection - Bldy is over \$60 fm the Min Shoreland Zoning Stream Protection - Bldy is over \$60 fm the Min Shoreland Zoning Stream Protection - Bldy is over \$60 fm the Min Shoreland Zoning Stream Protection - Bldy is over \$60 fm the Min Shoreland Zoning Stream Protection - Bldy is over \$60 fm the Min Shoreland Zoning Stream Protection - Bldy is over \$60 fm the Min Shoreland Zoning Stream Protection - Bldy is over \$60 fm the Min Shoreland Zoning Stream Protection - Bldy is over \$60 fm the Min Shoreland Zoning Stream Protection - Bldy is over \$60 fm the Min Shoreland Zoning Stream Protection - Bldy is over \$60 fm the Min Shoreland Zoning Stream Protection - Bldy is over \$60 fm the Min Shoreland Zoning Stream Protection - Bldy is over \$60 fm		
Interior or corner lot- and Spring Cove LN 24 x 32 Proposed Use Work- to Construct New Single From Ly Dwelley with Servage Disposal - Prof. 24 Loi Street Frontage - 100' min - 100' + 8h Servage Disposal - Prof. 24 Front Yard - 30' min - 24' scalad (33' shown on close-up) Rear Yard - 30' min - 45' scalad (33' shown on close-up) Rear Yard - 20' min - 44' s 187' 8hon Projections - Front Scalad Porch - rear bulk he and Width of Lot - 100' min - 100' + Shown Height - 35' MAX 28' scalad 1 the profession of the following Surface - 20 g MAX - 4, 148. by Lot Coverage Impervious Surface - 20 g MAX - 4, 148. by Area per Family - 40,000 the following Surface - 20 g MAX - 4, 148. by Site Plan - min sy form of 12005 - 015 street Parking - 7 reg - 2 pm Space Show on such yall of Shoreland Zoning Stream Protection - Bldy is over 150 for the Man. Flood Plains - Panel 9 - The Control of the Man. Flood Plains - Panel 9 - The Control of the Man.		i sont in
Interior or corner lot - End & Spring Cove (N) 24 x 32 Proposed Use/Work - to Construct New Snyle (RM) Juvelle with Sevenge Disposal - Print 4 Loi Street Frontage - 100' min - 100' + 8ha		
Loi Street Frontage - 100' min - 100' + 8h Front Yard - 30' min - 34 Scalled (33' Shown on close - up) Rear Yard - 30' min - 85' Scalled (33' Shown on close - up) Rear Yard - 30' min - 44' & 187' 8h 5x3 Projections - front Schedul porch - rear bulk he and Width of Lot - 100' min - 100' + Shown on surface - 28' Scaled 1 1400? to original grade Lot Area - 40,000 th has 40,743th Lot Coverage Impervious Surface - 20 6 Max - 9,148. by 124 x32 = 760 Area per Family - 40,000 th sufface - 20 6 Max - 9,148. by 124 x32 = 760 Off-street Purking - 7 rey - 2pm Spaces Show on side yall to suppose the state of the suppose the sup		Zone Location - +K-
Loi Street Frontage - 100' min - 100' + 8h Front Yard - 30' min - 34 Scalled (33' Shown on close - up) Rear Yard - 30' min - 85' Scalled (33' Shown on close - up) Rear Yard - 30' min - 44' & 187' 8h 5x3 Projections - front Schedul porch - rear bulk he and Width of Lot - 100' min - 100' + Shown on surface - 28' Scaled 1 1400? to original grade Lot Area - 40,000 th has 40,743th Lot Coverage Impervious Surface - 20 6 Max - 9,148. by 124 x32 = 760 Area per Family - 40,000 th sufface - 20 6 Max - 9,148. by 124 x32 = 760 Off-street Purking - 7 rey - 2pm Spaces Show on side yall to suppose the state of the suppose the sup		Interior or corner lot - End & Spring Cove (N) 24×32
Loi Street Frontage - 100' min - 100' + 8h Front Yard - 30' min - 34 Scalled (33' Shown on close - up) Rear Yard - 30' min - 85' Scalled (33' Shown on close - up) Rear Yard - 30' min - 44' & 187' 8h 5x3 Projections - front Schedul porch - rear bulk he and Width of Lot - 100' min - 100' + Shown on surface - 28' Scaled 1 1401? to original grade Lot Area - 40,000 th has 40,743th Lot Coverage Impervious Surface - 20 max + 8,148. by 24 x32 = 760 Area per Family - 40,000 th sufface - 20 max + 8,148. by 24 x32 = 760 Off-street Purking - 7 reg - 2pmk; Spaces Show on side gold to the state of the surface of the sur		Proposed UserWork- to Construct New Songla Frankly Dwelley with
Rear Yard - 30' min - 39 Scalad (33' Shown on close-4) Rear Yard - 30' min - 85' Scalad Side Yard - 20' min - 44' & 187' 8hori Projections - front Screened porch - rear bulkhered Width of Lot - 100' min - 100' t Shown Height - 35' MAX 28' Scaladd 1400? to original grade Lot Area - 40,000 has buffer 40,743 the continued of the second of the		
Rear Yard - 30 mm - 65 SCR and Side Yard - 20' mm - 44' & 187' 8ho- Projections - front Screened parch - rear bulkhe and Width of Lot - 100' m - 100' + Short Height - 35 max28' Scaledd - Holl? to original grade Lot Area - 40,000 th has 40,743 th Lot Coverage Impervious Surface - 20 g max - 9,148,6 124 x32 = 760 Area per Family - 40,000 th Off-street Parking - 7 reg - 2pmk Spaces 8how answer 40 Loading Bays - NH Site Plan - mass from or \$12005 - 0155 to mor Shoreland Zoning Stream Protection - Bldy is over \$60 for the M Flood Plains - Panel 9 - Zhe C		Loi Street Frontage - 100 min - 100 + 8hm
Rear Yard - 30 mm - 65 SCACAG Side Yard - 20' mm - 44' & 187' 8ho Projections - front Screened parch - rem bulkhered Width of Lot - 100' m - 100' + Show Height - 35 max28' Scaledd - Hell? to original grade Lot Area - 40,000 th has 40,743 th Lot Coverage Impervious Surface - 20 g max - 9,148,6 124 x32 = 760 Area per Family - 40,000 th Off-street Parking - 7 rey - 2p - 2p - 5 Spaces 8how on side you'd's Loading Bays - NH Site Plan - mass for a stream Protection - Bldy is over 150 for the Minus Shoreland Zoning Stream Protection - Bldy is over 150 for the Minus Flood Plains - Panel 9 - Zhe C		Front Yard - 30'min - 35 Scaled (33'Shown on close-4)
Width of Lot - 100 m - 100 t Short for original grade Height - 35 max28 Scaled 1400, to original grade Lot Area - 40,000 that 40,743 the Lot Coverage Impervious Surface - 20 6 max - 0,148, by 24 x32 = 760 Area per Family - 40,000 the 10 x 14 = 25 6 Off-street Purking - 7 reg - 2pm Spaces Show on side your to show of \$1005 - 0.55 the of \$1000 Shoreland Zoning Stream Protection - Bldg is over \$1000 for the plains - panel 9 - The Control of the plains - panel 9 - The Control of the plains - panel 9 - The Control of the plains - panel 9 - The Control of the plains - panel 9 - The Control of the panel 9 - The Cont		Rear Yard - 30 Mm - 63 JCM CG
Width of Lot - 100 m - 100 t Short for original grade Height - 35 max28 Scaled 1400, to original grade Lot Area - 40,000 that 40,743 the Lot Coverage Impervious Surface - 20 6 max - 0,148, by 24 x32 = 760 Area per Family - 40,000 the 10 x 14 = 25 6 Off-street Purking - 7 reg - 2pm Spaces Show on side your to show of \$1005 - 0.55 the of \$1000 Shoreland Zoning Stream Protection - Bldg is over \$1000 for the plains - panel 9 - The Control of the plains - panel 9 - The Control of the plains - panel 9 - The Control of the plains - panel 9 - The Control of the plains - panel 9 - The Control of the panel 9 - The Cont		Side Yard - 20' mm - 44'e 187' 8hom
Height - 35 MAX - 28' Scaled 1 160; to dignize 91 Ado Lot Area - 40,000 has 40,743 th Lot Coverage Impervious Surface - 20 6 MAX - 0,148,60 11 24 x32 = 760 Area per Family - 40,000 th Off-street Parking - 7 reg - 2p x Spaces Show on side your to show of street Parking of Shoreland Zoning/Stream Protection - Bldg is over 160 for the Manney Shoreland Zoning/Stream Protection - Bldg is over 160 for the Manney Albert Flood Plains - Panel 9 - Zhe C		1
Lot Coverage Impervious Surface - 20 g MAX + 0, 148.69 124 x32 = 760 Area per Family - 40,000 f Off-street Parking - 7 rey - 2p - Spaces Show on side y 4064 Loading Bays - NA Site Plan - may have of \$2005 - 0.55 for of Shoreland Zoning Stream Protection - Bldy is over \$50 for HWM Flood Plains - PAnel 9 - The Charles over \$50 for HWM		Width of Lot - 100 m - 100 + Show
Lot Coverage Impervious Surface - 20 g MAX + 0, 148.69 124 x32 = 760 Area per Family - 40,000 f Off-street Parking - 7 rey - 2p - Spaces Show on side y 4064 Loading Bays - NA Site Plan - may have of \$2005 - 0.55 for of Shoreland Zoning Stream Protection - Bldy is over \$50 for HWM Flood Plains - PAnel 9 - The Charles over \$50 for HWM		Height - 35 MAX 28 Scaled 1800; to my your
Off-street Parking - 7 reg - 2pm/ Spaces show the side your Loading Bays - NA Site Plan - most have of \$2005-01550000000000000000000000000000000		101 Area - 400004 has 40 7124
Off-street Parking - Z reg - Zpm Spaces show the side your Loading Bays - NA Site Plan - most have of \$2005-015500 of Shoreland Zoning/ Stream Protection - Bld is over \$50 for HWM Flood Plains - Panel 9 - Zne C Plant South South Number 1964		Lot Coverage Impervious Surface - 20 6 MAX + 8, 146,6 1 24 x32 = 760
Site Plan - most for of £2005-0(55) Shoreland Zoning/ Stream Protection - Bldy is over \$60 for HWM Flood Plains - Phol 9 - Zne C Plant South Stream HWM		5 6 - 10
Site Plan - most for of £2005-0(55) Shoreland Zoning/ Stream Protection - Bldy is over \$60 for HWM Flood Plains - Phol 9 - Zne C Plant South Stream HWM		Off-street Parking - 2 reg - 2pmk Spaces Show on side you
Flood Plains - Phil 9 - The Chief Solar Solar Solar Non		Loading Bays - NA
Flood Plains - Phil 9 - The Chief Solar Solar Solar Non		\$2005-0155 mon of
Showing About 2' of fill on plans		Shoreland Zoning/Stream Protection - Bldg Sover 150 from the
Showing About 2' of fill on plans		Flood Plains - Panel 9 - The Charles of Non
· · · · · · · · · · · · · · · · · · ·	Ć	Showing About 2' of fill on plans

Ryan - 603 - 772 - 4446

	ONE AND TWO FAMILY	PLAN REVIEW	CHECKLIST
	Soil type/Presumptive Load Value (Table R401.4	.1)	
	STRUCTURAL	,	11 g'und
(P)	Footing Dimensions/Depth (Table R403.1 & R403.1(1), (Section R403.1 & R403.1.4.1)	Not shown	014 6" will 16" x8" ftng
	Foundation Drainage, Fabric, Damp proofing (Section R405 & R406)	ok	
Æ	Ventilation/Access (Section R408.1 & R408.3) Crawls Space ONLY	NA	
	Anchor Bolts/Straps, spacing (Section R403.1.6)	500 Show 12"- 6"	oc
	Lally Column Type (Section R407)		
	Girder & Header Spans (Table R 502.5(2))		
,	Built-Up Wood Center Girder Dimension/Type	Shows- 3-2x12'S - LUL'.	5? or wood?
\supset	Sill/Band Joist Type & Dimensions	2X8 PT SILL	
	First Floor Joist Species Dimensions and Spacing (Table R502.3.1(1) & Table R502.3.1(2))	2x8 Blacking under Posts - NOT solid	bearing - OK gris
	Second Floor Joist Species Dimensions and Spacing (Table R502.3.1(1) & Table R502.3.1(2))	2×8'S	
	Attic or additional Floor Joist Species Dimensions and Spacing (Table R802.4(1) and	NA	


		
R802.4(2))		
Pitch, Span, Spacing& Dimension (Table R802.5.1(1) - R 802.5.1(8)) Roof Rafter; Framing & Connections (Section R802.3 & R802.3.1)	Need better labeled 2x6'5 -16"	desnits ok
Sheathing; Floor, Wall and roof (Table R503.2.1.1(1)	talls - not noted flow	- 3/4 Tota Walls - 90"
Fastener Schedule (Table R602.3(1) & (2))	Not noted	
Private Garage (Section R309) Living Space? (Above or beside) Fire separation (Section R309.2)		
Opening Protection (Section R309.1)	W/A	
Emergency Escape and Rescue Openings (Section R310)	Noted on first flow pla	
Roof Covering (Chapter 9)		
Safety Glazing (Section R308)	OK - Noted on ist floo	pla - Weld in Stairwell
Attic Access (Section R807)	NA	
Chimney Clearances/Fire Blocking (Chap. 10)	o" clearance	
Header Schedule (Section 502.5(1) & (2)	vot shown -	3-2×8'5
Energy Efficiency (N1101.2.1) R-Factors of Walls, Floors, Ceilings, Building Envelope, U-		
Wall-R Roof-R Cloor-	-19 Foundation - R-10 -30 R-19	<u> </u>

Factor Fenestration		
ractor renestration		
Type of Heating System	NOT Shown	
Means of Egress (Sec R311 & R312) Basement 2		
Number of Stairways 3		
Interior		
Exterior 2		
Treads and Risers Inter Shows- (Section R311.5.3)	73/4" R - No other Stairs lab	elel
Width (Section R311.5.1) 3-6 - 61		
Headroom (Section R311.5.2) Not Show		
Headroom (Section R311.5.2) Not Show r Gyardrails and Handrails Not Show r (Section R312 & R311.5.6 - R311.5.6.3)	own - Need,	handrail on stairs
Smoke Detectors (Section R313) Location and type/Interconnected	notshown	
Dwelling Unit Separation (Section R317) and IBC 2003 (Section 1207)	W/A	
Deck Construction (Section R502.2.1)	Not shown	-0(
(3) No out door show	ver	


province of

AAA 1

BUESURF	ACE W	ASTEWATER DISPO	OSAL SYSTE	M APPLICA	DMsi (207)	on of Heelth Engineering, 10 SHS) 287-5672 Fex: (207) 287-3165
7///////	ROPERTY	LOCATION //////////	>> CAUTION: PE	RMIT REQUIRE		SPACE BELOW <<
City, Town, or Plantation	Operan	DIAMOND COVE				
Street or Road	SPRIM	16 COVE LANCE	//////////////////////////////////////	<i>//////////////////////////</i> PERM:	<i>9////////////////////////////////////</i>	Y/////////////////////////////////////
Subdivision, Let #	Lor.	No. 31	Date Permit 9	27105]	s 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Double Fee
Name (last, first, MI)	VAPPLICA	NT INFORMATION ///	Marin Y	Models	L.P.I.O	2.4.4
RICKERBY RYAN D Applicant			Local Plumding	Inspector Signature	,	
Mailing Address of 3 Coursey Farm Ro. Owner/Applicant				//td//td///s	4//64//64	X/////////////////////////////////////
	STRATHAM N.H. 03885			[[19][]59[]5	4/1////////	
Daytime Tel.#	1-603-	272-4446	M	unicipal Tax Map #		<u>'</u>
I state and acknowledge my knowledge and unde	that the inform	VT STATEMENT ation submitted is correct to the best of falsification is reason for the Department		the Installation author face Wastewater Dispo	zed above and found it	
and/or Local Plumbing In	L Kicke	m 1.7.05			_	(1st) date approved
\$\$grad	ure of Owner or		LOCAL RMIT INFORMATION	Plumbing Inspector Sic	mature	(2nd) data approved
TYPE OF APPLI	CATION	THIS APPLICATION REC	 		SAL SYSTEM COM	<u>/////////////////////////////////////</u>
1. First Time Syste		#1. No Rule Verlance			plete Non-engineer	
2. Replacement S		2. First Time System Variance			ittive System (grayw	
Type replaced:		a. Local Plumbing inspector Ap b. State & Local Plumbing inspector	proval		mative Toilet, apecify -engineered Dispose	·
Veer Installed:		☐ 3. Replacement System Variance	ector Approval			gallons
☐ 3. Expanded Syste ☐ a. Minor Expans ☐ b. Major Expans	em Jon	1 a. Local Plumbing Inspector Ap	I U.C. NOn-engineered Disposei Field (only)			• -•
		U. D. State & Local Plumbing inspe	u c. Compete Engreered System (200			
0 4. Experimental Sy	, , ,	☐ 4. Minimum Lot Size Variance	□ 9. Engineered Treatment Tank (only) □ 10. Engineered Disposal Field (only)			
D 5. Seasonal Conve	ension	5. Seasonal Conversion Permit	□ 11, Pre-treatment, specify:			
SIZE OF PROPE	RTY	DISPOSAL SYSTEM TO SER	· -	0 12. Miscellaneous Components		
40,743	₽SQ. FT. Li ACRES	 t 1, Single Family Dwelling Unit, No. □ 2. Multiple Family Dwelling, No. of 		TYPE	OF WATER SUPPL	.Y
SHORELAND Z	ONING	3. Other:(specify)		•	Vell (3 2. Dug Well	☐ 3. Private
#Yes	□ No	Current Use O Seasonal D Year Ro	Round D Undeveloped A. Public © 5. Other SYSTEM LAYOUT SHOWN ON PAGE 3)			,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
		///// DESIGN DETAILS (S'	YSTEM LAYOUT SH	OWN ON PAGE	3)////////	
TREATMENT T # 1. Concrete	TANK	DISPOSAL FIELD TYPE & SIZ 1 1. Stone Bed 0 2. Stone Tranch	CE GARBAGE DIS	POSAL UNIT		IGN FLOW
# a. Reguler		■ 3. Proprietary Device	#1. No 🛚 2. Ye	-	220	_ gallons perday
□ b. Low Profile	į	□ a. cluster array ₽ c. Linear	i) a, muiti-compari	• •	BASED	ON:
□ 2. Plastic □ 3. Other:		b. regular load □ d. H-20 load d. H-20 load			# 1. Table 501.1 (0 2. Table 501.2 (
CAPACITY: 10	OO GAL.	ß 4. Other:	C. increase in tax	nk capacity	SHOW CALC	ULATIONS
·		SIZE: 900 D sq. ft. D lin, ft			for other la	Cliffes —
SOIL DATA & DESIG		DISPOSAL FELD SIZING		EFFLUENT/EJECTOR PUMP		
PROFILE CONDITION	N DESIGN	☐ 1. Small—2.0 sq. ft. / gpd ☐ 2. Medlum—2.6 sq. ft. / gpd	0 1. Not Required			
at Observation Hole#	56	● 3. Medium—Large 3.3 sq. f.t / gpc	□ 2. May Be Requi	red'		
Depth 22" 0 4. Large-4.1 sq. ft. / gpd		3. Required	1			
of Most Limiting Soil Factor 0 5. Extra Large—5.0 sq. ft. / gpd		Specify only for en	gineered systems:	© 3, Section 503.		
BUDROCK	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		DOSE:	gallons	ATTACH WATE	ER METER DATA ***********************************
	////////	//////////SITE EVAL	LUATOR STATEMEN	/////////		
certify that on 4	115/0	(date) I completed a site	evaluation on this pro	perty and state t	that the data rep	orted are accurate and
hat the proposed	system is j	compliance with the State of I	Maine Subsurface Wa	stewater Dispos	sal Rules (10-14	4A GMR 241).
1 James	14.5	and the same of th	185	<i>4//</i>	5/05	
Site	Evaluator S	Signature	SE#		Date	
Davie	A k	ALAU A				
Site	Evaluator N	Name Printed			F	Page 1 of 3
\	— - —	lations from the design shou	ıld be confirmed wit	h the Site Evalu		HE-200 Rev. 8/01



XORIL. TEST PITS EVALUATED 10/17/84 CONFIRMED 4/15/85



Yankee Barn Homes
Wandworks Design Saftware

131 Yankee Barn Road Grantham, NH 03753 v: 603-863-4545 f: 603-863-4551 COMPANY

PROJECT

- Aug. 30, 2005-15:23:23 Beam1


Design Check Calculation Sheet

Sizer 2002a

LOADS: (lbs, psf, or plf)

Load	Туре	Distribution	Magnitude Start End	Location [ft] Start End	Pattern Load?
dead	Dead	Full Area	10.00 (2.67)*		No
snow	Snow	Full Area	50 <u>.00 (2.67)*</u>		No
Trib	itary Wid	th (ft)			

MAXIMUM REACTIONS (Ibs) and BEARING LENGTHS (in):



Dead	158	158
Live	533	533
Total	692	692
Bearing:	<u> </u>	
Length	1.0	 L 1.0

Lumber-soft, D.Fir-L, No.1, 4x6"

Slope: 37.9 deg;, Total length: 10'-1.6", Self Weight of 4.57 ptf automatically included in loads; Lateral support: top= full, bottom= at supports; Load combinations: ICC-IBC;

SECTION vs. DESIGN CODE NDS-1997: (stress=psi, and in)

	Criterion	Analysis Value	Design Value	Analysis/Design
Ч	Shear	fv @d = 39	Fv' = 109	fv/Fv' = 0.35
١	Bending(+)	fb = 941	Fb' = 1495	fb/fb' = 0.63
	Live Defl'n	0.24 = L/508	C.34 ≈ L/360	(0.71 ∖
ľ	Total Defl'n	0.35 <u>=</u> L/352	0.68 = L/18C	

ADDITIONAL DATA:

FACTORS	: F	CD	CM	Ct	CL	CF	CV	Cfu	Cr	LC#
Fb '+=	1000	1.15	1.00	1.00	1.000	1.30	1.000	1.00	1.00	2
Fv' =	95	1.15	1.00	1.00						2
Fcp'=	625		1.00	1.00						-
E' ≃	1.7 r	million	1.00	1.00						2

Bending(+): LC# 2 = D+S, M = 1383 lbs-ft

Shear : LC# 2 = D+S, V = 546, V@d = 496 lbs

Deflection: LC# 2 = D+S EI= 82.49e06 lb-in2 Total Deflection = 1.50(Dead Load Deflection) + Live Load Deflection.

(D=dead L=live S=snow W=wind L=impact C=construction CLd=concentrated) (All LC's are listed in the Analysis output)

DESIGN NOTES:

- 1. Please verify that the default deflection limits are appropriate for your application.
- 2. Sawn lumber bending members shall be laterally supported according to the provisions of NDS Clause 4.4.1.
- 3. SLOPED BEAMS: level bearing is required for all sloped beams.

Permit Number Checked By/Date



Generated by REScheck Package Generator **Compliance Certificate**

Proi	ect	Title:	Sprin	acove	Lana
	UUL	HIUE.	JUILLE		Laut

Energy Code:

1995 MEC

Location:

Portland, Maine

Construction Type: Window-to-Wall Ratio: 0.15

Single Family

Heating Degree Days: 7378

Report Date:

Date of Plans:

Project Information:

Builder Information:

Project Notes:

Compliance Passes

	Assembly	Cavity R-Value	Cont. R-Value	Glazing or Door U-Factor
Ceiling:		33.0	0.0	
Wall:		25.0	0.0	
Window:				0.350
Door,				0.350
Floor:		19.0	0.0	
Furnace: : 85 AFUE				

Statement of Compliance: The proposed building design described here is consistent with the building plans, specifications, and other calculations submitted with the permit application. The proposed building has been designed to meet the 1995 MEC requirements in the REScheck Package Generator and to comply with the mandatory requirements listed in the REScheck Inspection Checklist.

Builder/Designer	Company Name	Date



Generated by REScheck Package Generator REScheck Inspection Checklist

Project Title: Springcove Lane

	Cellings:
	Ceiling: , R-33.0 cavity insulation
	Comments:
	Above-Grade Walls:
	Wall: , R-25.0 cavity insulation
	Comments:
	Windows:
	Window: , U-factor: 0.350
	For windows without labeled U-factors, describe features:
	#Panes Frame Type Thermal Break? Yes No
	Comments:
	OUTINITIES.
	Doors:
_	
u	Door: , U-factor: 0.350 Comments: Front door exempt
	Confinents. From door exempt
	Places
_	Floors:
Ц	Floor: , R-19.0 cavity Insulation
	Comments:
_	Heating and Cooling Equipment:
	Furnace: : 85 AFUE or higher
	Make and Model Number:
_	Air Leakage:
	Joints, penetrations, and all other such openings in the building envelope that are sources of air leakage must be sealed.
Ų	Recessed lights must be 1) Type IC rated, or 2) installed inside an appropriate air-tight assembly with a 0.5" clearance from combustible materials. If non-IC rated, the fixture must be installed with a 3" clearance from insulation.
	Conductions materials. In horno rated, the fixture must be indicated with a 5 Goddenice month insulation.
	Vapor Retarder:
	Required on the warm-in-winter side of all non-vented framed ceilings, walls, and floors.
_	And the state of the state of the following the state of
	Materials identification:
	Materials and equipment must be identified so that compliance can be determined.
	Manufacturer manuals for all installed heating and cooling equipment and service water heating equipment must be provided.
ō	Insulation R-values, glazing U-factors, and heating equipment efficiency must be clearly marked on the building plans or
	spacifications.
	Duct Insulation:
Ō	Ducts in unconditionad spaces must be insulated to R-5. Ducts outside the building must be insulated to R-8.0.
	Duct Construction:
	All ducts must be sealed with mastic and fibrous backing tape. Pressure-sensitive tape may be used for fibrous ducts. Duct tape
	is not permitted.

	The HVAC system must provide a means for balancing air and water systems.
	Temperature Controls:
a	Thermostats are required for each separate HVAC system. A manual or automatic means to partially restrict or shut off the heating and/or cooling input to each zone or floor shall be provided.
	Circulating Hot Water Systems:
	Insulate circulating hot water pipes to the levels in Table 1.
	Swimming Pools:
Q	All heated swimming pools must have an on/off heater switch and require a cover unless over 20% of the heating energy is from non-depletable sources. Pool pumps require a time clock.
	Heating and Cooling Piping Insulation:
	HVAC piping conveying fluids above 120°F or chilled fluids below 55°F must be insulated to the levels in Table 2.

Table 1: Minimum Insulation Thickness for Circulating Hot Water Pipes

Insulation Thickness in	ı inches t	v Pipe	Sizes
-------------------------	------------	--------	-------

	Non-Circula	iting Runouts	Circulating Mains and Runouts		
Heated Weter Temperature (*F)	Up to 1"	Up to 1,25"	1.5" to 2.0"	Over 2"	
170-180	0.5	1.0	1.5	2.0	
140-160	0.5	0.5	1.0	1.5	
100-130	0.5	0.5	0.5	1.0	

Table 2: Minimum Insulation Thickness for HVAC Pipes. Hot Water Pipes

	Fluid Temp.	Insulation Thickness in Inches by Pipe Sizes			
Piping System Types	Range(°F)	2" Runouts_	1" and Less	1.25" to 2.0"	2.5" to 4"
leating Systems					
Low Pressure/Temperature	201-250	1.0	1.5	1.5	2.0
Low Temperature	120-200	0.5	1.0	1.0	1.5
Steam Condensate (for feed weter)	Алу	1.0	1.0	1.5	2.0
Cooling Systems	•				
Chilled Weter, Refrigerant and	40-55	0.5	0.5	0.75	1.0
Brine	Below 40	1.0	1.0	1.5	1.5
NOTES TO FIELD: (Building Departm	nent Use Only)				
NOTES TO FIELD: (Building Departm	nent Use Only)				
NOTES TO FIELD: (Building Departm	nent Use Only)				
NOTES TO FIELD: (Building Departm	nent Use Only)				
NOTES TO FIELD: (Building Departm	nent Use Only)				
NOTES TO FIELD: (Building Departm	nent Use Only)				

- FOUTING DOPTH (1X WALL THECKNESS) 8"
 - BROOF PANGES 2X6 0 16" ON CENTER.


 SPAN BETWEEN VERTICAL POSTS 10'

 POSTS ARE CONTSNUONS DOWN TOO FOSTING
 - Q WALL SHEATHING SHOWN ON CROSS SECTION SHEET 6
 - SHOWN ON SHEET #1
 - D'SUMMER USE, VERMONT CASTINGS GAS STUTE FOR SUPPLEMENTAL HEAT. (Specification) Included with TNITIAL APPLICATION)
 - (8) EXSERSON STASRI RISE 2.0" RIN 10.0" (SHOWN ON SHEET
 - (9) HEADROOM SHOWN ON SHEET #6 STATE CROSSECTION
 - (1) SMIKE DETECTORS SHOWN ON ELECTROCAL PLAN
 - (2) DECK CONSTRUCTION SHOWN ON SHEET # 3X

1) BLECTRICAL SCHEDULE TOJAS ATPARILA TO PROTEST BOJAN, OR NELAS SQUAL (JODAS POR ELOT OF THE PALASIS. TOPAS FOR BLETHICA, DEVICAS OCCUPION OR OPPOSITE SEELS OF THE SAME TALL ARISES THAT. TOPATHA SAME THE SATE SA A SAME SATE MATERIAL SAME SAME SAME.
TOPATHA SAME THE SATE SA A SAME SAME SATESTIAN SAME SAME SAME. ARRA PARTE CALTAR DATE IN PROPERTY OF STATES AND PROPERTY OF STATES AND STATE AN EDIG VARIATI ALLERSTEIN MEDIE DEPLAN THE MARK COTANIAN. AND SCHOOL MARK IN SECULO SECULO. A ALTERNA SALATIN STATE SE LIGHTLY COMPANY. And the state of t C ATTIC-ELECTION TOTAL TOTAL CONTRACT

A CONTRA A FIRST FLOOR -ELECTIAN B SECOND FLOOR -ELECPLAN AND REAL PROPERTY AND PROPERTY OF THE PERTY THE STREET OF THE STREET CAMP CAMP CAMP CAMP CAMP CAMP

1 deriodi passidatas





12 WESTBROOK COMMONS 2nd FLOOR
WESTBROOK MAINE 04092
Phone: 207-856-0006 Fax: 207-856-0007

PREPARED FOR:

McKINLEY PARTNERS
LIMITED PARTNERSHIP
GREAT DIAMOND ISLAND
PORTLAND, MAINE
CUMBERLAND COUNTY
SCALE: 1" = 60'
DATE: 11/09/99
LUC JOB #: 1420
SGC JOB #: 1-000032.00

TITLE:

ACCESS / UTILITY
EASEMENT
SKETCH PLAN
Revised 02/23/00
Revised 05/25/00

Please call 874-8703 or 874-8693 to schedule your inspections as agreed upon

Permits expire in 6 months, if the project is not started or ceases for 6 months.

The Owner or their designee is required to notify the inspections office for the following inspections and provide adequate notice. Notice must be called in 48-72 hours in advance in order to schedule an inspection:

By initializing at each inspection time, you are agreeing that you understand the inspection procedure and additional fees from a "Stop Work Order" and "Stop Work Order Release" will be incurred if the procedure is not followed as stated below.

below.	
A Pre-construction Meeting will take place upor	receipt of your building permit.
Footing/Building Location Inspection:	Prior to pouring concrete
Re-Bar Schedule Inspection:	Prior to pouring concrete
Foundation Inspection:	Prior to placing ANY backfill
Framing/Rough Plumbing/Electrical:	Prior to any insulating or drywalling
use. N	to any occupancy of the structure or NOTE: There is a \$75.00 fee per tion at this point.
Certificate of Occupancy is not required for certain you if your project requires a Certificate of Occupa inspection If any of the inspections do not occur, the phase, REGARDLESS OF THE NOTICE OR C	ncy. All projects DO require a final e project cannot go on to the next
CERIFICATE OF OCCUPANICES MUBEFORE THE SPACE MAY BE OCCUPIED	ST BE ISSUED AND PAID FOR,
Corney Richarty	9.1.05.
Signature of Applicant Designee	Date 9-1-05
Signature of Inspections Official	Date
CBL: 083 L A O 3 Building Permit #:	13.0941

General Information

The Dutchwest Direct Vent/Natural Vent Room Heater, Model Nos. 3070, 3071, 3072 and 3073, is a vented gas appliance listed to the ANSI standard 221.88b-2001 and CSA-2.33b-2001 for Vented Room Heaters, and CSA 2.17-M91, Gas-Fired Appliances For Use at High Altitudes.

The installation of the Dutchwest Direct Vent/Natural Vent Room Heater must conform with local codes, or in the absence of local codes, with National Fuel Gas Code, ANSI Z223.1/NFPA54 — latest edition and CSAB-149.1 Installation Code. (EXCEPTION: Do not derate this appliance for altitude. Maintain the manifold pressure at 3.5" w.c. for Natural Gas and 10.0" w.c. for LP gas at maximum input.)

This appliance is only for use with the type of gas indicatad on the rating plate. This appliance is not convertible for use with other gases unless a certified kit is used.

installation and replacement of gas piping, gas utilization equipment or accessories, and repair and servicing of equipment shall be performed only by a qualified agency. The term "qualified agency" means any individual, firm, corporation, or company that either in person or through a representative is engaged in and is responsible for (a) installation or replacement of gas piping, or (b), the connection, installation, repair, or servicing of equipment, who is experienced in such work, familiar with all precautions required, and has compiled with all the requirements of the authority having jurisdiction.

The Dutchwest Direct Vent/Natural Vent Room Heater should be inspected before use and at least annually by a qualified service agency. It is imperative that control compartments, burners, and circulating air passageways of the appliance be kept clean.

The Dutchwest Direct Vent/Natural Vent Room Heater and its individual shut-off valve must be disconnected from the gas supply piping during any pressure testing of that system at test pressures in excess of 1/2 psig (3.5 kPa).

The Dutchwest Direct Vent/Natural Vent Room Heater must be isolated from the gas supply piping system by dosing its individual manual shutoff valve during any pressure testing of the gas supply piping system at test pressures equal to or less than 1/2 psig.

'Direct Vent' describes a sealed combustion system in which incoming outside air for combustion and outgoing exhaust enter and exit through two separate concentric passages within the same sealed vent system. The system does not use room air to support combustion. The Direct Vent system permits the gas appliance to be vented directly to the outside atmosphere through the side of the house or vertically through the roof. Conventional venting systems (Natural Vent) take air from the room for combustion and vent the exhaust vertically through the roof to the atmosphere.

This appliance is approved for bedroom installations in the U.S. and Canada.

This appliance may be installed in an aftermarket manufactured (mobile) home, where not prohibited by state or local codes.

WARNING: Operation of this heater when not connected to a properly installed and maintained venting system can result in carbon monoxide (CO) poisoning and possible death.

The Dutchwest Direct Vent/Natural Vent Room Heater, when installed, must be electrically grounded in accordance with local codes or, in the absence of local codes, with the National Electrical Code ANSI/NFPA 70, (latest edition), or of the current Canadian Electrical Code C22.1.

Due to high temperatures this appliance should be located out of traffic and away from furniture and drap-

WARNING: This appliance is hot while in operation. Keep children, clothing, and furniture away. Contact may cause burns or ignition of combustible materials.

Children and adults should be alerted to the hazards of high surface temperatures and should stay away to avoid burns or clothing ignition. Young children should be carefully supervised when they are in the same room as the appliance.

Ciothing or other flammable materials should not be placed on or near the appliance.

Any safety screen, glass or guard removed for servicing an appliance must be replaced prior to operating the appliance.

The appliance area must be kept clear and free from combustible materials, gasoline, and other flammable vapors and figuids.

The flow of combustion and ventilation air must not be obstructed. The installation must include adequate accessibility and clearance for servicing and proper operation.

WARNING: Do not operate the Room Heater with the glass panel removed, cracked or broken. Replacement of the panel should be done by a licensed or qualified service person.

Do not use this appliance if any part has been under water, immediately call a qualified service technician to inspect the appliance and to replace any part of the control system and any gas control which has been under water.

Do not burn wood, trash or any other material for which this appliance was not designed. This appliance is designed to burn either natural gas or propane only.

This gas appliance must not be connected to a chimney flue serving a separate solid-fuel burning appliance.

CAUTION: Label all wires prior to disconnection when servicing controls. Wiring errors can cause improper and dangerous operation.

Verify proper operation after servicing.

Proposition 65 Warning: Fuels used in gas, woodburning or oil fired appliances, and the products of combustion of such fuels, contain chemicals known to the State of Californis to cause cancer, birth defects and other reproductive harm.

California Health & Safety Code Sec. 25249.6

 Aftermarket: Completion of sale, nor for purpose of resale, from the manufacturer.




Fig. 1 Dutchwest dimensions.

Attention

The Dutchwest stove is shipped from the factory as a Direct Vent Gas Heater. This heater may be converted into a Natural Vent unit in the field. If a Natural Vent heater is desired, the Z31D00 FSDHAG Draft Hood must be directly installed to the top of the unit according to the installation instructions. The Draft Hood Adapter is available in the 7FSDHASK stove kit or as a separate item.

When the Dutchwest stove is converted to Natural Vent, it uses 4" vent pipe. For aesthetic purposes the CFM direct vent system may be used up to the ceiling.

Installation Requirements

The installation must conform with local codes or, in the absence of local codes, with the National Fuel Gas Code, ANSI Z223.1/NFPA 54 - latest edition. (EXCEPTION: Do not derate this appliance for altitude. Maintain the manifold pressure at 3.5" w.c. for Natural Gas, and 10" w.c. for Propane).

In Canada, instellation must be in accordance with the current CSA B-149.1 Installation Codes and/or local codes.

The installation should be done by a qualified service person who is familiar with the building codes and installation techniques appropriate for your area to accomplish a safe and effective installation.

Your dealer or your local gas supplier will be able to refer a qualified service person.

WARNING: Due to high temperatures, the HEATER should be located out of traffic and away from furniture and draperles.

The surface of the Heater is not when it is in use. Young children should be watched carefully when they are in the same room when the Heater is in use, and they should be taught to avoid the hot surface. Keep any objects that can burn well away from the Heater, and observe the recommended clearances that follow.

Locating the Stove

In choosing a location for the stove, consider:

- The location of outside walls:
- Where additional heat is needed:
- Where family members gather most often;
- The vent system requirements.

NOTE: We do not recommend the use of wallpaper next to this stove. Over time, radiant heat may cause the wallpaper to shrink, or may adversely affect the binders in the wallpaper adhesive.




Fig. 2 Possible stove locations.

Clearance Requirements Minimum Clearances to Combustible Materials

Measure side clearances as shown in Figures 5 and 6 from the outer edge of the cast iron stove top. Measure rear clearances from the outermost surface of the steel rear skirt.

The Dutchwest heater is approved for installation into an elcove constructed of combustible materials to the dimensions and clearances shown on the next page. The same clearances apply in a standard parallel installation.

Warning:

- Always maintain required clearances (air spaces) to nearby combustibles to prevent fire hazard. Do not fill air spaces with insulation. All venting components must maintain a 1" (25mm) clearance to combustible materials.
 Maintain a 6" (150mm) clearance when using a single wall pipe.
- The gas appliance and vent system must be vented directly to the outside of the building and never be attached to a chimney serving a separate solid fuel or gas-burning appliance. Each direct vent appliance must use its own separate vent system. Common vents are prohibited.
- Refer to the manufacturer's instructions included with the venting system for complete installation procedures.




Fig. 3 Parallel installation, minimum back and side clearances and flue centerines.




Fig. 4 Corner installation, minimum corner clearances and flue centerline.




Fig. 5 Minimum wall thimble centerline.




Fig. 6 Dimensions and clearances to ceiling or alcove.

Hearth Requirements

The Dutchwest Heater must be installed on rigid flooring. When the heater is installed directly on any combustible surface other than wood flooring, a metal or wood panel extending the full width and depth of the unit must be used as the hearth. There are no other hearth requirements.

	Gas Specifications						
Mode	l Fuel	Gas Control	Max. Input BTU/h	Min. Input BTU/h			
2465	Nat	Millivolt	28,000	20,000			
2466	Prop	Millivolt	28,000	19,000			

Weight: Fully assembled; 202 lbs.

Gas Inlet and	Manifold Pre	essures
	Natural	LP (Propane)
Inlet Minimum	5.5" w.c. 1	1.0" w.c
Inlet Maximum	14.0" w.c.	14.0" w.c.
Manifold Pressure	3.5° w.c.	10.0" w.c.

Dutchwest Direct Vent/Natural Vent Certified to:

ANSI Z21.88a-2003 / CSA 2.33a-2003 Vented Gas Fireplace Heaters

The installation of your Dutchwest stove must on codes, with the Nation - Fuel Gas Cribe ANS. Z223 1 NFPA 54 - ratest Introduced CSA B149 1 install from code. (EXCEPTION De not durate this Natural Gas and 1000 wild for LP Gas.

High Elevations

input ratings are shown in 870 per no mand are

For elevations happy : 500 february men uSA installations must be in accordance with the current ANSI 2223 1 NFPA EA and principlication

elevations above 4,500 feet al. 370m.

WARNING: Improper installation, adjustment, alteration, service or maintenance can cause injury or property damage. Refer to this manual for correct installation and operational procedures. For assistance or additional information consult a qualified installer, service agency, or the gassupplier.

Horizontal Termination -**Direct Vent ONLY**

The vent must rise vertically a minimum of 24" (610mm) off the top of the unit, before the first elbow. The horizontal run may extend up to 20' (6m) and include a vertical rise of up to 40' (12m), (Fig. 7) Horizontal termination must also meet the criteria shown in Figures 9 through 11.

- Approved vent systems must terminate above and including the heavy line in Figure 7.
- T wo 45' elbows may be substituted for each single 90° elbow.
- With a rise between 2' 5', one 90' or two 45' elbows may be used.




Fig. 7 Horizontal vent termination window.

Vertical Termination - Direct Vent ONLY

A vertical vent system must terminate no less than 8' (2.44m) and no more than 40' (12m) above the appliance flue collar. A 2¼" restrictor plate (supplied) must be used where specified in all vertically terminated vent systems. (Fig. 8) NOTE: The restrictor plate supplied with the vertical termination should be discarded. Install restrictor plate supplied with stove directly at stove outlet. A vertically terminated vent system must also conform to the following criteria:

- No more than three 90" elbows may be used.
- T wo 45° elbows may be substituted for one 90° elbow. No more than six elbows may be used.
- Vent must rise a minimum of 2 feet before offset is used.
- Termination height must conform to roof clearance as specified in Figure 9.




Fig. 8 Vertical vent termination window.

*The Restrictor Plate is used on Direct Vent Installations
Only

Vant Termination Clearances

When planning the installation, consider the location of the vent terminal and clearances. Some of the most common clearances to keep in mind are shown in Figure 10.

Important: All vent clearances must be maintained. Check your vent termination clearances against Figures 9 through 11.

The vent should be placed so that people cannot be burned by accidentally touching the vent surfaces when the stove is operating.

The vent termination should be located where it cannot be damaged by such things as automobile doors, lawn mowers or snowblowers and it should be located away from areas where it could become blocked by snow, etc.

Some considerations are:

- Obstructions or impediments to venting.
- Nearby combustible materials that could come into contact with combustion exhaust gases.
- Other nearby openings {within 12" (305mm)} through which exhaust gas could reenter the building.
- All vegetation within 3' ((76mm) that may interfere with the draft.

Other factors that influence where the installation will be sited include the location of outside walls, where additional heat may be desired in the home, where the family members gather most regularly, and perhaps most importantly, the distance limitations of the venting system.



IMPORTANT Direct Vent Only

- The horizontal termination must not be recessed into the exterior wall or siding.
- Horizontal vent runs must be level toward the vent termination.
- Clearances around the vent tarmination must be maintained.
- For installations using Simpson DuraVent pipe, parallel installations with minimum wall clearance have restricted access for connecting the Horizontal Vent Cap straps to the vent pipe. See the maker's instructions for recommended installation procedures.

Venting Termination Clearances

Your stove is approved to be vented either through the side wall, or vertical through the roof.


- This unit does not require any opening for inspection of vent pipe.
- Only CFM Corporation and Simpson DuraVent venting components specifically approved and labelled for this stove may be used.
- Minimum clearances between vent pipes and combustible materials is one (1") inch (25 mm), except where stated otherwise.
- V enting terminals shall not be recessed into a wall or siding.
- Horizontal venting must be installed on a level plane without an inclining or declining slope.

There must not be any obstruction such as bushes, garden sheds, fences, decks or utility buildings within 24" from the front of the termination hood.

Do not locate termination hood where excessive snow or ice build up may occur. Be sure to check vent termination area after snow falls, and clear to prevent accidental blockage of venting system. When using snow blowers, make sure snow is not directed towards vent termination area.

Location of Vent Termination

It is imperative the vent termination be located observing the minimum clearances as shown on this page.




	Canadian Installations ¹	US Installations ²
A = Clearance above grade, veranda, porch, deck, or balcony	12" (30cm)	12" (30cm)
B = Clearance to window or door that may be opened	6" (15cm) for appliances < 10,000Btuh (3kW), 12" (30cm) for appliances > 10,000 Btuh (3kW) and < 100,000 Btuh (30kW), 36" (91cm) for appliances > 100,000 Btuh (30kW) appliances > 50,000 Btuh (15kW)	6" (15cm) for appliances < 10,000 Bluh (3kW), 9" (23cm) for appliances > 10,000 Bluh (3kW) and < 50,000 Bluh (15kW), 12" (30cm) for
C = Clearance to permanently closed window	12" (305mm) recommended to prevent window condensation	12" (305mm) recommended to prevent window condensation
D = Vertical clearance to ventilated soffit located above the terminal within a horizontal distance of 2 feet (610mm) from the center line of the terminal	18" (458mm)	18° (458mm)
E = Clearance to unventilated soffit	12" (305mm)	12" (305mm)
F = Clearance to outside corner	see next page	see next page
G = Clearance to inside corner (see next page)	see next page	see next page
H = Clearance to each inside of center line extended above meter/regulator assembly	3' (91cm) within a height of 15' (5m) above the meter/regulator assembly	3' (91cm) within a height of 15' (5m) above the meter/regulator assy
I = Clearance to service regulator vent outlet	3' (91cm)	3' (91cm)
J = Clearance to nonmechanical air supply inlet to building or the combustion air inlet to any other appliances	6" (15cm) for appliances < 10,000 Bluh (3kW), 12" (30cm) for appliances > 10,000 Bluh (3kW) and < 100,000 Bluh (30kW), 36" (91cm) for appliances > 100,000 Bluh (30kW)	6" (15cm) for appliances < 10,000 Bluh (3kW), 9" (23cm) for appliances > 10,000 Bluh (3kW) and < 50,000 Bluh (15kW), 12" (30cm) for appliances > 50,000 Bluh (15kW)
K = Clearance to a mechanical air supply inlet	6' (1.83m)	3' (91cm) above if within 10' (3m) horizontally
L = Clearance above paved sidewalk or paved driveway located on public property	7' (2.13m)†	7' (2.13m)†
M = Clearance under veranda, porch, deck or balcony	12" (30cm)‡	12" (30cm)‡

- N = Clearance above a roof shall extend a minimum of 24" (610mm) above the highest point when it passes through the roof surface, and any other obstruction within a horizontal distance of 18" (450mm).
 - 1 In accordance with the current CSA-B149 Installation Codes
 - 2 in accordance with the current ANSI Z223.1/NFPA54 National Fuel Gas Codes
 - † A vent shall not terminate directly above a sidewalk or paved driveway which is located between two single family dwellings and serves both dwellings
 - ‡ only permitted if verande, parch, deak or beloony is fully open on a minimum 2 sides beneath the floor:
 - NOTE: 1. Local codes or regulations may require different clearances.
 - The special venting system used on Direct Vent appliances are certified as part of the appliance, with clearances tested and approved by the tisting agency.
- Fig. 9 Vent termination clearances.

	ASTEWATER DISPO	JOAL SYSTE	WAPPLIC	ATION Division of Health Engineering, 10 SH. (207) 287-5672 Fax: (207) 287-3165
PROPERT	Y LOCATION /////////	>> CAUTION: PE	RMIT REQUIRE	ED - ATTACH IN SPACE BELOW <<
City, Town, or Plantation	10/DIAMOND COVE			
Street or Road SPRIN	46 COVE LANG			
Subdivision, Lot # LoT	No. 31			sal System shall not be installed until a
////OWNER/APPLIC	ANT INFORMATION		-	al Plumbing Inspector. The Permit shall
lame (last, first, MI)	Owner -			stall the disposal system in accordance Subsurface Wastewater Disposal Rules.
KICKERBY , I	Applicant D			Pulled Wasiewaler Disposal Rules.
Mailing Address of 3 Ca	WIRY FARM KO.			
Owner/Applicant 57R4:	THAM . N.H. 03885	<u>/////////////////////////////////////</u>		
Daytime Tel.#	272-4446	N	lunicipal Tax Map #	83E-A Lot#_31_
OWNER OR APPLICA	NT STATEMENT	L been beneat	CAUTION: INSPEC	
my knowledge and understand that an	nation submitted is correct to the best of y felsification is reason for the Department		face Westewater Dispo	
and/or Local Plumbing inspector to der	19 A PERTUR. 7.7.05			(1st) date approved
Signature of Owner of	r Applicant Date		Plumbino Inspector Si	gnature (2nd) data approved
//////////////////////////////////////		MIT INFORMATION	//////////////////////////////////////	
TYPE OF APPLICATION	THIS APPLICATION REQU	JIRES		DSAL SYSTEM COMPONENTS nplete Non-engineered System
1. First Time System	1. No Rule Variance 2. First Time System Variance	•	□ 2. Prin	nitive System (graywater & alt. toilet)
☐ 2. Raplacement System Type replaced:	a. Local Plumbing Inspector App	roval		লative Tollet, specify: -engineered Disposal Area
Year installed:	☐ b. State & Local Plumbing Inspec	ctor Approval	☐ 5. Hok	ing Tank, gallons
□ 3. Expanded System	•	roval		engineered Disposal Field (only)
☐ 3. Expanded System ☐ a. Minor Expansion ☐ b. Major Expansion	□ a. Local Plumbing Inspector App □ b. State & Local Plumbing Inspec	tor Approval		erated Laundry System plete Engineered System (2000 gpd or more)
4. Experimental System	i) 4. Minimum Lot Size Variance			gineered Treatment Tenk (only)
☐ 5. Seasonal Conversion	☐ 5. Seasonal Conversion Permit		_	gineered Disposal Field (only) ⊷treatment, specify:
SIZE OF PROPERTY	DISPOSAL SYSTEM TO SERV 1. Single Family Dwelling Unit, No. of			cellaneous Components
40,743 SQ. FT.	☐ 2. Multiple Family Dwelling, No. of U		TYPE	OF WATER SUPPLY
SHORELAND ZONING	(specify)		•	Vell 🛛 2. Dug Wall 🗎 3. Privete
· #Y es ① No	Current Use Seasonal Year Rou		4. Public	
	DISPOSAL FIELD TYPE & SIZE			3)/////////////////////////////////////
TREATMENT TANK 1. Concrete	☐ 1. Stone Bed ☐ 2. Stone Trench		POSAL UNIT	DESIGN FLOW
		I #21 No □2 Yo	e ⊓3 Mevhe	\ _a
🛊 a. Regular	■ 3. Proprietary Device	If Yes or Maybe, s	es 🛘 3. Maybe pecify one below:	gallons per day
□ b. Low Profile		If Yes or Maybe, s	pacify one below: ment tenk	gallons per day BASED ON: # 1. Table 501.1 (dwelling unit(s))
□ b. Low Profile □ 2. Plestic □ 3. Other:		If Yes or Maybe, s	pecify one below: ment tenk eries	BASED ON: # 1. Table 501.1 (dwelling unit(s)) 2. Table 501.2 (other facilities)
□ b. Low Profile □ 2. Plastic		If Yes or Maybe, s	pecify one below: ment tenk eries nk capacity	BASED ON: # 1. Table 501.1 (dwelling unit(s))
□ b. Low Profile □ 2. Plastic □ 3. Other: CAPACITY: // OOO GAL.	■ 3. Proprietary Device □ a. cluster array ■c. Linear ■ b. regular load □ d. H-20 load □ 4. Other:	If Yes or Maybe, s ☐ a. multi-compart ☐ b tanks in s ☐ c. increase in ta	pecify one below: ment tenk veries nk capacity Outlet	BASED ON: 1. Table 501.1 (dwelling unit(s)) 2. Table 501.2 (other facilities) SHOW CALCULATIONS
□ b. Low Profile □ 2. Plastic □ 3. Other: □ CAPACITY: / OCO GAL. SOIL DATA & DESIGN CLASS ROFILE CONDITION DESIGN	■ 3. Proprietary Device □ a. cluster array ■ c. Linear ■ b. regular load □ d. H-20 load □ 4. Other: SIZE: 900 □ sq. ft. □ lin. ft. DISPOSAL FIELD SIZING □ 1. Small—2.0 sq. ft. / gpd	If Yes or Maybe, s ☐ a. multi-compart ☐ b tanks in s ☐ c. increase in ta	pecify one below: ment tenk veries nk capacity Outlet	BASED ON: 1. Table 501.1 (dwelling unit(s)) 2. Table 501.2 (other facilities) SHOW CALCULATIONS
□ b. Low Profile □ 2. Plestic □ 3. Other: □ CAPACITY:	■ 3. Proprietary Device □ a. cluster array ■ c. Linear ■ b. regular load □ d. H-20 load □ 4. Other: SIZE: 900 □ sq. ft. □ lin. ft. DISPOSAL FIELD SIZING □ 1. Small—2.0 sq. ft. / gpd □ 2. Medium—2.6 sq. ft. / gpd	If Yes or Maybe, s a. multi-compart b tanks in s c. increase in ta d. Filter on Tank FFFLUENT/SJ 1. Not Required	pecify one below: ment tenk series nk capacity Outlet ECTOR PUMP	BASED ON: 1. Table 501.1 (dwelling unit(s)) 2. Table 501.2 (other facilities) SHOW CALCULATIONS
□ b. Low Profile □ 2. Plastic □ 3. Other: □ CAPACITY: / OOO GAL. SOIL DATA & DESIGN CLASS ROFILE CONDITION DESIGN AUTO t Observation Hole #_54	■ 3. Proprietary Device □ a. cluster array ■ c. Linear ■ b. regular load □ d. H-20 load □ 4. Other: SIZE: 900 □ sq. ft. □ lin. ft. DISPOSAL FIELD SIZING □ 1. Small—2.0 sq. ft. / gpd	If Yes or Maybe, s a. multi-compart b tanks in s c. increase in ta d. Filter on Tank FFFLUENT/SJ 1. Not Required	pecify one below: ment tenk series nk capacity Outlet ECTOR PUMP	BASED ON: 1. Table 501.1 (dwelling unit(s)) 2. Table 501.2 (other facilities) SHOW CALCULATIONS
□ b. Low Profile □ 2. Plastic □ 3. Other: □ CAPACITY: / OOO GAL. SOIL DATA & DESIGN CLASS ROFILE CONDITION DESIGN 2 / AUT C; t Observation Hole # 56 lepth 22." f Most Limiting Soil Factor	■ 3. Proprietary Device □ a. cluster array ■ c. Linear ■ b. regular load □ d. H-20 load □ 4. Other: SIZE: 900 □ sq. ft. □ lin. ft. DISPOSAL FIELD SIZING □ 1. Small—2.0 sq. ft. / gpd □ 2. Medium—2.6 sq. ft. / gpd ■ 3. Medium—Large 3.3 sq. ft./ gpd	If Yes or Maybe, s a. multi-compart b	pecify one below: ment tenk series nk capacity Outlet ECTOR PUMP red	BASED ON: 1. Table 501.1 (dwelling unit(s)) 2. Table 501.2 (other facilities) SHOW CALCULATIONS
□ b. Low Profile □ 2. Plastic □ 3. Other: □ CAPACITY: / OOOGAL. SOIL DATA & DESIGN CLASS ROFILE CONDITION DESIGN 2 PULC t Observation Hole #_56	■ 3. Proprietary Device □ a. cluster array ■ c. Linear ■ b. regular load □ d. H-20 load □ 4. Other: SIZE: 900 □ sq. ft. □ lin. ft. DISPOSAL FIELD SIZING □ 1. Small—2.0 sq. ft. / gpd □ 2. Medium—2.6 sq. ft. / gpd □ 3. Medium—Large 3.3 sq. f.t / gpd □ 4. Large—4.1 sq. ft. / gpd □ 5. Extra Large—5.0 sq. ft. / gpd	If Yes or Maybe, s a. multi-compari b tanks in s c. increase in ta d. Filter on Tank FFFLUENT/SJ 1. Not Required 2. May Be Requi	pecify one below: ment tenk series nk capecity Outlet ECTOR PUMP red gineered systems: gallons	BASED ON: 1. Table 501.1 (dwelling unit(s)) 2. Table 501.2 (other facilities) SHOW CALCULATIONS
□ b. Low Profile □ 2. Plastic □ 3. Other: □ CAPACITY: _/OOOGAL. SOIL DATA & DESIGN CLASS ROFILE CONDITION DESIGN 2	■ 3. Proprietary Device □ a. cluster array ■ c. Linear ■ b. regular load □ d. H-20 load □ 4. Other: SIZE: 900 □ sq. ft. □ lin, ft. DISPOSAL FIELD SIZING □ 1. Small—2.0 sq. ft. / gpd □ 2. Medium—2.6 sq. ft. / gpd □ 3. Medium—Large 3.3 sq. ft. / gpd □ 4. Large—4.1 sq. ft. / gpd □ 5. Extra Large—5.0 sq. ft. / gpd	If Yes or Maybe, s a. multi-compari b	pecify one below: ment tenk series nk capacity Outlet ECTOR PUMP red gineered systems: gallons	BASED ON: # 1. Table 501.1 (dwelling unit(s)) 2. Table 501.2 (other facilities) SHOW CALCULATIONS — for other facilities — 3. Section 503.0 (mater readings) ATTACH WATER METER DATA
□ b. Low Profile □ 2. Plastic □ 3. Other: CAPACITY:	■ 3. Proprietary Device □ a. cluster array ■ c. Linear ■ b. regular load □ d. H-20 load □ 4. Other: SIZE: 900 □ sq. ft. □ lin, ft. DISPOSAL FIELD SIZING □ 1. Small—2.0 sq. ft. / gpd □ 2. Medium—2.6 sq. ft. / gpd □ 3. Medium—Large 3.3 sq. ft. / gpd □ 4. Large—4.1 sq. ft. / gpd □ 5. Extra Large—5.0 sq. ft. / gpd	If Yes or Maybe, s a. multi-compari b	pecify one below: ment tenk series nk capacity Outlet ECTOR PUMP red gineered systems: gallons IT	BASED ON: # 1. Table 501.1 (dwelling unit(s)) 2. Table 501.2 (other facilities) SHOW CALCULATIONS — for other facilities — 3. Section 503.0 (meter readings) ATTACH WATER METER DATA that the data reported are accurate and
De Low Profile 2. Plastic 3. Other: CAPACITY:	■ 3. Proprietary Device □ a. cluster array ■ c. Linear ■ b. regular load □ d. H-20 load □ 4. Other: SIZE: 900 □ sq. ft. □ lin. ft. DISPOSAL FIELD SIZING □ 1. Small—2.0 sq. ft. / gpd □ 2. Medium—2.6 sq. ft. / gpd □ 3. Medium—Large 3.3 sq. f.t / gpd □ 4. Large—4.1 sq. ft. / gpd □ 5. Extra Large—5.0 sq. ft. / gpd SITE EVAL	If Yes or Maybe, s a. multi-compari b	pecify one below: ment tenk series nk capacity Outlet ECTOR PUMP red gineered systems: gallons IT	BASED ON: # 1. Teble 501.1 (dwelling unit(s)) 2. Teble 501.2 (other facilities) SHOW CALCULATIONS — for other facilities — 3. Section 503.0 (meter readings) ATTACH WATER METER DATA that the data reported are accurate and
□ b. Low Profile □ 2. Plastic □ 3. Other: CAPACITY:	■ 3. Proprietary Device □ a. cluster array ■ c. Linear ■ b. regular load □ d. H-20 load □ 4. Other: SIZE: 900 □ sq. ft. □ lin, ft. DISPOSAL FIELD SIZING □ 1. Small—2.0 sq. ft. / gpd □ 2. Medium—2.6 sq. ft. / gpd □ 3. Medium—Large 3.3 sq. ft./ gpd □ 4. Large—4.1 sq. ft. / gpd □ 5. Extra Large—5.0 sq. ft. / gpd □ 5. Extra Large—5.0 sq. ft. / gpd	If Yes or Maybe, s a. multi-compari b	pecify one below: ment tenk series nk capacity Outlet ECTOR PUMP red gineered systems: gallons IT	BASED ON: # 1. Teble 501.1 (dwelling unit(s)) 2. Teble 501.2 (other facilities) SHOW CALCULATIONS — for other facilities — 3. Section 503.0 (meter readings) ATTACH WATER METER DATA that the data reported are accurate and
Depth 22.* If Most Limiting Soli Factor BOROCC Certify that on 4/5/0 Depth 20 Certify that on 4	■ 3. Proprietary Device □ a. cluster array ■ c. Linear ■ b. regular load □ d. H-20 load □ 4. Other: SIZE: 900 □ sq. ft. □ lin, ft. DISPOSAL FIELD SIZING □ 1. Small—2.0 sq. ft. / gpd □ 2. Medium—2.6 sq. ft. / gpd □ 3. Medium—Large 3.3 sq. ft./ gpd □ 4. Large—4.1 sq. ft. / gpd □ 5. Extra Large—5.0 sq. ft. / gpd □ 5. Extra Large—5.0 sq. ft. / gpd	If Yes or Maybe, s a. multi-compart b	pecify one below: ment tenk series nk capacity Outlet ECTOR PUMP red gineered systems: gallons IT	BASED ON: # 1. Teble 501.1 (dwelling unit(s)) 2. Teble 501.2 (other facilities) SHOW CALCULATIONS — for other facilities — 3. Section 503.0 (meter readings) ATTACH WATER METER DATA that the data reported are accurate and


PORTLAND/DIAMO	Street, Road, Sub	COVE LANG	Owner or Applicant Ryay R	5672
ORICANOI MAND	angan daya mangangan sangan mangan mangan sangan sangan mangan ng mangan ng mangan ng mangan ng mangan ng manga		water by the best over the appropriate the same of	*** *** *** *** * * * * * * * * * * *
	SITE PLAN	Scale: 1"	and the second s	SITE LOCATION PLAN Map from <i>The Maine Atl</i>
			- K	ecommended)
	an and a second and			N SPA
ting the fact of the second section of the first first for the second second section of the second s	ng stans and garant men a sama a mangan ngan ngan nantan ni fananda papanan kabulan dan manganan sa ng manganan manganan sa salah samanan saman na saman ngan salaman a saman saman na saman na saman na saman na			
DISPOSAL	to an orange of an artist for the second of the same and the second of t		and a second	1 XX
SYSTEM EASEMEN	75			
				$\{\langle \cdot \rangle \mid \cdot \rangle$
18 - 67-74				GR. DIAM IS .
10 50 50A 50'				
	PRING COVE	ANE		<u> </u>
S A GAR	- 7 - 31-			
	So on to	TANK & PUM	80	
17 (1814)	as me	A CAPPEN COL	410P) \	o branco de la comunicación de l
			10131 31	
CAPPROX. COOK	ASSUMED -	100/	102	
CAPPROX. LOCAL	LOCATION LOCATION	1/ 604 //		
	1 3 BR HSE	//BATTERY//		
		X4/////		
		1/12/1/	0	
	╆╸ ╠╼╒ ╼┷╼╈╼┉╅╾╼╍┊╼╪╼┠╼╂╼┷╸┤╸╪╼╇╍┯╺┥	┈╸┩╴┩╌┈ ┼┈╁╌┧ ╶╏ ┈╌┼┼		
		and the state of t	and the second s	TO STATE OF THE PARTY OF THE PA
SOUNDESCRIATION	A STATE OF THE PARTY OF THE PAR	Washington (Uoca)		PAZSITOWITA A DOVE)
Observation Hole 56	Boring	Observation Hol	. 56 A	F Test Pit ☐ Borin
Observation Hole 56	Test Pit Boring		e <u>56 A</u> Depth of Organic Horizon	F Test Pit ☐ Borin
Observation Hole 500	Test Ptt Boring alc Horizon Above Mineral Soil acy Color Mottling		Depth of Organic Hortzon Consistency	F Test Pit ☐ Borin Above Mineral Soil
Observation Hole 500 Popular Consister Consister	Test Pit Boring nic Horizon Above Mineral Soil ney Color Mottling DARK ASSENCE:		Depth of Organic Hortzon Consistency	Test Pit Borin Above Mineral Soil Color Mottlin
Observation Hole 500 Period Organ Texture Consister 6 FINE FIAS	Test Pit Boring nic Horizon Above Mineral Soil ncy Color Mottling DARK BROWN KENDING KONF		Depth of Organic Hortzon Consistency PRIABLE	Test Pit Borin Above Mineral Soil Color Mottlin
Observation Hole 570 " Depth of Organ Texture Consister FINE PRIASI 10 SANDY	Test Pit Boring nic Horizon Above Mineral Soil ncy Color Mottling DARK BROWN KENDING KONF		Depth of Organic Hortzon Consistency PRIABLE	Test Pit Borin Above Mineral Soil Color Mattlin
Observation Hole 500 Period Organ Texture Consister O SANDY USE	Test Pit Boring Bric Horizon Above Mineral Soil Color Mottling DARK BROWN KEDDIMI NONE	SURFACE (Inches) 10 SAND 15 COAN 15	Depth of Organic Hortzon Consistency PRIABLE	Test Pit Borin Above Mineral Soil Color Mattlin
Observation Hole 5/2 " Depth of Organ Texture Consister 6 FINE FRIAN 10 SANDY LOSE 15 CORV	Test Pit Boring Bric Horizon Above Mineral Soil Color Mottling DARK BROWN KEDDIMI NONE	SURFACE (Inches) 10 SAND 15 COAN 15	Depth of Organic Hortzon Consistency PRIABLE	Test Pit Borin Above Mineral Soil Color Mottlin
Observation Hole 572 "Depth of Organ Texture Consister 6 FINE FRIAN 10 SANDY 15 COAW 20	Test Pit Boring Boring Boring Color Mottling DARK BROWN KENDING NONE	SURFACE (Inches) 10 SAND 15 COAN 15	Depth of Organic Hortzon Consistency PRIABLE	Test Pit Borin Above Mineral Soil Color Mottlin KK KWW
Observation Hole 57/2 " Depth of Organ Texture Consister 6 FINE FRIAN 10 SANDY 15 COAW 20	Test Ptt Boring lic Horizon Above Mineral Soil ncy Color Mottling DARK BRODING NONE BRODING DONE REODING NONE	SURFACE (Inches) 10 SAND 15 COAN 15	Depth of Organic Hortzon Consistency PRIABLE	Test Pit Borin Above Mineral Soil Color Mottlin
Observation Hole 572 "Depth of Organ Texture Consister 6 FINE FRIAN 10 SANDY 15 COAW 20	Test Pit Boring Boring Boring Color Mottling DARK BROWN KENDING NONE	SURFACE (Inches) 10 SAND 15 COAN 15	Depth of Organic Horizon Consistency FRINGLE LOOSE	Test Pit Borin Above Mineral Soil Color Mottlin KK KWWW COMW
Observation Hole 572 "Depth of Organ Texture Consister 6 FINE FRIAN 10 SANDY 15 COAW 20	Test Pit Boring lic Horizon Above Mineral Soil ncy Color Mottling DARK BROWN LE RESONNE MONE DROCK	SURFACE (Inches) 10 SAND 15 COAN 15	Depth of Organic Hortzon Consistency PRIABLE	Test Pit Borin Above Mineral Soil Color Mottlin KK KWWW COMW
Observation Hole 572 "Depth of Organ Texture Consister 6 FINE FRIAN 10 SANDY 15 COAW 20 SE	Test Pit Boring lic Horizon Above Mineral Soil ncy Color Mottling DARK BROWN LE RESONNE MONE DROCK	SURFACE (Inches) 10 SAND 15 COAN 15	Depth of Organic Horizon Consistency FRINGLE LOOSE	Test Pit Borin Above Mineral Soil Color Mottlin KK KWWW COMW
Observation Hole 572 "Depth of Organ Texture Consister 8 FINE FRIAN 10 SANDY 15 COAM 20 SE	Test Pit Boring lic Horizon Above Mineral Soil ncy Color Mottling DARK BROWN LE RESONNE MONE DROCK	DEPTH BELOW MINERAL SOIL SURFACE (Inches) OF THE BELOW MINERAL SOIL SURFACE (Inches) OF THE BELOW MINERAL SOIL SURFACE (Inches) OF THE BELOW MINERAL SOIL SURFACE (Inches)	Depth of Organic Horizon Consistency FRINGLE LOOSE	Test Pit Borin Above Mineral Soil Color Mottlin KK KWWW COMW
Observation Hole 572 " Depth of Organ Texture Consister 6 FINE FRIAN 10 SANDY 20 Soli Class Sic	Test Pit Boring Bir Test Pit Boring Color Mottling DARK BROWN CONTROL	DEPTH BELOW MINERAL SOIL SURFACE (Inches) OF PHTH BELOW MINERAL S	Depth of Organic Horizon Consistency PRIABLE BEDINO Class Slope Lin	Test Pit Borin Above Mineral Soil Color Mottlin RX RXW INTERIOR OF THE INTER
Observation Hole 572 "Depth of Organ Texture Consister 8 FINE FRIAN 10 SANDY 15 COAM 20 30 Soli Class Sic	Test Pit Boring lic Horizon Above Mineral Soil ncy Color Mottling DARK BROWN L RESONAL DROCK DR	DEPTH BELOW MINERAL SOIL SURFACE (Inches) OF THE BELOW MINERAL SOIL SURFACE (Inches)	Depth of Organic Horizon Consistency PRIMALE LOUSE BENROLE Class Slope Lir	Test Pit Borin Above Mineral Soil Color Mottlin RE BOWN ROWN ROWN REPORT RESTRICTIVE La
Observation Hole 572 " Depth of Organ Texture Consister 6 FINE FRIAN 10 SANDY 20 Soli Class Sic	Test Pit Boring lic Horizon Above Mineral Soil ncy Color Mottling DARK RESONN L. RESONN DROCK DROCK DROCK DEPORT Ground Water	DEPTH BELOW MINERAL SOIL SURFACE (Inches) OF PHTH BELOW MINERAL S	Depth of Organic Horizon Consistency PRIMALE LOUSE BENROLE Class Slope Lir	Test Pit Borin Above Mineral Soil Color Mottlin RX RXW INTERIOR OF THE INTER

*ORIG. TEST PITS EVALUATED 10/17/84 CONFIRMED 4/15/05



SUBSÚRFACE W	ASTEWATER DISPO	SAL SYSTE	M APPLIC.	ATION Division of Health Engineering, 10 SHS (207) 287-5672 Fax: (207) 287-3165	
//////PROPERT	LOCATION /////////	>> CAUTION: PE	RMIT REQUIRE	D - ATTACH IN SPACE BELOW <<	
City, Town, or Plantation	DIAMOND COVE				
treet or Road SPRIN	16 COVE LANGE //				
odivision, Lot#	No. 31	The Subsurface Wastewater Disposal System shell not be installed until a			
///OWNED/APPI ICA	NT INFORMATION /////	Permit is attached HERE by the Local Plumbing Inspector. The Permit shall			
ne (last, first, MI)	Owner			stall the disposal system in accordance	
KICKERBYE, M	Applicant	with this applicat	ion and the Maine S	Subsurface Wastewater Disposal Rules.	
Illing Address of 3 Cor wner/Applicant 5 2013	HAM N.H. 03885				
Daytime Tel. # (-603-	172-444C	M	unicipal Tax Map #	83E-A Lot#_31_	
OWNER OR APPLICAL	NT STATEMENT		CAUTION: INSPECT		
ate and acknowledge that the inform knowledge and understand that any for Local Plumbing Inspector to deny Signature of Owner or	m 1.1.0.5	with the Subsur	I the installation author ace Wastewater Dispo Plumbing Inspector Si	(1st) date approved	
	 	AIT INFORMATION	///////////////////////////////////////		
TYPE OF APPLICATION	THIS APPLICATION REQUI	IRES	DISPO	OSAL SYSTEM COMPONENTS	
1. First Time System	#1. No Rule Variance	' .		nplete Non-engineered System	
2. Replacement System	☐ 2. First Time System Variance			nitive System (graywater & sit. toilet) rnative Toilet, specify:	
pe replaced:	a. Local Plumbing Inspector Appro b. State & Local Plumbing Inspect	oval tor Approval		engineered Disposal Area	
ar installed:	□ 3. Replacement System Variance			Sing Tank, gallons	
3. Expanded System □ a. Minor Expansion □ b. Major Expansion	a. Local Plumbing Inspector Appro b. State & Local Plumbing Inspect	oval tor Approval	8. Non-engineered Disposal Field (only) 7. Separated Laundry System		
4. Experimental System				nplete Engineered System (2000 gpd or more) gineered Treatment Tank (only)	
5. Seasonal Conversion	4. Minimum Lot Size Variance			gineered Disposal Field (only)	
	DISPOSAL SYSTEM TO SERVI	<u> </u>	□ 11. Pre	-treatment, specify:	
SIZE OF PROPERTY	■ 1. Single Family Dwelling Unit, No. of		□ 12. Mis	cellaneous Components	
10,743 SQ. FT.	2. Multiple Family Dwelling, No. of Ur		TYPE	OF WATER SUPPLY	
SHORELAND ZONING	□ 3. Other:		☐ 1. Drilled V	Vell □ 2, Dug Well □ 3, Private	
Yes □ No	(specify)	ad = 1 1-d-, when ad	4. Public	_ □ 5 Other	
-	Current Use Seasonal Year Rour		• •	3)/////////////////////////////////////	
	DISPOSAL FIELD TYPE & SIZE				
TREATMENT TANK 1. Concrete	☐ 1. Stone Bed ☐ 2. Stone Trench	GARBAGE DIS		DESIGN FLOW	
a. Regular		If Yes or Maybe, s	•	gallions per day	
b. Low Profile	□ a. cluster array f c. Linear	🛘 a. multi-compart	_	BASED ON: # 1. Table 501.1 (dwelling unit(s))	
2. Plastic 3. Other:	#b. regular load □ d. H-20 load	🛭 b tanks in s	eries	2. Table 501.2 (other facilities)	
CAPACITY: 1000 GAL.	4. Other:	🛘 c. increase in tar	nk cepacity	SHOW CALCULATIONS	
	SIZE: 900 0 sq. ft. 0 lin. ft.	☐ d. Filter on Tank		for other facilities	
OIL DATA & DESIGN CLASS	DISPOSAL FIELD SIZING	EFFLUENT/BJ	ECTOR PUMP		
FILE CONDITION DESIGN	☐ 1, Small2.0 sq, ft. / gpd ☐ 2. Medium2.8 sq, ft. / gpd	□ 1. Not Required			
HUIC I	■ 3. Medium—Large 3.3 sq. f.t / gpd	☐ 2. May Be Requir	bed		
bservation Hole #_56_ th_22	□ 4. Large—4.1 sq. ft. / gpd	3. Required			
lost Limiting Soil Factor	□ 5. Extre Large—5.0 sq. ft. / gpd	Specify only for en	gineered systems:	☐ 3. Section 503.0 (meter readings)	
EDROCK		DOSE:	gallons	ATTACH WATER METER DATA	
	SITE EVALU	JATOR STATEMEN	T////////		
ertify that on 4/15/09	(date) I completed a site ev	valuation on this pro	nerty and etate	that the data reported are accurate and	
	n compliance with the State of Ma	•	-		
David A. K.	er -	185	<i>_4//</i>	15/05	
Site Evaluator S	Signature	SE#		Date	
Danie A L	^ A A A A				
Site Suplicator	Nome Briston			Desc 4 of 2	
Site Evaluator I	Name Printed Victions from the design should	المفرد في مستفوم والمالية	- 46 - 814 - E	Page 1 of 3	


7	1		et, Road, Subdivision		Owner or App	
ORTLAND/	DIAMONO	parties a street the resident amount of the contents.	PRING COVI	and a share the second or the	,	RICKERBIE
		SITE	PLAN	Scale: 1" = /	OFL.	SITE LOCATION PLAN (Map from <i>The Maine Atla</i>
					1)	recommended)
	# - - 			and a general section of the section		N MA
	,,,,,,,,,, ,,,,,,,,,,,					
	SPOSAL					
	ISTEM ASEMENT	الموارك الأسارك الأساء الأساء الأساء. المراكز الإسلام المراكز المرا				
	7					$\langle \langle \langle \langle \rangle \rangle \rangle \rangle$
8 67	-71/					GR. DIAM IS .
8 50 50	A 50'		and the second s		and a manual man	
	-LEPR	الألا	COVE	SANE V		
S 14 /8 10	X - 7	·	31-947	1000 GAL		and in the first of the first of the first of
	(30'OR. PARE		TANK & PUMP		
S IRM		The same	1	(APPEN LOCATA		
8	سننج ، بارسیم م کا کا است	and the highest the second		$-A///\rangle \perp$	073/	***
GXISTIN	C. LOCATON	LOCATION		1-0LD//	v)/	
CAPERO	K. COCATION	3 BR HS		BATTERY		
		MAY VA		7//////		
				1111		
era en la del programa de la companya de la company				and the second s	بحارات ووسوالت والمحادث المسأور والمستح	
SOILED	413 000 000000					
Observation Hole _	54	_ 7 Test Pit	Boring	Observation Hots Dept	56 A	TIL HOLES Show(T Above)
Observation Hole _	54	Test Pit orizon Above Mini Color	☐ Boring eral Soll Mottling	Observation Hols Dept	56 A	_ ∰ Test Pit ☐ Boring orizon Above Mineral Soil Color Mottling
Observation Hole Del	56 pth of Organic He Consistency		☐ Boring eral Soll Mottling	Observation Hols Dept	h of Organic Ho Consistency	
Observation Hole Del Del O	56 pth of Organic Ho	Test Pit orizon Above Min Color	☐ Boring eral Soll Mottling	Observation Hols Dept	56 A h of Organic Ho	Test Pit Boring
Observation Hole Del Del Del Texture	56 pth of Organic He Consistency	Test Pit orizon Above Mini Color DARK BROWN	☐ Boring eral Soll Mottling	Observation Hols Dept	h of Organic Ho Consistency	_ ∰ Test Pit ☐ Boring orizon Above Mineral Soil Color Mottling
Observation Hole De Texture 6	pth of Organic Ho Consistency	Test Pit orizon Above Min Color	Boring eral Soll Mottling NONE	Observation Hols	h of Organic Ho Consistency	Test Pit Boring
Observation Hole Del Texture 6	pth of Organic Ho Consistency	Test Pit orizon Above Mini Color DARK BROWN	Boring eral Soll Mottling NONE	Observation Hols	h of Organic Ho Consistency	Test Pit Boring
Observation Hole De Texture 8	pth of Organic Ho Consistency	Test Pit orizon Above Mini Color DALK BROWN	Boring eral Soll Mottling NONE	Observation Hols	h of Organic Ho Consistency	Test Pit Boring Drizon Above Mineral Soil Color Mottling D BRIC BRIWN BRIWN COMM
Observation Hole De Texture 6 FINE 10 SANOY 15 CORW	pth of Organic Ho Consistency	Test Pit orizon Above Mini Color DALK BROWN	Boring eral Soll Mottling NONE	Observation Hols	h of Organic Ho Consistency	Test Pit Boring Drizon Above Mineral Soil Color Mottling D ASSC BROWN BROWN COMM
Observation Hole De Texture 6 FINE 10 SANOY 15 CORW	pth of Organic Ho Consistency	Test Pit orizon Above Mini Color DALK BROWN REDDING	Boring eral Soll Mottling NONE	Observation Hols	h of Organic Ho Consistency FRIABLE LOOSE	Test Pit Boring Drizon Above Mineral Soil Color Mottling Drizo BROWN BROWN COMM
Observation Hole De Texture 6 FINE	pth of Organic Ho Consistency	Test Pit orizon Above Mini Color DALK BROWN	Boring eral Soll Mottling NONE	Observation Hols	h of Organic Ho Consistency	Test Pit Boring Drizon Above Mineral Soil Color Mottling
Observation Hole Del Texture 6	pth of Organic Ho Consistency	Test Pit orizon Above Mini Color DALK BROWN REDDING	Boring eral Soll Mottling NONE	Observation Hols	h of Organic Ho Consistency FRIABLE LOOSE	Test Pit Boring Drizon Above Mineral Soil Color Mottling
Observation Hole De Texture Texture 5 ANOY 15 LOAM 20 30	pth of Organic Ho Consistency	Test Pit orizon Above Mini Color DALK BROWN REDDING	Boring eral Soll Mottling NONE	Observation HoleObservation Hole	h of Organic Ho Consistency FRIABLE LOOSE	Test Pit Boring Drizon Above Mineral Soil Color Mottling
Observation Hole 'De Texture	pth of Organic Ho Consistency FRIABLE LUCKE BEOR	Test Pit orizon Above Mine Color DALK BROWN REDDING	Boring eral Soll Mottling NONE	Observation Hole	h of Organic Ho Consistency FRIABLE LOOSE BEDRO	Test Pit Boring Drizon Above Mineral Soil Color Mottling Drizon Above Mineral
Observation Hole 'De Texture	pth of Organic Ho Consistency FRIABLE LUCKE SEED R	Test Pit orizon Above Mini Color DARK REDDING Limiting Gractor	Boring eral Soll Mottling WONLE Ground Water Restrictive Layer	Observation Hole	Hot Organic Hot Consistency FRIABLE LOOSE BEDRO	Test Pit Boring Orizon Above Mineral Soil Color Mottling DESCRIPTION BROWN O 1911 Limiting Ground Water Factor
Observation Hole De Texture 8 FINE	pth of Organic Ho Consistency FRIABLE LUCKE BEOR	Test Pit orizon Above Mini Color DARK REDDING Limiting Gractor	Boring eral Soll Mottling WONE Ground Water	Observation Hole	BEDRO	Limiting Factor Bedrock
Observation Hole 'De Texture	pth of Organic Ho Consistency FRIABLE LUCKE SEED R	Test Pit orizon Above Mini Color DARK REDDING Limiting Gractor	Boring eral Soll Mottling WONLE Ground Water Restrictive Layer	Observation Hole	Hot Organic Hot Consistency FRIABLE LOOSE BEDRO	Limiting Factor Bedrock



SUESURF	ACE W	ASTEWATER DISP	POSA	al system	M APPLICA	ATION	Division of Health Engineering, 10 SHS (207) 287-5672 Fext (207) 287-3165
7///////	PROPERTY	LOCATION ////////////	>>	CAUTION: PE	RMIT REQUIRE	D - ATTAC	HIN SPACE BELOW <<
City, Town, or Plantation	Parren	DIAMOND COVE					
Street or Road	Street or Road SPRING COVE LANG						
Subdivision, Lot # Cor No. 3/			The Subsurface Wastewater Disposal System shall not be installed until a Permit is attached HERE by the Local Plumbing Inspector. The Permit shall				
	R/APPLICA	NT INFORMATION /////	3		<u>-</u>	•	al system in accordance
Name (last, first, MI)	ext. A	Owner Applicant				•	tewater Disposal Rules.
Mailing Address of	2 (~	LINE FLORE RA				///////////////////////////////////////	
Owner/Applicant	57847	74 AM N.H. 03885					2 /X///////////////////////////////////
Daytime Tel.#	1-603-	272-4446		М	unicipal Tax Mep #	83E-A Lot#	31_
	R OR APPLICA!	NT STATEMENT ation submitted is correct to the best of		I have inspected	CAUTION: INSPECT		ound it to be in compliance
my knowledge and unc	ierstand that env	falsification is reason for the Department			ace Wastewater Dispo		
Millio	L Ricks	m 7.7.05	ĺ				(lat) date approved
Sign	sture of Owner or	Applicant Date			Piumbing Inspector Sic	maiure	(2nd) date approved
				NEORMATION		////////	
TYPE OF APPL		THIS APPLICATION RE	EQUIRE:	s			COMPONENTS ineered System
₱ 1. First Time Syst□ 2. Replacement S		2. First Time System Variance					raywatar & alt. toilet)
Type replaced:	system.	a. Local Plumbing Inspector A	Approval			mative Toilet, s -engineered Di	·
Year Installed:		· ·		vpproval		Ling Tank,	galions
□ 3. Expanded Sys	tem	3. Replacement System Variance 0.a. Local Plumbing Inspector A				_	sposal Field (only)
☐ 3. Expanded Sys☐ a. Minor Expan☐ b. Major Expan	sion sion	a. Local Plumbing Inspector A b. Stata & Local Plumbing Ins	pector A	poroval i 7. Separated Laundry System i 8. Complete Engineered System (2000 gr		-	
☐ 4. Experimental S	System	1. 4. Minimum Lot Size Variance		□ 9. Engineered Treatment Tank (only)			
☐ 5. Seasonal Conv	ersion	☐ 5. Seasonal Conversion Permit			-	ineered Dispos	
SIZE OF PROF	PERTY	DISPOSAL SYSTEM TO SE				-treatment, spe celleneous Cor	· ——-
40,743	SQ. FT.	■ 1. Single Family Dwelling Unit, No. o			TYPE	OF WATER S	UPPLY
SHORELAND	ZONING	□ 3, Other:(specify)		_	□ 1. Drilled Wetl □ 2. Dug Well □ 3. Private		
#Yes	□ No	Current Use Seasonel Year F	Round =	Undeveloped			
		DESIGN DETAILS (SYSTE	M LAYOUT SHO	OWN ON PAGE	3)/////	
TREATMENT		DISPOSAL FIELD TYPE & S		GARBAGE DIS			DESIGN FLOW
■ 1. Concrete		☐ 1. Stone Bed ☐ 2. Stone Trend	zh	■1. No □2. Ye	-	270	gellons per day
D. Low Profile		■ 3. Proprietary Device □ a. cluster array ♥c. Linear		If Yes or Maybe, at	-	BA	SED ON:
□ 2. Plastic		b. regular load □ d. H-20 loa	ad	□ a. multi-comperta □ b tanks in s		1. Table 5	D1.1 (dwelling unit(s)) D1.2 (other facilities)
☐ 3. Other:	GAL.	0 4. Other:		☐ c. increase in tar		SHOW	ALCULATIONS
		SIZE: <u>900</u> sq. ft. lln.	, ft.	🛭 d. Filter on Tank		for ot	her facilites —
SOIL DATA & DES	-	DISPOSAL FIELD SIZING		EFFLUENT/EJI	EC FOR PUMP		}
PROFILE CONDITION		☐ 1. Small—2.0 sq. ft. / gpd ☐ 2. Medium—2.6 sq. ft. / gpd	Ì	☐ 1. Not Required	_		
at Observation Hole		■ 3. Medium—Large 3.3 sq. f.t/g	apd	□ 2. May Be Requir	ed j		
Depth 22.		□ 4. Large4.1 sq. ft. / gpd		3. Required	•		
of Most Limiting Soil I	Factor	☐ 5. Extra Large5.0 sq. ft. / gpd	}	Specify only for eng			503.0 (meter readings) WATER METER DATA
17/1/1/1/1		////////////////////////////Site_ev/	ΔΙΊΔΫ	DOSE: OR STATEMEN	_gallons IT		
certify that on _	1115/0					that the date	reported are accurate and
		n compliance with the State of		e Subsurface Wa			ı
1 Jani	14.5	wy		185		5/05	_
Site	Evaluator 8	Signature		SE#	•	Date	
DAVID	<u>A. k</u>	AMILA	_				Dags 4 - 52
		Name Printed viations from the design sho	ould be	e confirmed with	h the Site Evalu	ator.	Page 1 of 3 HHE-200 Rev. 8/01

own, City, Plantation	 1	et, Road, Subdivision	TE LANE	Owner or A	Applicant Name	X (207) 287-4 R/F
	an designation of the state of	PLAN		as shown Ft.	SITE LOC	ATION PLAN
DISPOS SYSTE EASEN	M					
8 67 - 1 8 (6 5LA) 5	SPRING S	20VE	LANE		GR-DIA	n 15.
S A Race	- 2		147 (-1000 GAL			t spinner
\$ (16th)	B 30 one man	3 9 7	TANK PUN	2 4104) LOT 31		
S EXPONENT	ALSUMET		1065/	1017	2	A contra representa de la contra del la contra de la contra del
	1 3 BR HS		BATTURY			
				10		
SOIL DESCR	IPTION AND CLASSIFI	CATION □ Boring		ole 56 A	tion: Holes: Show	1.Above)* □ Borin
* Depth of (Organic Horizon Above Mine sistency Color		O	." Depth of Organic	Horizon Above Min	eral Soil <u>Mottlin</u>
ر ا ا ا ا ا ا	SHIE REDDING		SUPFACE (Inches)			/
	SE BROWN	NONE	SURFAC 15		BROWN	
20 × × ×	X XX	X	20			Com
30	BEDROCK		WINEPS WINEPS	X X X	< × ×	0191
40			DEPTH BELOW MINERAL SOIL B C C C C C C C C C C C C	BEDI	KOCIK.	
50			DEPTH 20			
Soll Class Z 45/C Profile	7 Factor DR	iround Water lestrictive Layer ledrock	Soll Z Profile	Class Sto	pe Limiting Factor 20	
		185		4/15/0		<u> </u>

FORIL. TEST PITS EVALUATED 10/17/84 CONFIRMED 4/15/05




SUBSURFACE V	VASTEWATER DISPO	SAL SYSTE	M APPLICA	Division of Health Engineering, 10 SHS (207) 287-5672 Fax: (207) 287-3165	
PROPERT	Y LOCATION /////////	>> CAUTION: PE	RMIT REQUIRE	D - ATTACH IN SPACE BELOW <<	
City, Town, or Plantation	UD / DIAMOND COVE		///////////////////////////////////////	######################################	
Street or Road SPRII	NG COVER LANGE		<u> </u>		
Subdivision, Lot# Lot	No. 31	The Subsurface Wastewater Disposal System shall not be installed until a			
/////OWNER/APPLIC	ANT INFORMATION	Permit is attached HERE by the Local Plumbing Inspector. The Permit shall authorize the owner or installer to install the disposal system in accordance			
Name (last, first, MI)	② Owner			• •	
RICKARBY.	RYAN Applicant	with this applicat	tion and the Maine S	Subsurface Wastewater Disposal Rules.	
Mailing Address of 3 Co	THE THOUSE RA. W.	///////////////////////////////////////		<i>[[]][[]][][][][][][][][][][][][][][][]</i>	
Owner/Applicant	THAM N.H. 03885	///////////////////////////////////////	//8///5///5	3/1 /9 4/1/92/32////////////////////////////////	
7-15- Tal # 1 1 1 1		' <u>////////////////////////////////////</u>	//////////////////////////////////////	02E A 1 3]	
	- 272 - 4446		CAUTION: INSPECT		
OWNER OR APPLICATION I state and acknowledge that the information	ANT STATEMENT mation submitted is correct to the best of	I have inspecte		ION REQUIRED rzed above and found it to be in compliance	
my knowledge and understand that at	ny faisification is reason for the Department		face Wastewater Dispos	sal Rules Application.	
and/or Local Plumbing inspector to de	ny a Permit.			(1st) date approved	
Slignature of Owner	or Applicant Dete	local	Plumbing Inspector Sig	grature (2nd) data approved	
		IT INFORMATION			
TYPE OF APPLICATION	THIS APPLICATION REQUI		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	DSAL SYSTEM COMPONENTS	
■ 1. First Time System	₽1. No Rule Variance	, ,	· ·	nplete Non-engineered System	
_	2. First Time System Variance	!		nittve System (graywater & sit. toilet)	
□ 2. Replacement System			1	mative Toilet, specify:	
Type replaced:	 □ a. Local Plumbing inspector Appro □ b. Stata & Local Plumbing inspect 	or Approval		rengineered Disposal Area	
Year Installed:	- ☐ 3. Replacement System Variance			fing Tank, gallons -engineered Disposal Field (only)	
 □ 3. Expanded System □ a. Minor Expansion □ b. Major Expansion 	 □ a. Local Plumbing Inspector Appro □ b. State & Local Plumbing Inspect 	oval		erated Laundry System	
D b. Major Expansion	☐ D. State of Focal Little in the Park	spector Approval B. Com		nplete Engineered System (2000 gpd or more)	
□ 4. Experimentel System ·	. a. Minimum Lot Size Variance	<u> </u>		pineered Treatment Tank (only)	
☐ 5. Seasonal Conversion	□ 5. Seasonal Conversion Permit	!	_	ineered Disposal Field (only)	
SIZE OF PROPERTY	DISPOSAL SYSTEM TO SERVE	E _	I	-treatment, specify: cellaneous Components	
	# 1. Single Family Dwelling Unit, No. of	- 49	U 12, 17:001		
40,743 SQ. FT.	☐ 2. Multiple Family Dwelling, No. of Un		TYPE	OF WATER SUPPLY	
SHORELAND ZONING	□ 3. Other: (specify)		□ 1. Drilled W	Vell □ 2. Dug Well □ 3. Private	
Yes DNo	Current Use Seasonal Year Roun		# 4. Public (
///////////////////////////////////////	////// DESIGN DETAILS (SYS	TEM LAYOUT SH	OWN ON PAGE	3)/////////////////////////////////////	
TREATMENT TANK	DISPOSAL FIELD TYPE & SIZE			DESIGN FLOW	
■ 1. Concrete	☐ 1. Stone Bed ☐ 2. Stone Trench	■1. No □ 2. Ye			
a. Regular		If Yes or Maybe, s	· .	gallons per day /	
□ b. Low Profile	□ a. cluster array ●c. Linear	a. multi-compart	· · ·	BASED ON:	
□ 2. Plastic □ 3. Other:		□ b tenks in s		4 1. Table 501.1 (dwelfing unit(s)) □ 2. Table 501.2 (other facilities)	
CAPACITY: / OOO GAL.	□ 4. Other:	C. increase in tar	nk capacity	SHOW CALCULATIONS	
	SIZE: <u>900</u> 0 sq. ft. 0 lin. ft.	□ d. Filter on Tank		— for other facilities —	
SOIL DATA & DESIGN CLASS	DISPOSAL FIELD SIZING	EFFLUENT/EJ	ECTOR PUMP	į	
PROFILE CONDITION DESIGN		☐ 1. Not Required	J		
ZHUICI	☐ 2. Medlum—2.6 sq. ft. / gpd	☐ 2. May Be Requir	red		
at Observation Hola #_56_	● 3. Medium—Large 3.3 sq. f.t / gpd	■ 3. Required		:	
Depth <u>22*</u>	☐ 4. Large—4.1 sq. ft. / gpd	1 ' '			
of Most Limiting Soil Fector	□ 5. Extra Large—5.0 sq. ft. / gpd	Specify only for eng		□ 3. Section 503.0 (meter readings)	
BUDROCK		DOSE:	gallons	ATTACH WATER METER DATA	
//////////////////////////////////////	//////////////SITE EVALU	JATOR STATEMEN	<u>π////////</u>		
I certify that on 4/15/0	(date) I completed a site ev	/aluation on this pro	perty and state t	that the data reported are accurate and	
that the proposed system is	in compliance with the State of Ma	aine Subsurface Wa			
1 Jan 14.4	with	185	<i>4/1</i>	5/05	
Site Evaluator	Signature	SE#		Date	
~ · · ·	KAMILA 878-3	2213			
Site Evaluator		シントン		Page 1 of 3	
	· Nama Unstad				

/ ma

SUBSURFACE WAS FEWATER DISPOSAL SY	STEW APPLICATION Maine Department of Human Services Division of Health Engineering, Station 10 (207) 287-6872 FAX (207) 287-4172
Town, City, Plantation Street, Road, Subdivided Spring Street, Road, Subdivided Spring	ion Owner or Applicant Name
Particular de la constitución de	SCALE 1 100 FL SITE LOCATION PLAN
SITE PLAN	(Map from The Maine Atlas
A NOTE SUM THAT	
and the state of t	A MIN. OF
	my cine
EASEMENT (19/21/0	Tomal (())
8-1 67 -	GR. DIAM IS.
8 50 50'	
N SPRING COVE	
6 4 8	C1000 6AL
	(ARRIVE FOR GITTH)
	1/1) Lot 3/
TO BUTTON ING THE PASSIMED ASSUMED	1/ sen //
3 BR 45E	[BATTONY]]
	7
* * Rauson 9/2/05 DAVC	
SOLDESCHETCH AND CLASSIFICATION	Constitution of Observation (10166 Strough Account)
Observation Hole 5/2 Ef Teet Pit Boring Depth of Organic Horizon Above Mineral Soil Texture Consistency Color Motiling	Observation Hole 56 4 Test Pit Baring Depth of Organic Horizon Above Mineral Soll Texture Consistency Color Medical Medical
Observation Hole E Test Pit	Observation Hole 56 4 Test Pit Boring Depth of Organic Horizon Above Mineral Soll Texture Consistency Color Mottling
Observation Hole E Test Pit	Observation Hole 56 4 Test Pit Boring Depth of Organic Horizon Above Mineral Soll Texture Consistency Color Mottling
Observation Hole E Test Pit	Observation Hole 56 4 Test Pit Boring Depth of Organic Horizon Above Mineral Soll Texture Consistency Color Mottling
Observation Hole	Observation Hole 56 4 Test Pit Baring Depth of Organic Horizon Above Mineral Soll Taxture Consistency Color Mottling FINE FRIANCE SANDY SEEDING LOANY LOASE 15
Observation Hole	Observation Hole 56 4 Test Pit Baring Depth of Organic Horizon Above Mineral Soll Taxture Consistency Color Mottling FINE FRIANCE SANDY SEEDING LOANY LOASE 15
Observation Hole	Observation Hole 56 4 Test Pit Baring Depth of Organic Horizon Above Mineral Soll Taxture Consistency Color Mottling FINE FRIANCE SANDY SEEDING LOANY LOASE 15
Observation Hole	Observation Hole 56 4 Test Pit Baring Depth of Organic Horizon Above Mineral Soll Taxture Consistency Color Mottling FINE FRIANCE SANDY SEEDING LOANY LOASE 15
Observation Hole	Observation Hole 56 4 Test Pit Baring Depth of Organic Horizon Above Mineral Soll Taxture Consistency Color Mottling FINE FRIANCE SANDY SEEDING LOANY LOASE 15
Observation Hole	Observation Hole 56 4 Test Pit Baring Depth of Organic Horizon Above Mineral Soll Taxture Consistency Color Mottling FINE FRIANCE SANDY SEEDING LOANY LOASE 15
Observation Hole Depth of Organic Horizon Above Mineral Soil Texture Consistency Color Mottling To Senior To Senior	Chservation Hole 56 4 Test Pit Baring Chservation Hole 56 4 Test Pit Baring Taxture Consistency Color Mottling FINE PRANCE 15
Observation Hole 5/2	Observation Hole 56 4 B Test Pit Boring Depth of Organic Horizon Above Mineral Soll Texture Consistency Color Mottling FINE PRACE SANDY SOLUTION LOOSE Soll Class Slape Limiting Count Water Factor Restrictive Layer
Observation Hole Observation	Character of Observation (Ibles Shown About) Observation Hole 56 4 Test Pit Baring Testure Consistency Color Mottling FINE PRAYER DIMENSION DOSE TOTAL
Observation Hole 5/2	Character of Observation (Ibles Shown About) Observation Hole 56 4 Test Pit Baring Testure Consistency Color Mottling FINE PRAYER DIMENSION DOSE TOTAL

HHE 200 Rev. 6/01




COMMUNICATION No

'05 (THU) 11:49

SUBSURFACE WASTEWATER DISPOS		M APPLICAT	ON Division (207)		
	id, Subdivision W6 Cove	LANE	Owner or Applic	ant Name <i>RKKERB</i>	15
SITE PLAN		Scale: 1" = /	OWN FL.		TION PLAN e Maine Atlas
DISPOSAL SYSTEM EASEMENT					
\\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\		Ave		CR. DIAM	15.
S WA W SPRING	31 0 1210	OO GAL PANK & PUMP			
REXISTRAL (16 CAN) ASSUMED A	7-16	065//	013/ 0/3/		
CAPPROX. COCHINI) 3 BR HSE		0005 17108			
		\(\frac{1}{2}\)			
* Depth of Organic Horizon Above Mineral Soli		bservation Hole	of Observation, 56 4 th of Organic Horiz Consistency	Test Pit	☐ Boring
	CE (Inches)	6 FINE	FRIABLE	BROWN	
15 LOAM BROWN	Soll surf	15 <u>LOAM</u>	10055		
SEDROCK	DEPTH BELOW MINERAL SOIL SURFACE (Inches)	30 × × ×	××	× ×	0191:
·		40	BEDROC		
Soli Clase Slope Limiting Ground W. Factor Restrictive Profile 7% 22 Bedrock	/ater	Soll Cia Z AIII		Factor	Ground Water Restrictive Layer Bedrock
Site Evaluator Signature	185 SE#	4	15 05 X		age 2 of 3 00 Rev. 6/01

PITS EVALUATED 10/17/84 CONFIRMED 4/15/85





Land Use Consultants, Inc.

engineers planners landscape architects

Transmittal

To: TAMI Morusan	Date: 9 21 05
From: David A. Kamila, PE	Job. No. 1420.31
Phone:	Project: HHE-200
Fax: 874-87/6	Pages:
REVISIONS	con

Tani -

PER MY DISCUSSION WITH KATTY RICKERSIE THIS MORNING I HALLY ADDED NOTES AND DIMONSIONS TO THE HHE-ZOO FOR HER Hame on DIAMOND COUR AS YOU REQUESTED.

PUBASO CAU WITH QUESTIONS.
Done K.

966 RIVERSIDE STREET PORTLAND, MAINE 04103

voice (207) 878 : 3313 fex /207) 878 : 0201 landuse@landuseinc.net

STAPLES copy printcenter

Complimentary Fax Cover Sheet

To: Mis Postla	re Nugent ad Planning Board	Cathy Rickarby 603-772-4446 Stratham, NH
Fax # (2	71756-8090	Phone # ()
Date:	.20.05	() Urgent () Confidential () Confirm Receipt
Number o	. – , , , , , , , , , , , , , , , , , ,	Reply Fax #:
Message:	Mike, theper this !	for . Thank you


Staples Copy Centers also offer these additional services:

- High Speed Black & White Copying
- Binding Services
- Custom Printing
- Digital Color Copying
- Laminating
- Custom Checks & Forms
- Convertent Self-Serve Copies
- Custom Stamps
- Personalized Calendars



IMPORTANT

Staples is not responsible for the content of this facsimile. Our customers are cautioned against sending confidential or sensitive personal information via facsimile. Staples is not responsible for misdirected facsimiles. If you received this facsimile in error, please notify the sender at the phone number inserted above for directions concerning the facsimile.





12 WESTBACOK COMMONS 2nd FLOOR WESTBROOK MAINE 04092 207-856-0007 Phone: 207-856-0006 Fax:

MCKINLEY PARTNERS LIMITED PARTNERSHIP GREAT DIAMOND ISLAND PORTLAND, MAINE CUMBERLAND COUNTY SCALE: 1" = 60' DATE: 11/09/99

LUC JOB #: 1420 SGC_JOB_#: 1-000032.00 ACCESS / UTILITY EASEMENT SKETCH PLAN Revised 02/23/00 Revised 05/25/00

Doc≑: 20495 Bk:22483 Ps: 66

Warranty Deed

Spiderflies Limited Liability Company, a Connecticut limited liability company, of the Town of Greenwich, County of Fairfield and State of Connecticut, for consideration paid, grants to Ryan Rickarby and Cathleen Rickarby of the Town of Stratham, County of Rockingham and State of New Hampshire, as joint tenants, with WARRANTY COVENANTS the following described premises:

See Attached Exhibit A

Being the same premises conveyed by McKinley Partners Limited Partnership to Spiderflies Limited Liability Company, by Deed dated September 18, 1996, and recorded in the Cumberland County Registry of Deeds in Book 12827, Page 304.

Dated April 1, 2005

Barbara A. Young

Administrative Member,

Spiderflies Limited Liability Company

State of Maine Cumberland, ss.

April 1, 2005

Personally appeared before me Barbara A. Young, duly authorized signatory of Spiderflies Limited Liability Company, and acknowledged the foregoing instrument to be her free act and deed and the free act and deed of Spiderflies Limited Liability Company.

Before me.

Attorney at

JONATHAN L. GOLDBERG ATTORNEY AT LAW

Warranty Deed

Spiderflies Limited Liability Company, a Connecticut limited liability company, of the Town of Greenwich, County of Fairfield and State of Connecticut, for consideration paid, grants to Ryan Rickarby and Cathleen Rickarby of the Town of Stratham, County of Rockingham and State of New Hampshire, as joint tenants, with WARRANTY COVENANTS the following described premises:

See Attached Exhibit A

Being the same premises conveyed by McKinley Partners Limited Partnership to Spiderflies Limited Liability Company, by Deed dated September 18, 1996, and recorded in the Cumberland County Registry of Deeds in Book 12827, Page 304.

Dated: April 1, 2005

Barbara A. Young Administrative Member,

Spiderflies Limited Liability Company

State of Maine Curoberland, ss.

April 1, 2005

Personally appeared before me Barbara A. Young, duly authorized signatory of Spiderflies Limited Liability Company, and acknowledged the foregoing instrument to be her free act and deed and the free act and deed of Spiderflies Limited Liability Company.

Before me.

Attorney ar

JOMATHAN L. GOLDBERG ATTORNEY AT LAW

Schedule A

McKinley Partners Limited Partnership - Spiderflies Limited Liability Company, Lot 31, Phase II, Great Diamond Island, Portland, Maine

Restrictive Covenant

Ĭ.

П.

 Π

The following restrictive covenant shall apply to, and be binding upon the within described Lot 31, and shall further be a covenant imposed by the Grantor herein upon all subsequent conveyances of single-family house lots on said plan entitled "Amended Recording Plat, Diamond Cove Phase II, Great Diamond Island, Portland, Maine", dated July 9, 1991 and recorded in the Cumberland County Registry of Deeds in Plan Book 191, Pages 143-145 (the "Plan"):

All residences erected on said lot shall contain at least 1, 400 square feet of living area as defined in said Amended and Restated General Declaration of Covenants and Restrictions.

The within covenant is imposed for the mutual benefit of the Grantor and the Grantee herein and shall be a continuing covenant running with the land, enforceable by either Grantor or Grantee, their successors, heirs or assigns, or by other owners of lots subject to the same covenant and located on the Plan.

Access/Utility Easement

This conveyance of Lot 31 is made together with the benefit of an Access/Utility Easement across Lot 32, for the benefit of Lot 31, as reserved in a Warranty deed from M. Kinley Partners Limited Partnership to Richard K. Kappelmann and Barbara O. Kappelmann dated August 9, 1995 and recorded in the Cumberland County Registry of Deeds in Book 12069, Page 132.

Subsurface Disposal Field Easement

The above-described premises (Lot 31 are also hereby conveyed with the perpetual right and easement to construct and maintain a subsurfaced disposal field, dealing with all pipes and appurtenances thereto, located as follows:

A certain lot or parcel of land lying northwesterly of, and adjacent to, Spring Cove Lane as shown on "Diamond Cove Phase II" dated October 1, 1991 by Land Use Consultants, Inc. recorded in the Cumberland County Registry of Deeds in Plan Book 191 on Page 193 and being more particularly described as follows:

Commencing at a steel rebar set at the most southerly corner of the "Open Space Recreation Area" as shown on said plan at the intersection of said road with Wood Side Drive, said point being the POINT OF BEGINNING.

Exhibit A

A certain lot or parcel of land, together with the buildings and improvements thereon, situated on Great Diamond Island in the City of Portland, County of Cumberland and State of Maine and being Lot No. 31 as shown on a plan entitled "Amended Recording Plat, Diamond Cove Phase II, Great Diamond Island, Portland, Maine, dated July 9, 1991, and recorded in the Cumberland County Registry of Deeds in Plan Book 191, Pages 143 through 145 (the "Plan"), to which Plan and the record thereof reference can be made for a more particular description of the premises; together with the Access/Utility casements and Subsurface Disposal casement described on Schedule A attached hereto and incorporated by reference herein.

The above described premises are conveyed together with and subject to the covenants, conditions, restrictions, rights, easements, charges, liens and other matters set forth or referred to in an Amended and Restated General Declaration of Covenants and Restrictions dated December 23, 1993 and recorded in said Registry of Deeds in Book 11277, Page 322, including Exhibit A thereto (the "Declaration").

For additional covenants affecting the within described premises, see Schedule A attached hereto.

Particular reference is also made to the terms and conditions of State of Maine Department of Environmental Protection Orders dated December 10, 1986 and recorded in said Registry of Deeds in Book 7585, Page 112, dated December 9, 1987 and recorded in said Registry of Deeds in Book 8848, Page 314, dated May 10, 1989 and recorded in said Registry of Deeds in Book 8772, Page 161, dated July 5, 1989 and recorded in said Registry of Deeds in Book 8902, Page 118, dated October 12, 1989 and recorded in said Registry of Deeds in Book 8964, Page 155, dated February 8, 1990 and recorded in said Registry of Deeds in Book 9109, Page 292, and dated June 25, 1991 and recorded in said Registry of Deeds in Book 9641, Page 287.

Being a portion of the premises conveyed to the Grantor by deed of Diamond Cove Associates dated December 17, 1993 and recorded in said Registry of Deeds in Bdok 11199, Page 237.

Further reference is made to an Assignment of Declarant Rights from Diamond Cove Associates to the Grantor dated December 17, 1993 and recorded in said Registry of Deeds in Book 11199, Page 247.

thence North 54° 04' 02" West along Wood Side Drive a distance of thirty feet (30.00 feet) to a point and remaining Open Space Area;

thence North 27° 28' 33" East along remaining Open Space Area a distance of sixty seven and 93/100 (67.93 feet) to a point;

thence South 72° 46° 40" East along remaining Open Space Area a distance of fifty feet (50.00 feet) to Spring Cove Lane and the point of curvature of a non-tangent curve, concave to the Northwest, having a radius of two hundred fifty one and 48/100 feet (251.48 feet), a central angle of 14° 23' 25", and a chord of sixty three feet (63.00 feet) bearing South 24° 25' 02" West;

thence Southwesterly along said curve, a distance of sixty three and 16/100 feet (63.16 feet) to the point of curvature of a compound curve, concave to the North, having a radius of twenty feet (20.00 feet), a central angle of 94° 19' 14", and a chord of twenty nine and 33/100 feet (29.33 feet) bearing South 78° 46' 20" West;

thence Westerly along said curve, a distance of thirty two and 92/100 feet (32.92 feet) to the POINT OF BEGINNING; said described tract containing 0.09 acre (3,883 square feet), more or less.

Together with the perpetual easement to install, maintain and repair the necessary pipes and utility lines from said Lot 31 in and through Spring Cove Lane to the above-described septic disposal site; provided, however, that Grantee shall restore the surface of Spring Cove Lane to its condition as existed prior to any excavation in said Lane undertaken by Grantee and shall conduct any excavation in a manner which minimizes any interruption to utility services or traffic across said Lane.

The premises are further subject to the following:


- 1. Release and Abandonment of Access Rights from Spiderflies Limited Liability Company to McKinley Partners Limited Partnership dated May 25, 1999 and recorded in the Cumberland County Registry of Deeds in Book 14807, Page 172.
- 2. Easement Deed from McKinley Partners Limited Partnership to Spiderflies Limited Liability Company dated June 4, 1999 and recorded in the Cumberland County Registry of Deeds in Book 14807, Page 173.
- 3. Easement Deed from Richard K. Kappelman and Barbara O. Kappelman to Spiderflies Limited Liability Company dated September 18, 2001 and recorded in the Cumberland County Registry of Deeds in Book 16768, Page 117.

Received
Recorded Resister of Deads
Arr 01:2005 02:29:21F
Comberland Counts
John B (Brien

the second

Martin Services

603-772-4446





12 WESTEROOK COMMONS 2nd FLOOR WESTBROOK MAINE 04092 Phone: 207-856-0006 Fax: 207-856-0007 LIMITED PARTNERSHIP GREAT DIAMOND ISLAND PORTLAND, MAINE CUMBERLAND COUNTY SCALE: 1'' = 60'DATE: 11/09/99

LUC_JOB #: 1420 SGC JOB #: 1-000032.00 ACCESS EASEMENT SKETCHIPLAN Revised 02/23/00 Revised 05/25/00

STAPLES COPY Printcenter

Complimentary Fax Cover Sheet

To: Mike Nugent Postland Planning Board	Cuthy Rickarby 603-772-4446 Stratham, NH
Fax# (207) 756-8090	Phone # ()
Date: 9.20.05	() Urgent () Confidential () Confirm Receipt
Number of Pages: (Including Cover)	Reply Fax #:
Message: Mike, Hope this You're looking For your ass RODNEY (SCEMAN)	for . Thank you

Staples Copy Centers also offer these additional services:

- High Speed Black & White Copying
- Binding Services
- Custom Printing
- Digital Color Copying
- Laminating
- Custom Checks & Forms
- Convenient Self-Serve Copies
- Custom Stamps
- Personalized Calendars



IMPORTANT

Staples is not responsible for the content of this facsimile. Our customers are cautioned against sending confidential or sensitive personal information via facsimile. Staples is not responsible for misdirected facsimiles. If you received this facsimile in error, please notify the sender at the phone number inserted above for directions concerning the facsimile.

JOHN DIETZ- 766-5153

BONNIE.

- 7.5 Extent of Members' Essements: The rights and essements of enjoyment created hereby shall be subject to the following:
- 7.5.1 Rights of Declarant, its successors and assigns, as herein reserved.
- 7.5.2 Rights of the Association which is the grantee of common properties, including, but not limited to the right of the Association to charge reasonable admission and other fees for the use of the common properties or to suspend the enjoyment rights of any member by reason of unpaid assessments or violations hereof or of Rules and Regulations, all as provided herein.
- 7.6 Rights Reserved by the Declarant: Declarant, for itself, its successors and assigns, reserves for the benefit of Declarant or any properties of Declarant or any successor or assign of Declarant, which need not include the properties, the following rights in any of the properties transferred to the Association or the owners:
- 7.6.1 Unless expressly vaived by Declarant, Declarant reserves exclusively unto itself, its successors and assigns, a perpetual, alienable and releasable utility easement and right in, on, over and under the properties to erect, maintain, operate and use poles, wires, cables, switches, computers, receptacles, satellite transmission earth stations. conduits, directional and informational signs, drainage ways, sewers, irrigation lines, wells, antennas, receivers, garbage collection facilities, pumping stations, tanks, water mains and other suitable equipment including microwave and satellite stations for the conveyance, transmission or use of video, voice, factimile and data communications, electricity, gas, sever, water, drainage or other public convenience, utilities and communication facilities on, in or through those portions of the properties as may be reasonably required for utility line purposes; provided, however, that:



- no utility easement shall run across any portion of the properties which is covered by an existing building or across any area for which written approvals to construct a building thereon have been obtained within the past year from Declarant;
- (b) such easement or installation of utilities therein or thereon shall be maintained in as attractive a state as is reasonably feasible;
- (c) Declarant, without obligation, reserves the right to transfer any such utilities and easements, in whole or in part, which it owns to the Association, at which time the Association shall

be responsible for and shall have the obligations to operate and maintain such utility easements;

(d)

Declarant, without obligation, reserves the right to transfer such utilities and utility easements and easements of access to such utility and utility easements, in whole or in part, to another entity, whether public or private, which shall undertake to provide such utility service.

No utility, communications, public convenience or transportation facility described in this Article 7 may be installed or operated unless such facility is approved by Declarant. Declarant or service providers approved by Declarant may charge reasonable fees for the provision of such utility, communications, public convenience or transportation facilities or services.

These easements and rights expressly include the right to cut any trees, bushes or shrubbery, make any gradings of the soil or take any other similar action reasonably necessary to provide economical and safe utility installation and to maintain reasonable standards of health, safety and appearance, except that no such easements and rights may be exercised in violation of Section 4.13 of this Declaration or the Design Guidelines. Any material disturbance to the grounds of any owner or common properties caused by such utility installation shall be repaired and said grounds returned to a reasonable reconstruction of their prior condition by Declarant or prompt and reasonable remuneration for such repair shall be made to such owner or association of owners by Declarant. Declarant further reserves to itself, its successors and assigns, the right to locate the waterlines, bumping stations, siltation basins and tanks within the common properties, or on any lot with the permission of the owner thereof.

- 7.6.2 An easement is reserved for surface drainage in and along the streets and such other locations as are shown on the Phase I and Phase II Plans as "drainage easement" or otherwise designated for such intended purpose.
- 7.6.3 An essement is reserved for the purposes stated in Section 7.6.1 with respect to areas within platted streets and roadways. Declarant, its successors, assigns, employees and licensees, shall have the unobstructed use at all times of all streets and roadways.
- 7.6.4 The right to construct and maintain on the common properties, paths and trails for recreational use by owners or Declarant, provided such paths and trails shall be constructed so as not to adversely affect the scenic character of the common properties.



PORTLAND MAINE

Planning Division


Jay Reynolds, Development Review Coordinator


Zaring + Cable:


CBLO83EO31.


CBLO83EO31.


389 Congress Street, 4th floor • Portland, ME • (207) 874-8632 • Fx 756-8258 Email: jayjr@portlandmaina.gov

























EECTRICAL SCHEDULE

LOT #31 DIAMOND COVE Ryan & Cathy Rickarby




NE


NO PLANS TO CHANGE EXISTING GROVE. TREE CANODY 40.50 EST.
Ryan & Cathy Rickersy Lot #31 DIAMING COVE



lorth sest

SPRING COVE





(B) SECOND FLOOR -ELEC PLAN

