


2ND FLOOR FRAMING PLAN
 1/8" = 1'-0"

TOP OF STEEL ELEV = 116'-4" UNLESS NOTED (±X"). ALL BEAMS PARALLEL TO JOISTS ARE (+2 1/2").

FLOOR SLAB IS GALVANIZED, 24 GAGE, 1.0 CSV NON-COMPOSITE STEEL DECK BY VULCRAFT WITH 1 1/2" CONCRETE TOPPING (TOTAL THICKNESS = 2 1/2") WITH 6x6-W14xN1.4 WNF LOCATED 3/4" FROM THE TOP SURFACE.

NOTE:
 ADJUST LAYOUT OF JOISTS TO AVOID PLUMBING DROPS. 36" MAXIMUM CENTER TO CENTER SPACING OF JOISTS SPACING.



Date: 03 Feb 2014	Scale: 1/8" = 1'-0"	Revisions: Issued for Construction 02/03/14	Project: PRESERVATION PHASE THE INN AT DIAMOND COVE McKINLEY COURT GREAT DIAMOND ISLAND, MAINE	Architect: ARCHETYPE architects 48 Union Wharf Portland, Maine 04101 (207) 772-6022 Fax (207) 772-4056	Structural Engineer: STRUCTURAL CONSULTING	Prepared For: The Inn at Diamond Cove, LLC. PO BOX 3572 PORTLAND, ME 04101	
							S3.0