


**3RD FLOOR FRAMING PLAN**  
 $1/8" = 1'-0"$

TOP OF STEEL ELEV = 129'-5" UNLESS NOTED (x"). ALL BEAMS PARALLEL TO JOISTS ARE (+2 1/2").

FLOOR SLAB IS GALVANIZED, 24 GAUGE, 10 CSV NON-COMPOSITE STEEL DECK BY VULCRAFT WITH 1 1/2" CONCRETE TOPPING (TOTAL THICKNESS = 2 1/2") WITH 6x6-W1.4xW1.4 WNF LOCATED 3/4" FROM THE TOP SURFACE.

NOTE: ADJUST LAYOUT OF JOISTS TO AVOID PLUMBING DROPS, 36" MAXIMUM CENTER TO CENTER SPACING OF JOISTS SPACING.



Date: 03 Feb 2014


Revisions:  
 Issued for Construction 02/03/14

Project: PRESERVATION PHASE  
 THE INN AT  
 DIAMOND COVE

Architect: **ARCHETYPE**  
 architects  
 48 Union Wharf Portland, Maine 04101  
 (207) 772-6022 Fax (207) 772-4056

Structural Engineer: **STRUCUTRAL ENGINEERS**  
 22 Oakmont Drive  
 Old Orchard Beach ME 04064-4121  
 Tel 207.854.8038 Fax 207.854.8039

Prepared For: **The Inn at Diamond Cove, LLC.**  
 PO BOX 3572  
 PORTLAND, ME 04101



**S4.0**

**THIRD FLOOR FRAMING PLAN**

McKINLEY COURT  
 GREAT DIAMOND ISLAND, MAINE