



HIGH ROOF FRAMING PLAN



- NOTES:
- SEE SHEET S1.0 FOR GENERAL STRUCTURAL NOTES
 - SEE SHEET S1.0 FOR ALL SPECIFICATIONS REGARDING DIMENSIONAL LUMBER, ENGINEERED LUMBER AND STRUCTURAL STEEL
 - ALL WOOD COLUMNS IN 2x6 WALLS SHALL BE 3-2x6 AND IN 2x4 WALLS SHALL BE 3-2x4 UNLESS NOTED OTHERWISE ON PLANS
 - ALL BEAMS ARE FLUSH UNO
 - ALL HEADERS IN 2x6 BEARING WALLS ARE (3) 2x6, UNO
 - ALL HEADERS IN 2x4 BEARING WALLS ARE (2) 2x8, UNO
 - ALL ROOF SHEATHING TO BE 5/8", SEE GENERAL NOTES FOR ADDITIONAL INFORMATION -TYP
 - ALL ROOF RAFTERS LONGER THAN 20'-0" SHALL BE SELECT STRUCTURAL GRADE MIN -TYP**
 - ALL OTHER 2x12 ROOF RAFTERS SHALL BE No. 2 GRADE OR BETTER -TYP

FRAMING PLAN SYMBOLS KEY	
□	WOOD POST
○	STEEL COLUMN
(X)	NUMBER OF WOOD STUDS IN POST BELOW
A	COLUMN ABOVE THIS LEVEL
C	COLUMN CONTINUOUS THROUGH THIS LEVEL
—	JOIST BEARING
—	CONTINUOUS JOIST WITH INTERMEDIATE BEARING
—	FLUSH FRAMED JOIST BEARING WITH HANGER
—	WOOD STUD BEARING WALL BELOW
—	COVER FRAMING BY OTHERS -TYP
—	NUMBER OF TRIM STUDS UNDER HEADER
—	NUMBER OF KING STUDS ADJACENT TO HEADER



REVISIONS:

CONSULTANTS:
Structural Integrity
 Consulting Engineers
 77 Oak Street
 Portland, ME 04108
 P: 603-792-7835
 www.structuralintegrity.com
 BUILD WITH CONFIDENCE
 4900 Ave. C, Box 94
 Portland, ME 04108
 S.I. # 14-0040

BEAULIEU RESIDENCE
 CLIENT: RON & LORI BEAULIEU
 ADDRESS: LOT #61
 GREAT DIAMOND ISLAND, ME

HIGH ROOF FRAMING PLAN
 REV: 1 - 06/18/14
 DATE: 04/14/2014
 PROJECT NO.: 2013-14
 DRAWN: MKL
 SCALE: 1/4" = 1'-0"