# City of Portland, Maine - Building or Use Permit Application 389 Congress Street, 04101, Tel: (207) 874-8703, FAX: 874-8716

Location of Construction:	Owner:		Phone:		Permit No: 9 7 0 7 5 2
76 Torrington Ave, Peaks Owner Address: SAA Peaks Island ME	Woodbury, Hugh 8 Lessee/Buyer's Name: 04108	Phone: 766-5843	Busines	sName:	PERMIT ISSUED
Contractor Name:  Carl Lincoln	Address:	Phone	:		Permit Issued: JUL   5  997
Past Use:	Proposed Use:	COST OF WORK		PERMIT FEE:	
1 6		\$ 2,000.00		\$ 30.00	CITY OF PORTLAND
1-fam	Same	FIRE DEPT.   Approved  Denied		INSPECTION:	
			Denied	Use Group: R3Type: 5B BOCA 9G Signature: Holds	Zone: CBL: 084-N-013 -
Proposed Project Description:		Signature: PEDESTRIAN A	CTIVITIE	S DISTRICT (P.A.D.)	Zoning Approval:
		The state of the s	Approved	00	Special Zone or Reviews:
Rebuild Deck			10 To 15	with Conditions:	Shoreland wwhin but wer
Not to Exceed Existing Foo	otprint	I	Denied		□ Wetland 75 from HW N
		Signature:		Date:	□Subdivision 7 9 9 7
Permit Taken By:	Date Applied For:				☐ Site Plan maj ☐mindr ☐mm ☐
Mary Gresik	01.3	July 1997			Zoning Appeal
1. This permit application does not preclude the	Applicant(s) from meeting applicable Sta	te and Federal rules.			□ Variance
2. Building permits do not include plumbing, se	ptic or electrical work.				☐ Miscellaneous ☐ Conditional Use
3. Building permits are void if work is not started within six (6) months of the date of issuance. False informa-				`	□ Interpretation
tion may invalidate a building permit and stop	p all work				☐ Approved ☐ Denied
		14	THAN	Ŷ.	Historic Preservation  Hotoric Preservation  Does Not Require Review  Requires Review
					Action:
I hereby certify that I am the owner of record of the authorized by the owner to make this application a if a permit for work described in the application is areas covered by such permit at any reasonable ho	s his authorized agent and I agree to con issued, I certify that the code official's an	form to all applicable uthorized representati	e laws of th ve shall ha	is jurisdiction. In addition	, Denied
21 Hogh Wadling		01 July 19	97		KT
SIGNATURE OF APPLICANT Hugh woodbu	ary ADDRESS:	01 July 19 DATE:		PHONE:	
RESPONSIBLE PERSON IN CHARGE OF WORK	K, TITLE			PHONE:	CEO DISTRICT
White-Pe	rmit Desk Green-Assessor's Cana	ry-D.P.W. Pink-Pul	blic File	Ivory Card-Inspector	

#### City of Portland, Maine - Building or Use Permit Application 389 Congress Street, 04101, Tel: (207) 874-8703, FAX: 874-8716 Location of Construction: Owner Phone: Permit No: 76 Torrington Aver Panks Woodbury, High & Joyce Owner Address: Lessee/Buver's Name: BusinessName: Phone: Panks Inkhad 04108 766-5843 Contractor Name: Phone: Address: Carl Lincoln JUL 1 5 1997 COST OF WORK: PERMIT FEE: Past Use: Proposed Use: 2,000,00 30.00 1-fam Same FIRE DEPT. Approved INSPECTION: ☐ Denied Use Group: Type: CBL: 084-N-013 Zone: Signature: Signature: Zoning Approval: Proposed Project Description: PEDESTRIAN ACTIVITIES DISTRICT (P.A.D.) Action: Approved Special Zone or Reviews: Rebuild Deck Approved with Conditions: □ Shoreland Denied 75, 1000 □ Wetland Not to Exceed Existing Featuring □ Flood Zone □ Subdivision Signature: Date: ☐ Site Plan mai ☐minor ☐mm ☐ Permit Taken By: Date Applied For: Hary Gresik 01 July 1997 Zoning Appeal □ Variance This permit application does not preclude the Applicant(s) from meeting applicable State and Federal rules. □ Miscellaneous 2. Building permits do not include plumbing, septic or electrical work. □ Conditional Use ☐ Interpretation Building permits are void if work is not started within six (6) months of the date of issuance. False informa-☐ Approved tion may invalidate a building permit and stop all work... □ Denied Historic Preservation Not in District or Landmark Does Not Require Review ☐ Requires Review Action: CERTIFICATION ☐ Appoved ☐ Approved with Conditions I hereby certify that I am the owner of record of the named property, or that the proposed work is authorized by the owner of record and that I have been ☐ Denied authorized by the owner to make this application as his authorized agent and I agree to conform to all applicable laws of this jurisdiction. In addition, if a permit for work described in the application is issued, I certify that the code official's authorized representative shall have the authority to enter all areas covered by such permit at any reasonable hour to enforce the provisions of the code(s) applicable to such permit 01 July 1997 SIGNATURE OF APPLICANT ADDRESS: DATE: PHONE: RESPONSIBLE PERSON IN CHARGE OF WORK, TITLE PHONE:

White-Permit Desk Green-Assessor's Canary-D.P.W. Pink-Public File Ivory Card-Inspector

CEO DISTRICT

					4-15-71 Mark 10	10000	
Type  Foundation:  Framing:  Plumbing:  Final:  Other:					all completed		
Inspection Record							
Date		T.					

40 stroots C ledge Rock on ledge Rock

#### BASIC GUIDELINES FOR DECK PERMITS



Materials needed to apply for permit:

Plot Plan - A Bird's eye view of your property showing where all your buildings are located in relationship to the lot lines and each other. You need to show those distances (the front, rear and sides) in feet.

<u>Construction Plan</u> - Cross Section. What dimensional lumber/materials are being used and what is their make-up?

<u>Fee</u> - Based on cost of work labor/materials. 25.00 1st 1,000 worth of work, 5.00 each additional 1,000.

The following check-off sheet can be used in most circumstances:

Foundation	Frost wall, min 4' below grade
	Sone tubes, min 4' below grade, 6" min (Existing on footing, hard pan or bedrock
	Other
sill	Distance between foundation supports
Joist Size	2x6 2x8 2x10
Joist Span	<u>6</u> <del>9</del> .
Distance Between Joists	16"oc 24"oc other
Decking	5/4 other/explain Pressure treated
Stair Construction	10" min troad 7 3/4" max riser
Guard Height	36" 42"
above the floor or below grad	g open-sided walking surfaces located 15 1/2" de. Single family - min 36", all others 42", e leading edge of the tread or adjacent walking
Balusters	/under 4"

Open guards shall have balusters or be of a solid material such that a sphere with a diameter of 4" cannot pass through any opening. Guards shall not have an ornamental pattern that would provide a ladder effect.

#### BUILDING PERMIT REPORT

DATE: 11 July 97 ADDRESS: 76 Torrington Ave. P.	1
REASON FOR PERMIT: Vebuild deck (Same Footprint)	
BUILDING OWNER: Woodbury	
CONTRACTOR:	
PERMIT APPLICANT: APPROVAL: X/, X8 X/0 X20 X 27 DENIE	D

### CONDITION(S) OF APPROVAL

 $\frac{\sqrt{1}}{2}$ 

This permit does not excuse the applicant from meeting applicable State and Federal rules and laws.

Before concrete for foundation is placed, approvals from the Development Review Coordinator and Inspection Services must be obtained. (A 24 hour notice is required prior to inspection)

3. Precaution must be taken to protect concrete from freezing.

4. It is strongly recommended that a registered land surveyor check all foundation forms before concrete is placed. This is done to verify that the proper setbacks are maintained.

- Private garages located beneath habitable rooms in occupancies in Use Group R-1, R-2, R-3 or 1-1 shall be separated from adjacent interior spaces by fire partitions and floor/ceiling assembly which are constructed with not less than 1-hour fire resisting rating. Private garages attached side-by-side to rooms in the above occupancies shall be completely separated from the interior spaces and the attic area by means of ½ inch gypsum board or the equivalent applied to the garage means of ½ inch gypsum board or the equivalent applied to the garage side. (Chapter 4 Section 407.0 of the BOCA/1996)
- 6. All chimneys and vents shall be installed and maintained as per Chapter 12 of the City's Mechanical Code. (The BOCA National Mechanical Code/1993) U.L. 103.
- 7. Sound transmission control in residential building shall be done in accordance with Chapter 12 section 1214.0 of the city's building code.

building code.

Guardrail & Handrails A guardrail system is a system of building components located near the open sides of elevated walking surfaces for the purpose of minimizing the possibility of an accidental fall from the walking surface to the lower level. Minimum height all Use Groups 42", except Use Group R which is 36". In occupancies in Use Group A, B, H-4, I-1, I-2 M and R and public garages and open parking structures, open guards shall have balusters or be of solid material such that a sphere with a diameter of 4" cannot pass through any opening. Guards shall not have an ornamental pattern that would provide a ladder effect.

9. Headroom in habitable space is a minimum of 7'6".

 $\sqrt{10}$ .

Stair construction in Use Group R-3 & R-4 is a minimum of 10" tread and 7 3/4" maximum rise. All other Use group minimum 11" tread. 7" maximum rise.

11. The minimum headroom in all parts of a stairway shall not be less than 80 inches.

- 12. Every sleeping room below the fourth story in buildings of use Groups R and I-1 shall have at least one operable window or exterior door approved for emergency egress or rescue. The units must be operable from the inside without the use of special knowledge or separate tools. Where windows are provided as means of egress or rescue they shall have a sill height not more than 44 inches (1118mm) above the floor. All egress or rescue windows from sleeping rooms shall have a minimum net clear opening height dimension of 24 inches (610mm). The minimum net clear opening width dimension shall be 20 inches (508mm), and a minimum net clear opening of 5.7 sq. ft.
- 13. Each apartment shall have access to two (2) separate, remote and approved means of egress. A single exit is acceptable when it exits directly from the apartment to the building exterior with no communications to other apartment units.
- 14. All vertical openings shall be enclosed with construction having a fire rating of at lest one (1)hour, including fire doors with self closer's.
- 15. The boiler shall be protected by enclosing with (1) hour fire-rated construction including fire doors and ceiling, or by providing automatic extinguishment.
- All single and multiple station smoke detectors shall be of an approved type and shall be installed in accordance with the provisions of the City's Building Code Chapter 9, Section 19, 920.3.2 (BOCA National Building Code/1996), and NFPA 101 Chapter 18 & 19. (Smoke detectors shall be installed and maintained at the following locations):
  - In the immediate vicinity of bedrooms
  - In all bedrooms
  - In each story within a dwelling unit, including basements

In addition to the required AC primary power source, required smoke detectors in occupancies in Use Groups R-2, R-3 and

I-1 shall receive power from a battery when the AC primary power source is interrupted. (Interconnection is required)

- 17. A portable fire extinguisher shall be located as per NFPA #10. They shall bear the label of an approved agency and be of an approved type.
- 18. The Fire Alarm System shall be maintained to NFPA #72 Standard.
- The Sprinkler System shall maintained to NFPA #13 Standard.
- All exit signs, lights, and means of egress lighting shall be done in accordance with Chapter 10 Section & Subsections 1023. & 1024. Of the City's building code. (The BOCA National Building Code/1996)
- 21. All construction and demolition debris must be disposed at the City's authorized reclamation site. The fee rate is attached. Proof of such disposal must be furnished to the office of Inspection Services before final Certificate of Occupancy is issued or demolition permit is granted.
- 22. Section 25-135 of the Municipal Code for the City of Portland states, "No person or utility shall be granted a permit to excavate or open any street or sidewalk from the time of November 15 of each year to April 15 of the following year".
- 23. The builder of a facility to which Section 4594-C of the Maine State Human Rights Act Title 5 MRSA refers, shall obtain a certification from a design professional that the plans commencing construction of the facility, the builder shall submit the certification to the Division of Inspection Services.
- 24. This permit does not excuse the applicant from obtaining any license which may be needed from the City Clerk's office.
- 25. Ventilation shall meet the requirements of Chapter 12 Sections 1210, of the City's Building Code.

All electrical and plumbing permits must be obtained by a Master Licensed holders of their trade.

Dreuse read and implement into the description of their trade.

28.

29.

Served Floffs, Chief of Code Enforcement

Lt. Mge Sougall, FD Marge Schmuckal

## LAND USE - ZONING REPORT

ADDRESS: 76 TORMS MINC DATE: 7/9/97
REASON FOR PERMIT: Lebrald deck - Not to Exceed FXIS
BUILDING OWNER: High & Jage, Wordburgs-L: 84-N-13 (
PERMIT APPLICANT:
APPROVED: With Condition DENIED:
# 1
CONDITION(S) OF APPROVAL
1. During its existence, all aspects of the Home Occupation criteria, Section 14-410, shall be maintained.
2. The footprint of the existing shall not be increased during maintenance reconstruction.
3. All the conditions placed on the original, previously approved, permit issued on are still in effect for this amendment.
Your present structure is legally nonconforming as to rear and side setbacks. If you were to demolish the building on your own volition, you will <u>not</u> be able to maintain these same setbacks. Instead you would need to meet the zoning setbacks set forth in today's ordinances. In order to preserve these legally non-conforming setbacks, you may only rebuild the page in place and in phases.
5. This property shall remain a single family dwelling. Any change of use shall require a separate permit application for review and approval.
6. Our records indicate that this property has a legal use of units. Any change in this approved use shall require a separate permit application for review and approval.
<ol> <li>Separate permits shall be required for any signage.</li> <li>Separate permits shall be required for future decks and/or garage.</li> <li>Other requirements of condition</li></ol>
Marge Schmuckal, Zoning Administrator, Asst. Chief of Code Enforcement