


Rachel Conly Design LLC 26 Sterling Street Peaks Island, Maine 04108 207.766.5625 www.rachelconlydesign.com



Ave Island aks Ũ 2 P

BUILDING SECTION

nd, Isla

23'-6"
SECOND FLOOR
RIDGE 1—HR DEMISING WALL WITH SOUND INSULATION. CARRY RATED ASSY TO UNDERSIDE OF ROOF DECK -2" XPS BELOW ROOFING TO REMAIN. 18'-8
FIRST FLOOR RIDGE -16" LOOSE FILL CELLULOSE ABOVE CLG. APT #2 ♦ 9'-2 SECOND FLOOR EXISTING FIELD MODIFIED TRUSSES
TO BE REPAIRED, SEE S2.1 تحصيصا 30 MINUTE HORIZONTAL — ASSEMBLY BETWEEN DWELLING UNITS. - 30 MINUTE HORIZONTAL ASSEMBLY BETWEEN DWELLING UNITS BUSINES\$ OCCUPANCY APT #1 APT #4 O'-0"
FIRST FLOOR 0'-0" FIRST FLOOR ◆ STORAGE APT #3 GROUND FLOOR GROUND FLOOR NEW FOOTINGS, FOUNDATIONS, & OTHER STRUCTURAL UPGRADES PER DRAWINGS PERMITTED 05.04.2017 -1-HR SEPARATION BETWEEN RESIDENTIAL & STORAGE OCCUPANCIES _2" XPS WING INSULATION OVER SHALLOW FROST—PROTECTED FOOTING

-4" XPS OVER SUB-SLAB VAPOR BARRIER

BUILDING SECTION

1/8"=1'-0"